

STANDARD PATCH FITTINGS

Finish : SSS



**OPF-1 STD SSS ₹ 3,520**  
Over Panel Side Panel  
Connecting Patch with Pivot



**OPF-2 STD SSS ₹ 2,145**  
Top Patch



**OPF-3 STD SSS ₹ 2,145**  
Bottom Patch



**OPF-4 STD SSS ₹ 3,245**  
Wall Mounted Over Panel  
Patch with Pivot



**OPF-610 STD SSS ₹ 3,025**  
Over Panel Side Panel  
Connector



**OPF-610 R/L STD SSS ₹ 4,125**  
Triple Glass Connector  
with Fin (Right / Left)



**OPF-610 ST STD SSS ₹ 2,750**  
Over Panel Side Panel Connector  
with Stopper (One Side Opening  
Door)



**OPF-620 STD SSS ₹ 3,355**  
Quadruple Connector



**OPF-620 F STD SSS ₹ 4,180**  
Quadruple Connector  
with Fin



**OPF-630 F STD SSS ₹ 4,015**  
Double Glass Connector  
with Fin Fitting Inside



**OPF-640 STD SSS ₹ 1,375**  
Wall to Glass Clamping Patch

New



E Series

**OPF-640E STD SSS ₹ 1,122**  
Wall to Glass Clamping Patch



**OPF-650 AA STD SSS ₹ 1,265**  
Wall to Glass Clamping Patch



**OPF-650 STD SSS ₹ 1,650**  
Glass to Glass Connecting  
Patch to Wall/Ceiling



**OPF-660 STD SSS ₹ 1,760**  
Double Glass Connector



**OPF-41 R/L STD SSS ₹ 5,555**  
Over Panel Side Panel  
Connector with Fin  
(Right / Left)



**OPF-51 STD SSS ₹ 8,360**  
Over Panel Connector for  
Back to Back Doors



**OFS-ACC-GDP SSS ₹ 440**  
**OFS-ACC-GDP PSS ₹ 446**  
Top Pivot for Patch/Point  
Fitting Doors

## STAINLESS STEEL PATCH FITTINGS

Solid Stainless Steel Patch Fittings in SS 304 grade



**OSSPF-1 STD SSS ₹ 4,015**  
Over Panel Patch With Pivot



**OSSPF-2 STD SSS ₹ 2,588**  
Top Patch



**OSSPF-3 STD SSS ₹ 2,588**  
Bottom Patch



**OSSPF-4 STD SSS ₹ 3,520**  
Wall Mounted Over Panel Patch with Pivot



**OSSPF-GDP STD SSS ₹ 495**  
Top Pivot For SS Patch Fitting



**OSSPF-610 STD SSS ₹ 3,355**  
Over Panel Side Panel Connector



**OSSPL-1 STD SSS ₹ 6,268**  
Patch Lock



**OSSPF-41 L (Left) SSS ₹ 8,625**  
Over Panel Side Panel Patch With Pivot Pin & Fin Attachment



**OSSPF-41 R (Right) SSS ₹ 8,625**  
Over Panel Side Panel Patch With Pivot Pin & Fin Attachment



**OSSPF-51 SSS ₹ 11,385**  
Double Pivot Patch For Back To Back Door With Fin

## PREMIUM PATCH FITTINGS



Finish : SSS  
SS-316

**S Series**  
Premium Collection of Architectural Hardware



**OPF-1S STD SSS ₹ 4,180**  
Over Panel Side Panel Connecting Patch with Pivot



**OPF-2S STD SSS ₹ 2,640**  
Top Patch



**OPF-3S STD SSS ₹ 2,640**  
Bottom Patch



**OPF-4S STD SSS ₹ 3,960**  
Over Panel Patch Secured on to the Sidewall with Pivot



**OPF-610S STD SSS ₹ 3,740**  
Over Panel Side Panel Connector



**OPL-1S STD SSS ₹ 4,180**  
Corner Patch Lock with Strike Plate



**OFS-ACC-GDP-S STD SSS ₹ 506**  
Top Pivot

PATCH FITTINGS

Finish : SSS



**OPL-1E STD SSS ₹ 2,805**  
Corner Patch Lock



**OPF-2E STD SSS ₹ 1,760**  
Top Patch



**OPF-3E STD SSS ₹ 1,760**  
Bottom Patch



**OFS-ACC-GDP-E SSS ₹ 314**

PATCH LOCKS

Finish : PSS & SSS

Key Outside & Knob Inside  
Glass to Glass Application



Strike Box

Lock



Front Side

Back Side

**OPL-3S/4B-K2N ₹ 4,070**  
Patch Locks with strike box  
NO Cutout required

Key Outside & Knob Inside  
Glass to Wall Application



Strike Plate

Lock



Front Side

Back Side

**OPL-3S/S-K2N ₹ 2,970**  
Patch Locks with strike plate  
NO Cutout required



**OPL-3S ₹ 3,355**  
Corner Patch Lock with  
Strike Plate



**₹ 2,090**

**OPL-2B STDSS**  
Centre Patch Lock  
& Strike Box



**₹ 4,235**

**OPL-2A STD SS**



**₹ 1,815**

**OPL-3A STD SS**  
Thumb Turn Lock



**₹ 1,540**

**OPL-3B STD SS**  
Strike Box for OPL-3A



**₹ 2,145**

**OPL-4A-N-S STD SSS**  
Glass Door Lock with  
Strike plate  
NO Cutout required



**₹ 2,915**

**OPL-4A/4B-N STD SS**  
Glass Door Lock with  
Strike Box  
NO Cutout required

BLACK MATT PATCH FITTINGS

Finish : Black Matt



**OPF-2 STD BM ₹ 2,467**  
Top Patch



**OPF-3 STD BM ₹ 2,467**  
Bottom Patch



**OPL-1 STD BM ₹ 3,858**  
Corner Patch Lock with  
Strike Plate



**OFS-ACC-GDP STD BM ₹ 506**  
Top Pivot for Patch  
Fitting Doors

THE ORIGINAL SELF CLOSING PATCH FITTING Finish : SSS & BLACK MATT

- Ambient temperature: -20°C to +50°C
- Quick and easy installation
- Door Weight Capacity: Upto **100kg**
- Finish: SSS



**OCFH-100 STD SSS ₹ 14,410**

- Max door width: 950mm
- Suitable door thickness: 8-12mm
- Tested as per: EN1154
- Ideal for Internal Doors  
(Also available in gold matt)

**OCFH-100 STD BM ₹ 16,570**

- Max door width: 950mm
- Suitable door thickness: 8-12mm
- Tested as per: EN1154
- Ideal for Internal Doors

• For External Doors



**OCFH-105 STD SSS ₹ 18,150**

- Max door width: 1250mm
- Suitable door thickness: 10-15mm
- Tested as per: EN1154
- Ideal for External Doors

• Power Adjustable



**OCFH-135 STD SSS ₹ 19,690**

- Max door width: 1250mm
- Suitable door thickness: 10-15mm
- Ideal for Internal & External Doors

• Power Adjustable



**OCFH-135 STD BM ₹ 22,640**

- Max door width: 1250mm
- Suitable door thickness: 10-15mm
- Ideal for Internal & External Doors



**OPF-1 PLUS STD SSS ₹ 3,960**

Top Patch with Big Cover  
(Same Size of OCFH-100)



**OPF-2 PLUS STD SSS ₹ 3,190**

Top Patch with Big Cover  
(Same Size of OCFH-100)  
(Also available in gold matt)



**OPF-2 PLUS BM ₹ 3,669**

Top Patch with Big Cover  
(Same Size of OCFH-100)



THE ORIGINAL SELF CLOSING PATCH FITTING  
with enhanced finish & superior quality



Finish : SSS & Black Matt



**Specification:**

- Quick and easy installation with just 4 fasteners
- EN-3 for interior & exterior applications
- Suitable door weight: Max 100kg.
- Suitable door width: 750-1000mm
- Suitable door thickness: 8-12mm
- Maximum opening 150° and controlled 135°
- Durability-500,000 Cycles tested
- Ambient temperature: -20°C to +50°C

**Features:**

- Cover & base plate in high grade Stainless Steel 316
- Corrosion resistant
- 3 years warranty
- Compliant with EN 1154 standard



OCFH-100S STD SSS ₹ 15,950  
Finish: SSS



OCFH-100S STD BM ₹ 18,340  
Finish: Black Matt



TOP PATCH FOR OCFH-100S

Finish : SSS & Black Matt

**Specifications**

- 1mm thick cover plate in high grade Stainless Steel 316
- Corrosion resistant
- Compatible with Ozone OFS-ACC-GDP-S and OPF-1 PLUS



OPF-2S PLUS STD SSS ₹ 3,960  
Finish: SSS



OPF-2S PLUS STD BM ₹ 4,555  
Finish: Black Matt

TOP PIVOT FOR OCFH-100S

Finish : SSS & Black Matt

**Specifications**

- Top pivot with 15mm diameter pin
- Wear-resistant SS 316 pivot pin
- Pivot held in overhead structure
- High grade SS 316 Patch fitting
- Finish: SSS



OFS-ACC-GDP-S STD SSS ₹ 506  
Finish: SSS



OFS-ACC-GDP-S STD BM ₹ 506  
Top Pivot for Patch Fitting Doors

\*T & C Apply

THE ORIGINAL SELF CLOSING PATCH FITTING GLASS DOOR SET




Finish : SSS



**100kg**  
  
 Weight Carrying Capacity

**OCFH-100 Set STD SSS ₹ 17,380**

**Set Package Includes:**  
 OCFH-100 Std.(The Original Self Closing Patch Fitting)  
 OPF-2 Plus (Top Patch)  
 OFS-ACC-GDP (Pivot)



**E** Series




**70Kg**  
  
 Weight Carrying Capacity

**OCFH-70E Set STD SSS ₹ 10,890**

Door weight upto 70kg

**Set Package Includes:**  
 OCFH-70E STD SSS (The Original Self Closing Patch Fitting)  
 OPF-2E (Top Patch)  
 OFS-ACC-GDP-E (Pivot)



Note:-Same Cutout as Standard OCFH-100

THE ORIGINAL SELF CLOSING PATCH FITTING FOR WOODEN DOORS



Finish : SSS

100 Kg



Specifications:

- Quick and easy installation
- Suitable door weight: Maximum 100kg
- Hold Open at 90°
- Material: SS 304

Standard packing includes top pivot set




EN 1154 Tested

THE ORIGINAL SELF CLOSING PATCH FITTING

**OCFH-W-100 STD SSS ₹ 17,050**

Suitable door width: 950mm  
 Suitable door thickness: >40mm  
 Suitable for Internal Doors with Power Size 3  
 Standard package comes along with Top Pivot set



THE ORIGINAL SELF CLOSING PATCH FITTING

**OCFH-W-105 STD SSS ₹ 20,100**

Suitable door width: 1250mm  
 Suitable door thickness: >50mm  
 Suitable for External Doors with Power Size 5

**FLOOR SPRING**

**FS-8300 STD STD ₹ 9,350**

Double Cylinder Floor Spring for better performance on internal low traffic doors



- Maximum door weight **80kg**
- Tested to : 5,00,000 cycles



**FS-8400-S STD STD ₹ 11,550**

Cam Action Floor Spring with Closing Force **EN3** Double Cylinder with **Stronger Spring Inside**



Super Spring (stronger spring inside)

- Maximum door weight **80kg**
- Tested to : **10,00,000 cycles**



Scan QR for Installation Video

EN 1154 Tested



**FS-8400 STD STD ₹ 10,160**

Cam Action Floor Spring with Closing Force **EN3** Double Cylinder (Heavy Duty)



- Maximum door weight **80kg**
- Tested to : 5,00,000 cycles

EN 1154 Tested



**FS-8400 BM STD STD ₹ 12,020**

Cam Action Floor Spring with Closing Force **EN3** Double Cylinder (Heavy Duty)



- Maximum door weight **80kg**
- Tested to : 5,00,000 cycles

EN 1154 Tested





FLOOR SPRING

**FS-9000 STD STD ₹ 10,780**

Cam Action Floor Spring with Closing Force **EN4**  
Double Cylinder (Heavy Duty)



- Maximum door weight **120kg**
- Tested to : 5,00,000 cycles

EN 1154 Tested    

**FS-9400 STD STD ₹ 11,990**

Cam Action Floor Spring with Closing Force **EN4**  
Double Cylinder (Heavy Duty)



- Maximum door weight **150kg**
- Tested to : 5,00,000 cycles





EN 1154 Tested    

**FS-10400 STD STD ₹ 13,750**

Cam Action Floor Spring with Closing Force **EN4**  
Double Cylinder (Heavy Duty)



- weight **270kg**
- Maximum door
  - Tested to : 5,00,000 cycles

EN 1154 Tested    

**FS-11400 STD STD ₹ 14,850**

Power Adjustable Floor Spring for Heavy Wooden / Glass Doors  
Ideal for Banquet Halls, **EN 2-6**



- Door weight range **65kg-200kg**
- Power adjustable

**65-200 Kg**    



FLOOR SPRING

**OFS-5800SD STD STD ₹ 5,940**

Single Cylinder Floor Spring for Small Glass Doors, **EN3**



Product Set includes



\*Patch fittings will not be sold individually.

**Set includes:** Floor Spring, Top Patch & Bottom Patch  
• Maximum door weight **55kg**



**OFH-5500E-TPBPE1 STD STD ₹ 3,850**

Single Cylinder Floor Spring for Wood/Aluminium/Framed Doors, **EN2**

**E Series**



Product Set includes Top & Bottom Pivot for Wooden & Aluminium Door



High and Low Adjustment Screw

Maximum door weight **45kg**



**OFH-6600-E STD STD ₹ 4,170**

Single Cylinder Floor Spring for Wood/Aluminium/Glass Doors, **EN4**

**E Series**



with up & down Adjustment ↑↓

Maximum door weight **85kg**



**OFS-6400SD+ ₹ 5,940**

Single Cylinder Floor Spring for Glass Doors, **EN3**

**New**



Product Set includes



\*Patch fittings will not be sold individually.

**Set includes:** Floor Spring, Top Patch & Bottom Patch  
Maximum door weight **70kg**



FLOOR SPRING ACCESSORIES

Finish : SSS & Black Matt

**OFS-ACC-TPBPE1 STD SSS ₹ 1,441**

Top & Bottom Pivot for Wooden/Aluminium Door



**OFS-ACC-TP/BP STD SSS ₹ 1,441**

Top & Bottom Pivot for Wooden/Aluminium Door



**OFS-ACC-GDP SS ₹ 440**

Top Pivot for Patch/Point Fitting Doors



**OFS-ACC-OP-L/R SS ₹ 1,716**

Offset Pivot Set for Wooden/Aluminium Doors



**OFS-ACC-MH1 STD SS ₹ 1,300**

Mini Floor Hinge Compatible with Patch Fittings



TRANSOM CLOSERS

**OTC-7400 STD STD ₹ 13,640**

Transom Mounted Door Closer




**Specifications**  
Cam action transom door closer with closing force EN 2

- Maximum opening angle 130° both sides
- Maximum door weight 70Kg
- Maximum door width 850mm
- Suitable for framed door



**OTC-8400 STD STD ₹ 13,640**

Transom Mounted Door Closer



**Specifications**  
Cam action transom door closer with closing force EN 3

- Maximum opening angle 130° both sides
- Maximum door weight 105Kg
- Maximum door width 950mm
- Suitable for framed door



ACCESSORIES for Transom Mounted Closers (Part of Standard Package)



Bottom Pivot with Bearing



Mounting Bracket for Transom Closer at Spindle Side



Mounting Bracket for Transom Closer at the end



Arm to accept Transom Closer Spindle to be mounted into the channel on door top & secure with blanking tape

FLOOR SPRING & DOOR CLOSER

Finishes:  **BM**  **GM**  **AB**



**FS-8400-BM STD STD ₹ 12,020**

Cam Action Floor Spring with Closing Force **EN3**  
Double Cylinder (Heavy Duty)

- Maximum door weight **80Kgs.**
- Tested to 5,00,000 cycles



**EN 1154 Tested**



**NSK-980 BM ₹ 6,710**

OVERHEAD DOOR CLOSER (TRACK ARM)

Rack and Pinion Door Closer with  
Adjustable closing force EN 2-4

- Maximum door weight: 80Kg
- Finish: Black Matt



**5 Lakhs**  
Cycles Tested

**80 Kg**



Weight Carrying  
Capacity

MORTISE HANDLE



For  
Narrow  
Style  
Doors

**OMH-11LN BM ₹ 1,749**


Mortise Handle for Narrow Style Doors  
Material: Stainless Steel  
Grade: 304  
Finish: BLACK MATT

PIVOT HINGES FOR SWING GLASS DOORS




**OZ-PGDH STD BM ₹ 4,428**

Pivot Hinge Set  
Finish: Black Matt



Glass Thickness  
**08-10mm**



Door Width  
**1000mm**



**60 Kg**  
Weight Carrying  
Capacity

GLASS DOOR HANDLE



**₹ 3,163**

**OGH-55 -32x457MM BM**  
Glass Door Handle

PATCH FITTINGS

Finishes:  **BM**  **GM**  **AB**



**₹ 2,467**

**OPF-2 STD BM**  
Top Patch



**₹ 2,467**

**OPF-3 STD BM**  
Bottom Patch



**₹ 3,858**

**OPL-1 STD BM**  
Corner Patch Lock  
with Strike Plate



**₹ 506**

**OFS-ACC-GDP-S STD BM**  
Top Pivot

**THE ORIGINAL SELF CLOSING PATCH FITTING**

Finishes:

BM



• Power Adjustable



**OCFH-100 STD BM ₹ 16,570**

- Max door width: 950mm
- Suitable door thickness: 8-12mm
- Tested as per: EN1154
- Ideal for Internal Doors

**OCFH-135 STD BM ₹ 22,640**

- Max door width: 1250mm
- Suitable door thickness: 10-15mm
- Ideal for Internal & External Doors

**THE ORIGINAL SELF CLOSING PATCH FITTING**

**S Series**  
Premium Collection of  
Architectural Hardware



**OCFH-100S STD BM ₹ 18,340**

**Features:**

- Cover & base plate in high grade Stainless Steel 316
- Corrosion resistant
- 3 years warranty
- Compliant with EN 1154 standard

**Specification:**

- Quick and easy installation with just 4 fasteners
- EN-3 for interior & exterior applications
- Suitable door weight: Max 100kg
- Suitable door width: 750-1000mm
- Suitable door thickness: 8-12mm
- Maximum opening 150° and controlled 135°
- Durability-500,000 Cycles tested
- Ambient temperature: -20°C to +50°C

**OPF-2 PLUS STD BM ₹ 3,669**

Top Patch For The Original Self Closing Patch Fitting

**Specifications**

- 1mm thick cover plate in high grade Stainless Steel 316
- Corrosion resistant
- Compatible with Ozone OFS-ACC-GDP-S and OPF-1 PLUS

**OFS-ACC-GDP STD BM ₹ 506**

Top Pivot

**Specifications:**

- Top pivot with 15mm diameter pin
- Wear-resistant SS 316 pivot pin
- Pivot held in overhead structure
- High grade SS 316 Patch fitting
- Finish: BM

