


IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
AVENTOS LIFT SYSTEM				
AVENTOS HF LIFT SYSTEM (SETS)				
Aventos HF for Narrow Aluminium Frames - (Grey)				
	372.97.000	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 570 MM AND POWER FACTOR = 960 - 2650	SET	7174
	372.97.001	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 560 - 710 MM AND POWER FACTOR = 2600 - 5500	SET	12641
	372.97.002	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 5350 - 10150	SET	13473
	372.97.003	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 5350 - 10150	SET	21091
	372.97.004	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 9000 - 17250	SET	21510
	372.97.006	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 13500 - 25900	SET	30325
	372.97.007	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 570 MM AND POWER FACTOR = 2600 - 5500	SET	11736
	372.97.008	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 560 - 710 MM AND POWER FACTOR = 5350 - 10150	SET	13319
	372.97.009	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 2600 - 5500	SET	12858
Aventos HF for Narrow Aluminium Frames - (White)				
	372.97.011	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 570 MM AND POWER FACTOR = 960 - 2650	SET	7211
	372.97.012	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 560 - 710 MM AND POWER FACTOR = 2600 - 5500	SET	12707
	372.97.013	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 5350 - 10150	SET	13539
	372.97.014	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 5350 - 10150	SET	21157
	372.97.015	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 9000 - 17250	SET	21575
	372.97.017	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 570 MM AND POWER FACTOR = 2600 - 5500	SET	11802
	372.97.018	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 560 - 710 MM AND POWER FACTOR = 5350 - 10150	SET	13385
	372.97.019	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 2600 - 5500	SET	12923

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HF for Wide Aluminium Frames - (Grey)				
	372.97.021	AVENTOS HF GREY LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 480 - 560 MM AND WIDTH = 480 - 668 MM	SET	5831
	372.97.022	AVENTOS HF GREY LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 580 - 700 MM AND WIDTH = 715 - 997 MM	SET	10964
	372.97.023	AVENTOS HF GREY LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 720 - 780 MM AND WIDTH = 1044 - 1185 MM	SET	11796
	372.97.024	AVENTOS HF GREY LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 800 - 920 MM AND WIDTH = 1232 - 1514 MM	SET	19334
	372.97.025	AVENTOS HF GREY LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 940 - 1040 MM AND WIDTH = 1561 - 1800 MM	SET	27749
Aventos HF for Wide Aluminium Frames - (White)				
	372.97.026	AVENTOS HF WHITE LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 480 - 560 MM AND WIDTH = 480 - 668 MM	SET	5868
	372.97.027	AVENTOS HF WHITE LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 580 - 700 MM AND WIDTH = 715 - 997 MM	SET	11030
	372.97.028	AVENTOS HF WHITE LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 720 - 780 MM AND WIDTH = 1044 - 1185 MM	SET	11860
	372.97.029	AVENTOS HF WHITE LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 800 - 920 MM AND WIDTH = 1232 - 1514 MM	SET	19400
	372.97.030	AVENTOS HF WHITE LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 940 - 1040 MM AND WIDTH = 1561 - 1800 MM	SET	27852
Aventos HF for Wood - (Grey)				
	372.97.031	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 570 MM AND POWER FACTOR = 960 - 2650	SET	5565
	372.97.032	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 560 - 710 MM AND POWER FACTOR = 2600 - 5500	SET	10622
	372.97.033	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 5350 - 10150	SET	11452
	372.97.034	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 9000 - 17250	SET	18923
	372.97.035	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 13500 - 25900	SET	27358
	372.97.036	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 570 MM AND POWER FACTOR = 2600 - 5500	SET	9717
	372.97.037	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 560-710 MM AND POWER FACTOR = 5350 - 10150	SET	11300
	372.97.038	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 2600 - 5500	SET	10837
	372.97.039	AVENTOS HF GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 9000 - 17250	SET	11903

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HF for Wood - (White)				
	372.97.041	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 570 MM AND POWER FACTOR = 960 - 2650	SET	5602
	372.97.042	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 560 - 710 MM AND POWER FACTOR = 2600 - 5500	SET	10687
	372.97.043	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 5350 - 10150	SET	11518
	372.97.044	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 9000 - 17250	SET	18988
	372.97.045	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 13500 - 25900	SET	27461
	372.97.046	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 570 MM AND POWER FACTOR = 2600 - 5500	SET	9782
	372.97.047	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 560-710 MM AND POWER FACTOR = 5350 - 10150	SET	11365
	372.97.048	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 2600 - 5500	SET	10902
	372.97.049	AVENTOS HF WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 9000 - 17250	SET	11969
Aventos HF for Narrow Aluminium Frames - with Servo Drive (Grey)				
 	372.97.220	AVENTOS HF GREY LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 570 MM AND POWER FACTOR = 960 - 2650	SET	53022
	372.97.221	AVENTOS HF GREY LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 560 - 710 MM AND POWER FACTOR = 2600 - 5500	SET	58523
	372.97.222	AVENTOS HF GREY LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 5350 - 10150	SET	59353
	372.97.223	AVENTOS HF GREY LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 5350 - 10150	SET	66971
	372.97.224	AVENTOS HF GREY LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 9000 - 17250	SET	67390
	372.97.225	AVENTOS HF GREY LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 13500 - 25900	SET	75967
	372.97.226	AVENTOS HF GREY LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 570 MM AND POWER FACTOR = 2600 - 5500	SET	55795
	372.97.227	AVENTOS HF GREY LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 560 - 710 MM AND POWER FACTOR = 5350 - 10150	SET	57380
	372.97.228	AVENTOS HF GREY LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 2600 - 5500	SET	56917

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HF for Narrow Aluminium Frames - with Servo Drive (White)				
	372.97.230	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 570 MM AND POWER FACTOR = 960 - 2650	SET	54960
	372.97.231	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 560 - 710 MM AND POWER FACTOR = 2600 - 5500	SET	59774
	372.97.232	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 5350 - 10150	SET	60604
	372.97.233	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 5350 - 10150	SET	68222
	372.97.234	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 9000 - 17250	SET	68641
	372.97.235	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 13500 - 25900	SET	77186
	372.97.236	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 570 MM AND POWER FACTOR = 2600 - 5500	SET	57046
	372.97.237	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 560 - 710 MM AND POWER FACTOR = 5350 - 10150	SET	58629
	372.97.238	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO DRIVE FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 2600 - 5500	SET	58168
Aventos HF for Wide Aluminium Frames - with Servo Drive (Grey)				
	372.97.240	AVENTOS HF GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 560 MM AND WIDTH = 480 - 668 MM	SET	47754
	372.97.241	AVENTOS HF GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 580 - 700 MM AND WIDTH = 715 - 997 MM	SET	57549
	372.97.242	AVENTOS HF GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 720 - 780 MM AND WIDTH = 1044 - 1185 MM	SET	58381
	372.97.243	AVENTOS HF GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 800 - 920 MM AND WIDTH = 1232 - 1514 MM	SET	65944
	372.97.244	AVENTOS HF GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 940 - 1040 MM AND WIDTH = 1561 - 1800 MM	SET	74125
Aventos HF for Wide Aluminium Frames - with Servo Drive (White)				
	372.97.245	AVENTOS HF WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 560 MM AND WIDTH = 480 - 668 MM	SET	48400
	372.97.246	AVENTOS HF WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 580 - 700 MM AND WIDTH = 715 - 997 MM	SET	58800
	372.97.247	AVENTOS HF WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 720 - 780 MM AND WIDTH = 1044 - 1185 MM	SET	59630
	372.97.248	AVENTOS HF WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 800 - 920 MM AND WIDTH = 1232 - 1514 MM	SET	67194
	372.97.249	AVENTOS HF WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 940 - 1040 MM AND WIDTH = 1561 - 1800 MM	SET	75375

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HF for Wood - with Servo Drive (Grey)				
	372.97.250	AVENTOS HF GREY LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 570 MM AND POWER FACTOR = 960 - 2650	SET	46536
	372.97.251	AVENTOS HF GREY LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 560 - 710 MM AND POWER FACTOR = 2600 - 5500	SET	56502
	372.97.252	AVENTOS HF GREY LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 5350 - 10150	SET	57332
	372.97.253	AVENTOS HF GREY LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 9000 - 17250	SET	64803
	372.97.254	AVENTOS HF GREY LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 13500 - 25900	SET	72933
	372.97.255	AVENTOS HF GREY LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 570 MM AND POWER FACTOR = 2600 - 5500	SET	55565
	372.97.256	AVENTOS HF GREY LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 560 - 710 MM AND POWER FACTOR = 5350 - 10150	SET	57149
	372.97.257	AVENTOS HF GREY LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 2600 - 5500	SET	56686
	372.97.258	AVENTOS HF GREY LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 9000 - 17250	SET	57751
Aventos HF for Wood - with Servo Drive (White)				
	372.97.260	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 570 MM AND POWER FACTOR = 960 - 2650	SET	47152
	372.97.261	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 560 - 710 MM AND POWER FACTOR = 2600 - 5500	SET	57753
	372.97.262	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 5350 - 10150	SET	58553
	372.97.263	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 9000 - 17250	SET	66022
	372.97.264	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 13500 - 25900	SET	74184
	372.97.265	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 480 - 570 MM AND POWER FACTOR = 2600 - 5500	SET	56816

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
	372.97.266	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 560 - 710 MM AND POWER FACTOR = 5350 - 10150	SET	59907
	372.97.267	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 2600 - 5500	SET	59446
	372.97.268	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 700 - 900 MM AND POWER FACTOR = 9000 - 17250	SET	59002
	372.97.269	AVENTOS HF WHITE LIFT SYSTEM WITH SERVO-DRIVE FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 760 - 1040 MM AND POWER FACTOR = 5350 - 10150	SET	64923
AVENTOS HF LIFT SYSTEM (COMPONENTS)				
Aventos HF - Lift Mechanisms				
	372.94.000	20F2201.05 AVENTOS HF SYMMETRICAL LIFT MECHANISM WITH POWER FACTOR =2600-5500 SUITABLE FOR SERVO-DRIVE	PC	2834
	372.94.001	20F2501.05 AVENTOS HF SYMMETRICAL LIFT MECHANISM WITH POWER FACTOR = 5350-10150 SUITABLE FOR SERVO-DRIVE	PC	3224
	372.94.002	20F2801.05 AVENTOS HF SYMMETRICAL LIFT MECHANISM WITH POWER FACTOR =9000-17250 SUITABLE FOR SERVO-DRIVE	PC	3474
Aventos HF - Arm Mechanisms				
	372.94.022	20F3201.01 AVENTOS HF SYMMETRICAL TELESCOPIC ARM FOR A CABINET HEIGHT= 480-570 MM, MINIMUM LENGTH: 286 MM	PC	1782
	372.94.020	20F3501.01 AVENTOS HF SYMMETRICAL TELESCOPIC ARM FOR A CABINET HEIGHT= 560-710 MM, MINIMUM LENGTH: 328 MM	PC	2344
	372.94.021	20F3801.01 AVENTOS HF SYMMETRICAL TELESCOPIC ARM FOR A CABINET HEIGHT= 700-900 MM, MINIMUM LENGTH: 391 MM	PC	2456
	372.94.023	20F3901.01 AVENTOS HF SYMMETRICAL TELESCOPIC ARM FOR A CABINET HEIGHT= 760 - 1040 MM, MINIMUM LENGTH: 391 MM	PC	2798
Aventos HF - Cover Caps				
	372.94.012	20F9001 AVENTOS HF/H5/HL SYMMETRICAL DEEP GREY ROUND COVER CAP	PC	39
	372.94.014	20F8001 AVENTOS HF SILK WHITE RIGHT LARGE COVER CAP	PC	332
	372.94.011	20F8001 AVENTOS HF LIGHT GREY RIGHT LARGE COVER CAP	PC	298
	372.94.013	20F8001 AVENTOS HF SILK WHITE LEFT LARGE COVER CAP	PC	332
	372.94.010	20F8001 AVENTOS HF LIGHT GREY LEFT LARGE COVER CAP	PC	287
	372.94.016	21F8001 AVENTOS HF SILK WHITE LEFT LARGE COVER CAP FOR SERVO-DRIVE	PC	770
	372.94.015	21F8001 AVENTOS HF LIGHT GREY LEFT LARGE COVER CAP FOR SERVO-DRIVE	PC	758

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HF - Angle Stop				
	372.74.998	20F7051 AVENTOS HF 104° SLIP-ON OPENING ANGLE STOP	PC	156
	372.74.997	20F7011 AVENTOS HF 83° SLIP ON OPENING ANGLE STOP DEEP GREY	PC	142
AVENTOS HF front fixing brackets for wooden and wide aluminium profile fronts				
	342.22.060	175H3100 CLIP HORIZONTAL STEEL MOUNTING PLATE	PC	66
	342.22.080	177H3100E CLIP HORIZONTAL STEEL EXPANDO MOUNTING PLATE	PC	77
AVENTOS HF front fixing brackets for narrow aluminium profile fronts				
	372.74.983	175H5B00 CLIP ZINC RIGHT STRAIGHT MOUNTING PLATE FOR FIXING TELESCOPIC ARMS ON NARROW ALUMINIUM FRAMES	PC	499
	372.74.984	175H5B00 CLIP ZINC LEFT STRAIGHT MOUNTING PLATE FOR FIXING TELESCOPIC ARMS ON NARROW ALUMINIUM FRAMES	PC	499
CLIP mounting plate for hinges used for narrow aluminium profile fronts				
	372.74.981	175H5A00 CLIP straight mounting plate for narrow aluminium frames, Spacing: 0 mm, distance between fixing positions: 31 mm, height adjustment: cam, version: screw-on	PC	499
AVENTOS HF standard unsprung hinge - CLIP top 120°				
	342.81.400	70T5550.TL CLIP top 120° standard unsprung hinge for overlay applications, finish: Nickel plated, boss: screw-on	PC	209
	342.93.400	72T550A.TL CLIP top 120° unsprung aluminium frame door hinge for overlay applications, finish: Nickel plated, boss: screw-on	PC	315
AVENTOS HF center hinge- CLIP top 134°				
	372.74.990	78Z5500T CLIP top 134° unsprung centre hinge for AVENTOS HF, finish: Nickel plated, boss: screw-on	PC	414
	341.51.561	78Z553ET CLIP top 134° unsprung centre hinge for AVENTOS HF, finish: Nickel plated, boss: EXPANDO	PC	426
	372.74.980	78Z550AT CLIP top 134° unsprung aluminium centre hinge for AVENTOS HF, finish: Nickel plated, boss: screw-on	PC	455

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
AVENTOS HL LIFT SYSTEM (SETS)				
Aventos HL for Narrow Aluminium Glass - (Grey)				
	372.97.050	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 300 - 349 MM AND FRONT WEIGHT = 1.25 KG - 4.25 KG	SET	13794
	372.97.051	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT = 1.75 KG - 5 KG	SET	13468
	372.97.052	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT = 4.25 KG - 9 KG	SET	15335
	372.97.053	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 550 MM AND FRONT WEIGHT = 2.75 KG - 6.75 KG	SET	16206
	372.97.054	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 550 MM AND FRONT WEIGHT = 5.75 KG - 11.75 KG	SET	17508
	372.97.055	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 580 MM AND FRONT WEIGHT = 4.25 KG - 9.25 KG	SET	21160
	372.97.420	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 580 MM AND FRONT WEIGHT = 8.25 KG - 16.5 KG	SET	19624
	372.97.056	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 300 - 349 MM AND FRONT WEIGHT = 3.5 KG - 7.25 KG	SET	13516
	372.97.057	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT = 8 KG - 14.75 KG	SET	16637
	372.97.421	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT = 13.5 KG - 20 KG	SET	19205
	372.97.422	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 550 MM AND FRONT WEIGHT = 10.5 KG - 20 KG	SET	19402
	372.97.058	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 580 MM AND FRONT WEIGHT = 2 KG - 5.25 KG	SET	15222
Aventos HL for Narrow Aluminium Glass - (White)				
	372.97.059	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 300 - 349 MM AND FRONT WEIGHT = 1.25 KG - 4.25 KG	SET	13935
	372.97.060	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT = 1.75 KG - 5 KG	SET	13608
	372.97.061	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT = 4.25 KG - 9 KG	SET	15477
	372.97.062	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 550 MM AND FRONT WEIGHT = 2.75 KG - 6.75 KG	SET	16346
	372.97.063	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 550 MM AND FRONT WEIGHT = 5.75 KG - 11.75 KG	SET	17649
	372.97.064	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 580 MM AND FRONT WEIGHT = 4.25 KG - 9.25 KG	SET	21300
	372.97.423	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 580 MM AND FRONT WEIGHT = 8.25 KG - 16.5 KG	SET	19764

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
	372.94.881	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 300 - 349 MM AND FRONT WEIGHT = 3.5 KG - 7.25 KG	SET	13656
	372.94.882	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT = 8 KG - 14.75 KG	SET	16779
	372.97.424	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT = 13.5 KG - 20 KG	SET	19304
	372.97.425	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 550 MM AND FRONT WEIGHT = 10.5 KG - 20 KG	SET	19501
	372.97.065	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 580 MM AND FRONT WEIGHT = 2 KG - 5.25 KG	SET	15320
Aventos HL for Wide Aluminium Glass - (Grey)				
	372.97.066	AVENTOS HL GREY LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 300 - 345 MM, WIDTH = 450 - 666 MM	SET	12189
	372.97.067	AVENTOS HL GREY LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 380 MM AND WIDTH = 690 - 834 MM	SET	11862
	372.97.068	AVENTOS HL GREY LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 385 - 395 MM AND WIDTH = 858 - 906 MM	SET	14125
	372.97.069	AVENTOS HL GREY LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 430 MM AND WIDTH = 930 - 1074 MM	SET	14994
	372.97.070	AVENTOS HL GREY LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 435 - 445 MM AND WIDTH = 1098 - 1146 MM	SET	17739
	372.97.071	AVENTOS HL GREY LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 500 MM AND WIDTH = 1170 - 1410 MM	SET	21391
	372.97.426	AVENTOS HL GREY LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 505 - 580 MM AND WIDTH = 1434 - 1800 MM	SET	19854
Aventos HL for Wide Aluminium Glass - (White)				
	372.97.072	AVENTOS HL WHITE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 300 - 345 MM, WIDTH = 450 - 666 MM	SET	12329
	372.97.073	AVENTOS HL WHITE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 380 MM AND WIDTH = 690 - 834 MM	SET	12004
	372.97.074	AVENTOS HL WHITE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 385 - 395 MM AND WIDTH = 858 - 906 MM	SET	14265
	372.97.075	AVENTOS HL WHITE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 430 MM AND WIDTH = 930 - 1074 MM	SET	15134
	372.97.076	AVENTOS HL WHITE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 435 - 445 MM AND WIDTH = 1098 - 1146 MM	SET	17879
	372.97.077	AVENTOS HL WHITE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 500 MM AND WIDTH = 1170 - 1410 MM	SET	21531
	372.97.427	AVENTOS HL WHITE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 505 - 580 MM AND WIDTH = 1434 - 1800 MM	SET	19994



IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HL for Wood - (Grey)				
	372.97.078	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 300 - 349 MM AND FRONT WEIGHT : 1.25 KG TO 4.25 KG	SET	12380
	372.97.079	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 300 - 349 MM AND FRONT WEIGHT : 3.5 KG TO 7.25 KG	SET	12102
	372.97.080	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT : 1.75 KG TO 5 KG	SET	12054
	372.97.081	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT : 4.25 KG TO 9 KG	SET	13920
	372.97.082	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 550 MM AND FRONT WEIGHT : 5.75 KG TO 11.75 KG	SET	16092
	372.97.428	AVENTOS HL GREY LIFT UP SYSTEM FOR WOODEN FRONTS OF HEIGHT = 450 - 580 MM AND FRONT WEIGHT: 8.25KG TO 16.5 KG	SET	18209
	372.97.083	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT : 8 KG TO 14.75 KG	SET	15223
	372.97.429	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT : 13.5 KG TO 20 KG	SET	13686
	372.97.084	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 550 MM AND FRONT WEIGHT : 2.75 KG TO 6.75 KG	SET	14790
	372.97.430	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 550 MM AND FRONT WEIGHT : 10.5 KG TO 20 KG	SET	18068
	372.97.085	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 580 MM AND FRONT WEIGHT : 2 KG TO 5.25 KG	SET	13888
372.97.086	AVENTOS HL GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 580 MM AND FRONT WEIGHT : 4.25 KG TO 9.25 KG	SET	13888	
Aventos HL for Wood - (White)				
	372.97.087	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 300 - 349 MM AND FRONT WEIGHT : 1.25 KG TO 4.25 KG	SET	12520
	372.97.088	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 300 - 349 MM AND FRONT WEIGHT : 3.5 KG TO 7.25 KG	SET	12242
	372.97.089	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT : 1.75 KG TO 5 KG	SET	12194
	372.97.090	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT : 4.25 KG TO 9 KG	SET	14061
	372.97.091	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 550 MM AND FRONT WEIGHT : 5.75 KG TO 11.75 KG	SET	16233
	372.97.431	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 580 MM AND FRONT WEIGHT : 8.25 KG TO 16.5 KG	SET	18349



IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
	372.97.092	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT : 8 KG TO 14.75 KG	SET	15363
	372.97.432	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT : 13.5 KG TO 20 KG	SET	13826
	372.97.093	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 550 MM AND FRONT WEIGHT : 2.75 KG TO 6.75 KG	SET	14994
	372.97.094	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 580 MM AND FRONT WEIGHT : 2 KG TO 5.25 KG	SET	13987
	372.97.095	AVENTOS HL WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 580 MM AND FRONT WEIGHT : 4.25 KG TO 9.25 KG	SET	13987
Aventos HL for Narrow Aluminium Glass- with Servo Drive (Grey)				
	372.97.312	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 300-349 MM AND FRONT WEIGHT = 1.25 KG - 4.25 KG	SET	63115
	372.97.313	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350-399 MM AND FRONT WEIGHT = 1.75 KG - 5 KG	SET	63236
	372.97.314	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350-399 MM AND FRONT WEIGHT = 4.25 KG - 9 KG	SET	65104
	372.97.315	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 400-550 MM AND FRONT WEIGHT = 2.75 KG - 6.75 KG	SET	65521
	372.97.316	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 400-550 MM AND FRONT WEIGHT = 5.75 KG - 11.75 KG	SET	66824
	372.97.317	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 450-580 MM AND FRONT WEIGHT = 4.25 KG - 9.25 KG	SET	67997
	372.97.407	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 450-580 MM AND FRONT WEIGHT = 8.25 KG - 16.5 KG	SET	66460
	372.97.318	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 300-349 MM AND FRONT WEIGHT = 3.5 KG - 7.25 KG	SET	62836
	372.97.319	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350-399 MM AND FRONT WEIGHT = 8 KG - 14.75 KG	SET	66407

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HL for Narrow Aluminium Glass- with Servo Drive (White)				
	372.97.321	AVENTOS HL WHITE SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 300 - 349 MM AND FRONT WEIGHT = 1.25 KG - 4.25 KG	SET	67627
	372.97.322	AVENTOS HL WHITE SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT = 1.75 KG - 5 KG	SET	67756
	372.97.323	AVENTOS HL WHITE SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT = 4.25 KG - 9 KG	SET	71152
	372.97.324	AVENTOS HL WHITE SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 550 MM AND FRONT WEIGHT = 2.75 KG - 6.75 KG	SET	70154
	372.97.325	AVENTOS HL WHITE SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 550 MM AND FRONT WEIGHT = 5.75 KG - 11.75 KG	SET	71521
	372.97.326	AVENTOS HL WHITE SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 580 MM AND FRONT WEIGHT = 4.25 KG - 9.25 KG	SET	72753
	372.97.410	AVENTOS HL WHITE SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 580 MM AND FRONT WEIGHT = 8.25 KG - 16.5 KG	SET	71139
	372.97.327	AVENTOS HL WHITE SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 300 - 349 MM AND FRONT WEIGHT = 3.5 KG - 7.25 KG	SET	66064
	372.97.328	AVENTOS HL WHITE SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT W EIGHT = 8 KG - 14.75 KG	SET	66483
Aventos HL for Wide Aluminium Glass- with Servo Drive (Grey)				
	372.97.330	AVENTOS HL GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 300 - 345 MM AND WIDTH = 450 - 666 MM	SET	63378
	372.97.331	AVENTOS HL GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 350 - 380 MM AND WIDTH = 690 - 834 MM	SET	63530
	372.97.332	AVENTOS HL GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 385 - 395 MM AND WIDTH = 858 - 906 MM	SET	66020
	372.97.333	AVENTOS HL GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 400 - 430 MM AND WIDTH = 930 - 1074 MM	SET	66435
	372.97.334	AVENTOS HL GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 435 - 445 MM AND WIDTH = 1098 - 1146 MM	SET	67737
	372.97.335	AVENTOS HL GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 450 - 500 MM AND WIDTH = 1170 - 1410 MM	SET	69194
	372.97.413	AVENTOS HL GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINUM PROFILE FRONTS OF HEIGHT = 505 - 580 MM AND WIDTH = 1434 - 1800 MM	SET	67659



IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HL for Wide Aluminium Glass- with Servo Drive (White)				
	372.97.336	AVENTOS HL WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 300 - 345 MM AND WIDTH = 450 - 666 MM	SET	64669
	372.97.337	AVENTOS HL WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 380 MM AND WIDTH = 690 - 834 MM	SET	64822
	372.97.338	AVENTOS HL WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 385 - 395 MM AND WIDTH = 858 - 906 MM	SET	67312
	372.97.339	AVENTOS HL WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 430 MM AND WIDTH = 930 - 1074 MM	SET	67729
	372.97.340	AVENTOS HL WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 435 - 445 MM AND WIDTH = 1098 - 1146 MM	SET	69031
	372.97.341	AVENTOS HL WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 500 MM AND WIDTH = 1170 - 1410 MM	SET	70488
Aventos HL for Wood- with Servo Drive (Grey)				
	372.97.342	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 300 - 349 MM AND FRONT WEIGHT : 1.25 KG TO 4.25 KG	SET	61726
	372.97.343	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 300 - 349 MM AND FRONT WEIGHT : 3.5 KG TO 7.25 KG	SET	61447
	372.97.344	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT : 1.75 KG TO 5 KG	SET	61846
	372.97.345	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT : 4.25 KG TO 9 KG	SET	63715
	372.97.346	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 550 MM AND FRONT WEIGHT : 5.75 KG TO 11.75 KG	SET	65434
	372.97.414	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 580 MM AND FRONT WEIGHT : 8.25 KG TO 16.5 KG	SET	65069
	372.97.347	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT : 8 KG TO 14.75 KG	SET	65017
	372.97.415	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT : 13.5 KG TO 20 KG	SET	63481
	372.97.348	AVENTOS HL GREY SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 550 MM AND FRONT WEIGHT : 2.75 KG TO 6.75 KG	SET	64132

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HL for Wood- with Servo Drive (White)				
	372.97.351	AVENTOS HL WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WOODEN FRONTS OF HEIGHT = 300 - 349 MM AND FRONT WEIGHT: 1.25 TO 4.25 KG	SET	63017
	372.97.352	AVENTOS HL WHITE SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 300 - 349 MM AND FRONT WEIGHT : 3.5 KG TO 7.25 KG	SET	62741
	372.97.353	AVENTOS HL WHITE SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT : 1.75 KG TO 5 KG	SET	63140
	372.97.354	AVENTOS HL WHITE SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 399 MM AND FRONT WEIGHT : 4.25 KG TO 9 KG	SET	65007
	372.97.355	AVENTOS HL WHITE SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 400 - 550 MM AND FRONT WEIGHT : 5.75 KG TO 11.75 KG	SET	66726
	372.97.417	AVENTOS HL WHITE SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 450 - 580 MM AND FRONT WEIGHT : 8.25 KG TO 16.5 KG	SET	66362
AVENTOS HL LIFT SYSTEM (COMPONENTS)				
AVENTOS HL lift mechanisms				
	372.94.755	20L2101.05 AVENTOS HL Symmetrical LIFT MECHANISM suitable for SERVO-DRIVE	PC	3194
	372.94.756	20L2301.05 AVENTOS HL Symmetrical LIFT MECHANISM suitable for SERVO-DRIVE	PC	3025
	372.94.757	20L2501.05 AVENTOS HL Symmetrical LIFT MECHANISM suitable for SERVO-DRIVE	PC	4145
	372.94.758	20L2701.05 AVENTOS HL Symmetrical LIFT MECHANISM suitable for SERVO-DRIVE	PC	4928
	372.94.754	20L2901.05 AVENTOS HL Symmetrical LIFT MECHANISM suitable for SERVO-DRIVE	PC	4005
AVENTOS HL standard left lever arms				
	372.94.791	20L3201.06 AVENTOS HL left tool-free lever arm for Cabinet heights = 300-349 mm	PC	2903
	372.94.793	20L3501.06 AVENTOS HL left tool-free lever arm for Cabinet heights = 350-399 mm	PC	2607
	372.94.795	20L3801.06 AVENTOS HL left tool-free lever arm for Cabinet heights = 400-550 mm	PC	3396
	372.94.797	20L3901.06 AVENTOS HL left tool-free lever arm for Cabinet heights = 450-580 mm	PC	3788
AVENTOS HL SERVO-DRIVE left lever arms				
	372.94.780	21L3201.01 AVENTOS HL left tool-free lever arm suitable for SERVO-DRIVE for Cabinet heights = 300-349 mm	PC	7247
	372.94.781	21L3501.01 AVENTOS HL left tool-free lever arm suitable for SERVO-DRIVE for Cabinet heights = 350-399 mm	PC	7486
	372.94.782	21L3801.01 AVENTOS HL left tool-free lever arm suitable for SERVO-DRIVE for Cabinet heights = 400-550 mm	PC	7733
	372.94.783	21L3901.01 AVENTOS HL left tool-free lever arm suitable for SERVO-DRIVE for Cabinet heights = 450-580 mm	PC	5151

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
AVENTOS HL standard/SERVO-DRIVE right lever arms				
	372.94.790	20L3201.06 AVENTOS HL right tool-free lever arm for Cabinet heights = 300-349 mm	PC	2903
	372.94.792	20L3501.06 AVENTOS HL right tool-free lever arm for Cabinet heights = 350-399 mm	PC	3141
	372.94.794	20L3801.06 AVENTOS HL right tool-free lever arm for Cabinet heights = 400-550 mm	PC	3396
	372.94.796	20L3901.06 AVENTOS HL right tool-free lever arm for Cabinet heights = 450-580 mm	PC	7385
AVENTOS HL Silk white cover caps				
	372.94.821	21L8001 AVENTOS HL Silk white left large cover cap for SERVO-DRIVE	PC	770
	372.94.778	20L8001.02 AVENTOS HL silk white right large COVER CAP	PC	344
	372.94.779	20L8001.02 AVENTOS HL silk white left large COVER CAP	PC	344
AVENTOS HL light grey cover cap				
	372.94.820	21L8001 AVENTOS HL Light grey left large cover cap for SERVO-DRIVE	PC	758
	372.94.776	20L8001.02 AVENTOS HL Light grey right large COVER CAP	PC	259
	372.94.777	20L8001.02 AVENTOS HL Light grey left large COVER CAP	PC	259
AVENTOS HL front fixing bracket for wooden and wide aluminium profile fronts				
	372.94.810	20S4201 AVENTOS HS/HL/HK Symmetrical Nickel plated Front fixing bracket for wooden fronts, Length: 108 mm, version:screw-on	PC	256
AVENTOS HL front fixing bracket for narrow aluminium profile fronts				
	372.94.811	20S4201A AVENTOS HS/HL/HK Symmetrical Nickel plated Front fixing bracket for narrow aluminium frames, Length: 109.8 mm, Version: screw-on	PC	1088
	372.94.812	20S4G00A AVENTOS HS/HL/HK Symmetrical Nickel plated Front fixing bracket set for narrow aluminium frames,Version:screw-on	SET	2030
AVENTOS HL Pre-mounted standard Cross-stabiliser				
	372.94.830	20Q434PA AVENTOS HL Pre-mounted oval tool-free Cross stabiliser for a Cabinet Width = 600 mm	PC	774
	372.94.831	20Q734PA AVENTOS HL Pre-mounted oval tool-free Cross stabiliser for a Cabinet Width = 900 mm	PC	1256
	372.94.832	20Q1034PA AVENTOS HL Pre-mounted oval tool-free Cross stabiliser for a Cabinet Width = 1200 mm	PC	1727









IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
AVENTOS HL Pre-mounted SERVO-DRIVE Cross-stabiliser				
	372.94.833	20Q699PA AVENTOS HL Pre-mounted oval tool-free Cross stabiliser suitable for SERVO-DRIVE for a Cabinet Width = 900 mm	PC	2372
	372.94.834	20Q999PA AVENTOS HL Pre-mounted oval tool-free Cross stabiliser suitable for SERVO-DRIVE for a Cabinet Width = 1200 mm	PC	3118
AVENTOS HL Cut to size cross stabiliser rod				
	372.86.980	20Q1061UA AVENTOS HL cut to size oval tool-free Cross stabiliser rod of length = 1061 mm	PC	1366
AVENTOS HL cover cap for the cross stabiliser				
	372.94.807	20Q0003A01 AVENTOS HL symmetrical deep grey oval cover cap for the tool-free cross stabiliser	PC	55
AVENTOS HL connecting piece for the cross stabiliser				
	372.94.805	20Q153ZA1 AVENTOS HL round connecting piece for the tool free cross stabiliser of Length = 153 mm	PC	1695
	372.94.552	20Q0007 AVENTOS HS/HL CONNECTING PIECE FIXING HOOK	PC	71
	372.94.806	20Q0008A AVENTOS HL Symmetrical deep grey Cover cap for the connecting piece	PC	108
AVENTOS HL connecting piece set				
	372.86.983	20Q153ZA AVENTOS HL pre-mounted round connecting piece set for the tool free cross stabiliser of Length = 153 mm	SET	2300
AVENTOS HS- LIFT SYSTEM (SETS)				
Aventos HS for Narrow Aluminium Glass (Grey)				
	372.97.150	AVENTOS HS GREY STANDARD TYPE A LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 2.5 KG TO 4.5 KG	SET	15509
	372.97.151	AVENTOS HS GREY STANDARD TYPE B LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 3.5 KG TO 9 KG	SET	15509
	372.97.152	AVENTOS HS GREY STANDARD TYPE E LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 - 675 MM AND FRONT WEIGHT : 5 KG TO 11.75 KG	SET	16273
	372.97.153	AVENTOS HS GREY STANDARD TYPE G LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 4 KG TO 7 KG	SET	15984
	372.97.154	AVENTOS HS GREY STANDARD TYPE I LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 10.75 KG TO 21.5 KG	SET	21574
	372.97.155	AVENTOS HS GREY STANDARD TYPE C LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 7.25 KG TO 12 KG	SET	15984
	372.97.156	AVENTOS HS GREY STANDARD TYPE D LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 - 675 MM AND FRONT WEIGHT : 3 KG TO 6.25 KG	SET	14004
	372.97.157	AVENTOS HS GREY STANDARD TYPE F LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 - 675 MM AND FRONT WEIGHT : 9.75 KG TO 16.75 KG	SET	19962
	372.97.158	AVENTOS HS GREY STANDARD TYPE H LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 6.25 KG TO 13 KG	SET	16249

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HS for Narrow Aluminium Glass (White)				
	372.97.159	AVENTOS HS WHITE STANDARD TYPE A LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 2.5 KG TO 4.5 KG	SET	15583
	372.97.160	AVENTOS HS WHITE STANDARD TYPE B LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 3.5 KG TO 9 KG	SET	15583
	372.97.161	AVENTOS HS WHITE STANDARD TYPE E LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 - 675 MM AND FRONT WEIGHT : 5 KG TO 11.75 KG	SET	16350
	372.97.162	AVENTOS HS WHITE STANDARD TYPE I LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 4 KG TO 7 KG	SET	16059
	372.97.163	AVENTOS HS WHITE STANDARD TYPE I LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 10.75 KG TO 21.5 KG	SET	21648
	372.97.164	AVENTOS HS WHITE STANDARD TYPE C LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 7.25 KG TO 12 KG	SET	16059
	372.97.165	AVENTOS HS WHITE STANDARD TYPE D LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 - 675 MM AND FRONT WEIGHT : 3 KG TO 6.25 KG	SET	14078
	372.97.166	AVENTOS HS WHITE STANDARD TYPE F LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 - 675 MM AND FRONT WEIGHT : 9.75 KG TO 16.75 KG	SET	20037
	372.97.437	AVENTOS HS GREY STANDARD TYPE H LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 6.25 KG TO 13 KG	SET	16325
Aventos HS for Wide Aluminium Glass (Grey)				
	372.97.168	AVENTOS HS GREY LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 455 MM AND WIDTH = 450 - 765 MM	SET	13844
	372.97.169	AVENTOS HS GREY LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 460 - 525 MM AND WIDTH = 780 - 975 MM	SET	15713
	372.97.170	AVENTOS HS GREY LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 530 - 675 MM AND WIDTH = 990 - 1425 MM	SET	16479
	372.97.171	AVENTOS HS GREY LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 680 - 740 MM AND WIDTH = 1440 - 1620 MM	SET	16454
	372.97.172	AVENTOS HS GREY LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 745 - MM AND WIDTH = 1635 - MM	SET	21778

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HS for Wide Aluminium Glass (White)				
	372.97.173	AVENTOS HS WHITE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 455 MM AND WIDTH = 450 - 765 MM	SET	13919
	372.97.174	AVENTOS HS WHITE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 460 - 525 MM AND WIDTH = 780 - 975 MM	SET	15789
	372.97.175	AVENTOS HS WHITE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 530 - 675 MM AND WIDTH = 990 - 1425 MM	SET	16554
	372.97.176	AVENTOS HS WHITE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 680 - 740 MM AND WIDTH = 1440 - 1620 MM	SET	16529
	372.97.177	AVENTOS HS WHITE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 745 - MM AND WIDTH = 1635 - MM	SET	21854
Aventos HS for Wood (Grey)				
	372.97.178	AVENTOS HS GREY STANDARD TYPE A LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 2.5 KG TO 4.5 KG	SET	14094
	372.97.179	AVENTOS HS GREY STANDARD TYPE B LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 3.5 KG TO 9 KG	SET	14094
	372.97.180	AVENTOS HS GREY STANDARD TYPE E LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 -675 MM AND FRONT WEIGHT : 5 KG TO 11.75 KG	SET	14859
	372.97.181	AVENTOS HS GREY STANDARD TYPE F LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 -675 MM AND FRONT WEIGHT : 9.75 KG TO 16.75 KG	SET	18548
	372.97.182	AVENTOS HS GREY STANDARD TYPE I LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 10.75 KG TO 21.5 KG	SET	20159
	372.97.183	AVENTOS HS GREY STANDARD TYPE C LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 7.25 KG TO 12 KG	SET	14568
	372.97.184	AVENTOS HS GREY STANDARD TYPE D LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 -675 MM AND FRONT WEIGHT : 3 KG TO 6.25 KG	SET	12590
	372.97.185	AVENTOS HS GREY STANDARD TYPE G LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 4 KG TO 7 KG	SET	14568
	372.97.186	AVENTOS HS GREY STANDARD TYPE H LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 6.25 KG TO 13 KG	SET	14834

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HS for Wood (White)				
	372.97.187	AVENTOS HS WHITE STANDARD TYPE A LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 2.5 KG TO 4.5 KG	SET	14169
	372.97.188	AVENTOS HS WHITE STANDARD TYPE B LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 3.5 KG TO 9 KG	SET	14169
	372.97.189	AVENTOS HS WHITE STANDARD TYPE E LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 - 675 MM AND FRONT WEIGHT : 5 KG TO 11.75 KG	SET	14934
	372.97.190	AVENTOS HS WHITE STANDARD TYPE F LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 - 675 MM AND FRONT WEIGHT : 9.75 KG TO 16.75 KG	SET	18623
	372.97.191	AVENTOS HS WHITE STANDARD TYPE I LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 10.75 KG TO 21.5 KG	SET	20234
	372.97.192	AVENTOS HS WHITE STANDARD TYPE C LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 7.25 KG TO 12 KG	SET	14644
	372.97.193	AVENTOS HS WHITE STANDARD TYPE D LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 - 675 MM AND FRONT WEIGHT : 3 KG TO 6.25 KG	SET	12664
	372.97.194	AVENTOS HS WHITE STANDARD TYPE G LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 4 KG TO 7 KG	SET	14644
	372.97.195	AVENTOS HS WHITE STANDARD TYPE H LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 6.25 KG TO 13 KG	SET	14909
Aventos HS for Narrow Aluminium Glass with Servo Drive (Grey)				
	372.97.360	AVENTOS HS GREY SERVO-DRIVE TYPE A LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 2.5 KG TO 4.5 KG	SET	64080
	372.97.361	AVENTOS HS GREY SERVO-DRIVE TYPE B LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 3.5 KG TO 9 KG	SET	64080
	372.97.362	AVENTOS HS GREY SERVO-DRIVE TYPE E LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 - 675 MM AND FRONT WEIGHT : 5 KG TO 11.75 KG	SET	64845
	372.97.363	AVENTOS HS GREY SERVO-DRIVE TYPE G LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 4 KG TO 7 KG	SET	64554
	372.97.364	AVENTOS HS GREY SERVO-DRIVE TYPE I LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 10.75 KG TO 21.5 KG	SET	70144
	372.97.365	AVENTOS HS GREY SERVO-DRIVE TYPE C LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 7.25 KG TO 12 KG	SET	64554
	372.97.366	AVENTOS HS GREY SERVO-DRIVE TYPE D LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 - 675 MM AND FRONT WEIGHT : 3 KG TO 6.25 KG	SET	62574
	372.97.367	AVENTOS HS GREY SERVO-DRIVE TYPE F LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 - 675 MM AND FRONT WEIGHT : 9.75 KG TO 16.75 KG	SET	68532
	372.97.368	AVENTOS HS GREY SERVO-DRIVE TYPE H LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 6.25 KG TO 13 KG	SET	64820

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HS for Narrow Aluminium Glass with Servo Drive (White)				
	372.97.369	AVENTOS HS WHITE SERVO-DRIVE TYPE A LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 2.5 KG TO 4.5 KG	SET	65340
	372.97.370	AVENTOS HS WHITE SERVO-DRIVE TYPE B LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 3.5 KG TO 9 KG	SET	65340
	372.97.371	AVENTOS HS WHITE SERVO-DRIVE TYPE E LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 - 675 MM AND FRONT WEIGHT : 5 KG TO 11.75 KG	SET	66105
	372.97.372	AVENTOS HS WHITE SERVO-DRIVE TYPE G LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 4 KG TO 7 KG	SET	65814
	372.97.373	AVENTOS HS GREY SERVO-DRIVE TYPE I LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 10.75 KG TO 21.5 KG	SET	71405
	372.97.374	AVENTOS HS WHITE SERVO-DRIVE TYPE C LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 7.25 KG TO 12 KG	SET	64602
	372.97.375	AVENTOS HS WHITE SERVO-DRIVE TYPE D LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 - 675 MM AND FRONT WEIGHT : 3 KG TO 6.25 KG	SET	62624
	372.97.376	AVENTOS HS WHITE SERVO-DRIVE TYPE F LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 - 675 MM AND FRONT WEIGHT : 9.75 KG TO 16.75 KG	SET	68582
	372.97.377	AVENTOS HS WHITE SERVO-DRIVE TYPE H LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 6.25 KG TO 13 KG	SET	64868
Aventos HS for Wide Aluminium Glass with Servo Drive (Grey)				
	372.97.378	AVENTOS HS GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 455 MM AND WIDTH = 450 - 765 MM	SET	64125
	372.97.379	AVENTOS HS GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 460 - 525 MM AND WIDTH = 780 - 975 MM	SET	64403
	372.97.380	AVENTOS HS GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 530 - 675 MM AND WIDTH = 990 - 1425 MM	SET	66018
	372.97.381	AVENTOS HS GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 680 - 740 MM AND WIDTH = 1440 - 1620 MM	SET	65993
	372.97.382	AVENTOS HS GREY WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 745 - MM AND WIDTH = 1635 - MM	SET	71317



IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HS for Wide Aluminium Glass with Servo Drive (White)				
	372.97.383	AVENTOS HS WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 455 MM AND WIDTH = 450 - 765 MM	SET	65385
	372.97.384	AVENTOS HS WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 460 - 525 MM AND WIDTH = 780 - 975 MM	SET	65663
	372.97.385	AVENTOS HS WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 530 - 675 MM AND WIDTH = 990 - 1425 MM	SET	67278
	372.97.386	AVENTOS HS WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 680 - 740 MM AND WIDTH = 1440 - 1620 MM	SET	67253
	372.97.387	AVENTOS HS WHITE WITH SERVO DRIVE LIFT UP SYSTEM FOR WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 745 - MM AND WIDTH = 1635 - MM	SET	72578
Aventos HS for Wood with Servo Drive (Grey)				
	372.97.388	AVENTOS HS GREY SERVO-DRIVE TYPE A LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 2.5 KG TO 4.5 KG	SET	62664
	372.97.389	AVENTOS HS GREY SERVO-DRIVE TYPE B LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 3.5 KG TO 9 KG	SET	62664
	372.97.390	AVENTOS HS GREY SERVO-DRIVE TYPE E LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 -675 MM AND FRONT WEIGHT : 5 KG TO 11.75 KG	SET	63429
	372.97.391	AVENTOS HS GREY SERVO-DRIVE TYPE F LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 -675 MM AND FRONT WEIGHT : 9.75 KG TO 16.75 KG	SET	67118
	372.97.392	AVENTOS HS GREY SERVO-DRIVE TYPE I LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 10.75 KG TO 21.5 KG	SET	68729
	372.97.393	AVENTOS HS GREY SERVO-DRIVE TYPE C LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 7.25 KG TO 12 KG	SET	63140
	372.97.394	AVENTOS HS WHITE SERVO-DRIVE TYPE D LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 -675 MM AND FRONT WEIGHT : 3 KG TO 6.25 KG	SET	61160
	372.97.395	AVENTOS HS GREY SERVO-DRIVE TYPE G LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 4 KG TO 7 KG	SET	63140
	372.97.396	AVENTOS HS GREY SERVO-DRIVE TYPE H LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 6.25 KG TO 13 KG	SET	63404

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HS for Wood with Servo Drive (White)				
	372.97.397	AVENTOS HS WHITE SERVO-DRIVE TYPE C LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 2.5 KG TO 4.5 KG	SET	63924
	372.97.398	AVENTOS HS WHITE SERVO-DRIVE TYPE B LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 3.5 KG TO 9 KG	SET	63924
	372.97.399	AVENTOS HS WHITE SERVO-DRIVE TYPE E LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 -675 MM AND FRONT WEIGHT : 5 KG TO 11.75 KG	SET	64691
	372.97.400	AVENTOS HS WHITE SERVO-DRIVE TYPE F LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 -675 MM AND FRONT WEIGHT : 9.75 KG TO 16.75 KG	SET	68378
	372.97.401	AVENTOS HS WHITE SERVO-DRIVE TYPE I LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 10.75 KG TO 21.5 KG	SET	69989
	372.97.402	AVENTOS HS WHITE SERVO-DRIVE TYPE C LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 350 - 525 MM AND FRONT WEIGHT : 7.25 KG TO 12 KG	SET	63188
	372.97.403	AVENTOS HS WHITE SERVO-DRIVE TYPE D LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 526 -675 MM AND FRONT WEIGHT : 3 KG TO 6.25 KG	SET	61208
	372.97.404	AVENTOS HS WHITE SERVO-DRIVE TYPE G LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 4 KG TO 7 KG	SET	63188
	372.97.405	AVENTOS HS WHITE SERVO-DRIVE TYPE H LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 676 - 800 MM AND FRONT WEIGHT : 6.25 KG TO 13 KG	SET	63454
AVENTOS HS LIFT SYSTEM (COMPONENTS)				
AVENTOS HS lift mechanism				
	372.94.570	20S2A01.05 AVENTOS HS Symmetrical type A lift mechanism suitable for SERVO-DRIVE	PC	4076
	372.94.571	20S2B01.05 AVENTOS HS Symmetrical type B lift mechanism suitable for SERVO-DRIVE	PC	4076
	372.94.572	20S2C01.05 AVENTOS HS SYMMETRICAL TYPE C LIFT MECHANISM SUITABLE FOR SERVO-DRIVE	PC	4129
	372.94.573	20S2D01.05 AVENTOS HS Symmetrical type D lift mechanism suitable for SERVO-DRIVE	PC	3173
	372.94.574	20S2E01.05 AVENTOS HS Symmetrical type E lift mechanism suitable for SERVO-DRIVE	PC	4535
	372.94.575	20S2F01.05 AVENTOS HS SYMMETRICAL TYPE F LIFT MECHANISM SUITABLE FOR SERVO-DRIVE	PC	6390
















IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
	372.94.576	20S2G01.05 AVENTOS HS SYMMETRICAL TYPE G LIFT MECHANISM SUITABLE FOR SERVO-DRIVE	PC	4543
	372.94.577	20S2H01.05 AVENTOS HS Symmetrical type H lift mechanism suitable for SERVO-DRIVE	PC	4521
	372.94.578	20S2I01.05 AVENTOS HS Symmetrical type I lift mechanism suitable for SERVO-DRIVE	PC	7715
	372.84.906	20S2F00.05 AVENTOS HS Symmetrical type F lift mechanism set suitable for SERVO-DRIVE	SET	16234
	372.84.908	20S2H00.05 AVENTOS HS Symmetrical type H lift mechanism set suitable for SERVO-DRIVE	SET	9818
AVENTOS HS standard lever arms				
	372.94.518	20S3501.06 AVENTOS HS right lever arm for Cabinet heights: 350-800 mm, finish:Nickel plated	PC	3251
	372.94.519	20S3501.06 AVENTOS HS left lever arm for Cabinet heights: 350-800 mm, finish:Nickel plated	PC	2850
AVENTOS HS SERVO-DRIVE lever arms				
	372.94.523	21S3501.01 AVENTOS HS left lever arm for Cabinet heights: 350-800 mm for SERVO-DRIVE,finish:Nickel plated	PC	5951
	372.94.522	21S3501.01 AVENTOS HS right lever arm for Cabinet heights: 350-800 mm for SERVO-DRIVE,finish:Nickel plated	PC	3618
AVENTOS HS front fixing brackets for wooden fronts and wide aluminium profile fronts				
	372.94.810	20S4201 AVENTOS HS/HL/HK Symmetrical Nickel plated Front fixing bracket for wooden fronts, Length: 108 mm, version:screw-on	PC	256
AVENTOS HS front fixing brackets for narrow aluminium profile fronts				
	372.94.811	20S4201A AVENTOS HS/HL/HK Symmetrical Nickel plated Front fixing bracket for narrow aluminium frames, Length: 109.8 mm, Version: screw-on	PC	1088
	372.94.812	20S4G00A AVENTOS HS/HL/HK Symmetrical Nickel plated Front fixing bracket set for narrow aluminium frames,Version:screw-on	PR	2030
AVENTOS HS Silk white cover cap				
	372.94.517	21S8001 AVENTOS HS Silk white left large cover cap for SERVO-DRIVE	PC	770
	372.94.561	20S8001 AVENTOS HS silk white left large cover cap	PC	332
	372.94.560	20S8001 AVENTOS HS silk white right large cover cap	PC	332
AVENTOS HS light grey cover cap				
	372.94.516	21S8001 AVENTOS HS Light grey left large cover cap for SERVO-DRIVE	PC	758
	372.94.564	20S8001 AVENTOS HS Light grey left large cover cap	PC	287
	372.94.563	20S8001 AVENTOS HS Light grey right large cover cap	PC	287
	372.94.012	20F9001 AVENTOS HF/HS/HL symmetrical deep grey round cover cap	PC	39

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
AVENTOS HS Pre-mounted standard Cross stabilizer				
	372.94.554	20Q434PN AVENTOS HS Pre-mounted round tool-free Cross stabiliser for a Cabinet Width = 600 mm	PC	779
	372.94.555	20Q734PN AVENTOS HS Pre-mounted round tool-free Cross stabiliser for a Cabinet Width = 900 mm	PC	1130
AVENTOS HS Pre- mounted SERVO-DRIVE Cross stabiliser				
	372.94.581	20Q699PN AVENTOS HS Pre-mounted round tool-free Cross stabiliser suitable for SERVO-DRIVE for a Cabinet Width = 900 mm	PC	2021
	372.94.582	20Q999PN AVENTOS HS Pre-mounted round tool-free Cross stabiliser suitable for SERVO-DRIVE for a Cabinet Width = 1200 mm	PC	2353
AVENTOS HS Cut to size Cross stabiliser rod				
	372.84.983	20Q1061UN AVENTOS HS cut to size round tool-free Cross stabiliser rod of length = 1061 mm	PC	1366
AVENTOS HS cross stabiliser cover cap				
	372.94.553	20Q0003.03 AVENTOS HS symmetrical deep grey round cover cap for the tool-free cross stabiliser	PC	28
AVENTOS HS connecting piece for the cross stabiliser				
	372.94.551	20Q153ZN1 AVENTOS HS pre-mounted round connecting piece for the tool free cross stabiliser of Length = 153 mm	PC	1824
	372.94.552	20Q0007 AVENTOS HS/HL CONNECTING PIECE FIXING HOOK	PC	71
	372.94.550	20Q0003 AVENTOS HS symmetrical round deep grey cover cap for the connecting piece	PC	28
AVENTOS HS Connecting piece SET				
	372.84.984	20Q153ZN AVENTOS HS Pre-mounted round Connecting piece for the cross stabiliser	SET	2159
AVENTOS HK LIFT SYSTEM (SETS)				
Aventos HK for Narrow Aluminium Glass (Grey)				
	372.97.196	AVENTOS HK GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 480 - 1500	SET	7983
	372.97.197	AVENTOS HK GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 750 - 2500	SET	7983
	372.97.198	AVENTOS HK GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 1500 - 4900	SET	8292
	372.97.199	AVENTOS HK GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 3200 - 9000	SET	12508

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HK for Narrow Aluminium Glass (White)				
	372.97.200	AVENTOS HK WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 480 - 1500	SET	7944
	372.97.201	AVENTOS HK WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 750 - 2500	SET	7944
	372.97.202	AVENTOS HK WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 1500 - 4900	SET	8255
	372.97.203	AVENTOS HK WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 3200 - 9000	SET	12471
Aventos HK for Wood & Wide Aluminium Frame (Grey)				
	372.97.435	AVENTOS HK GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 480 - 1500	SET	6567
	372.97.212	AVENTOS HK GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 750 - 2500	SET	6567
	372.97.436	AVENTOS HK GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 1500 - 4900	SET	6878
	372.97.214	AVENTOS HK GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 3200 - 9000	SET	11094
Aventos HK for Wood & Wide Aluminium Frame (White)				
	372.97.215	AVENTOS HK WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 480 - 1500	SET	6530
	372.97.216	AVENTOS HK WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 750 - 2500	SET	6530
	372.97.217	AVENTOS HK WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 1500 - 4900	SET	6839
	372.97.218	AVENTOS HK WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 3200 - 9000	SET	11055

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HK for Narrow Aluminium Glass with Servo Drive (Grey)				
	372.97.270	AVENTOS HK GREY SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 480 - 1500	SET	49796
	372.97.271	AVENTOS HK GREY SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 750 - 2500	SET	49796
	372.97.272	AVENTOS HK GREY SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 1500 - 4900	SET	50105
	372.97.273	AVENTOS HK GREY SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 3200 - 9000	SET	54321
Aventos HK for Narrow Aluminium Glass with Servo Drive (White)				
	372.97.274	AVENTOS HK WHITE SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 480 - 1500	SET	51115
	372.97.275	AVENTOS HK WHITE SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 750 - 2500	SET	51115
	372.97.276	AVENTOS HK WHITE SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 1500 - 4900	SET	51423
	372.97.277	AVENTOS HK WHITE SERVO-DRIVE LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 3200 - 9000	SET	55639
Aventos HK for Wood & Wide Aluminium Frame with Servo Drive (Grey)				
	372.97.286	AVENTOS HK GREY SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 480 - 1500	SET	48382
	372.97.287	AVENTOS HK GREY SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 750 - 2500	SET	48382
	372.97.288	AVENTOS HK GREY SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 1500 - 4900	SET	48691
	372.97.289	AVENTOS HK GREY SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 3200 - 9000	SET	52907

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HK for Wood & Wide Aluminium Framewith Servo Drive (White)				
	372.97.290	AVENTOS HK WHITE SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 480 - 1500	SET	49700
	372.97.291	AVENTOS HK WHITE SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 750 - 2500	SET	49700
	372.97.292	AVENTOS HK WHITE SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 1500 - 4900	SET	50009
	372.97.293	AVENTOS HK WHITE SERVO-DRIVE LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 3200 - 9000	SET	54225
Aventos HK for Narrow Aluminium Glass with Tip-on (Grey)				
	372.97.096	AVENTOS HK GREY TIP-ON LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 480 - 1500	SET	10386
	372.97.097	AVENTOS HK GREY TIP-ON LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 750 - 2500	SET	10608
	372.97.098	AVENTOS HK GREY TIP-ON LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 1500 - 4900	SET	11525
	372.97.099	AVENTOS HK GREY TIP-ON LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 3200 - 9000	SET	15155
Aventos HK for Narrow Aluminium Glass with Tip-on (White)				
	372.97.100	AVENTOS HK WHITE TIP-ON LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 480 - 1500	SET	10349
	372.97.101	AVENTOS HK WHITE TIP-ON LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 750 - 2500	SET	10570
	372.97.102	AVENTOS HK WHITE TIP-ON LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 1500 - 4900	SET	11488
	372.97.103	AVENTOS HK WHITE TIP-ON LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 3200 - 9000	SET	15116




IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HK for Wood & Wide Aluminium Framewith Tip-on (Grey)				
	372.97.112	AVENTOS HK GREY TIP-ON LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 480 - 1500	SET	8972
	372.97.113	AVENTOS HK GREY TIP-ON LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 750 - 2500	SET	8482
	372.97.114	AVENTOS HK GREY TIP-ON LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 1500 - 4900	SET	10111
	372.97.115	AVENTOS HK GREY TIP-ON LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 3200 - 9000	SET	13739
Aventos HK for Wood & Wide Aluminium Frame with Tip-on (White)				
	372.97.116	AVENTOS HK WHITE TIP-ON LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 480 - 1500	SET	8934
	372.97.117	AVENTOS HK WHITE TIP-ON LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 750 - 2500	SET	9156
	372.97.118	AVENTOS HK WHITE TIP-ON LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 1500 - 4900	SET	10073
	372.97.119	AVENTOS HK WHITE TIP-ON LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT = 205 - 600 MM AND POWER FACTOR = 3200 - 9000	SET	13702
AVENTOS HK LIFT SYSTEM (COMPONENTS)				
AVENTOS HK lift mechanisms				
	372.94.250	20K2301.05 AVENTOS HK Symmetrical LIFT MECHANISM with Power Factor =480-1500 suitable for SERVO-DRIVE	PC	3334
	372.94.251	20K2501.05 AVENTOS HK Symmetrical LIFT MECHANISM with Power Factor =750-2500 suitable for SERVO-DRIVE	PC	3334
	372.85.905	20K2701.05 AVENTOS HK Symmetrical LIFT MECHANISM with Power Factor =1500-4900 suitable for SERVO-DRIVE	PC	3520
	372.94.253	20K2901.05 AVENTOS HK Symmetrical LIFT MECHANISM with Power Factor =3200-9000 suitable for SERVO-DRIVE	PC	6049
AVENTOS HK TIP-ON lift mechanisms				
	372.94.282	20K2301T AVENTOS HK Symmetrical LIFT MECHANISM with Power Factor =480-1500 suitable for TIP-ON	PC	3932
	372.94.283	20K2501T AVENTOS HK Symmetrical LIFT MECHANISM with Power Factor =750-2500 suitable for TIP-ON	PC	4067
	372.94.284	20K2701T AVENTOS HK Symmetrical LIFT MECHANISM with Power Factor =1500-4900 suitable for TIP-ON	PC	4527
	372.94.285	20K2901T AVENTOS HK Symmetrical LIFT MECHANISM with Power Factor =3200-9000 suitable for TIP-ON	PC	6626

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
AVENTOS HK Silk white cover caps				
	372.94.266	21K8001 AVENTOS HK Silk white left large COVER CAP for SERVO-DRIVE	PC	999
	372.85.773	20K8001.02 AVENTOS HK Silk white left large COVER CAP	PC	302
	372.85.772	20K8001.02 AVENTOS HK Silk white right large COVER CAP	PC	302
AVENTOS HK light grey cover caps				
	372.94.265	21K8001 AVENTOS HK Light grey left large COVER CAP for SERVO-DRIVE	PC	749
	372.94.261	20K8001.02 AVENTOS HK Light grey right large COVER CAP	PC	277
	372.94.260	20K8001.02 AVENTOS HK Light grey left large COVER CAP	PC	277
	372.94.262	20K9001 AVENTOS HK symmetrical deep grey OVAL cover cap	PC	41
AVENTOS HK front fixing brackets wooden and wide aluminium profile fronts				
	372.94.810	20S4201 AVENTOS HS/HL/HK Symmetrical Nickel plated Front fixing bracket for wooden fronts, Length: 108 mm, version:screw-on	PC	256
AVENTOS HK front fixing brackets narrow aluminium profile fronts				
	372.94.811	20S4201A AVENTOS HS/HL/HK Symmetrical Nickel plated Front fixing bracket for narrow aluminium frames, Length: 109.8 mm, Version: screw-on	PC	1088
	372.94.812	20S4G00A AVENTOS HS/HL/HK Symmetrical Nickel plated Front fixing bracket set for narrow aluminium frames,Version:screw-on	SET	2030
AVENTOS HK -accessories - opening angle stops				
	372.85.590	20K7011 AVENTOS HK 75° CLIP-ON OPENING ANGLE STOP, DUST GREY	PC	71
	372.85.591	20K7041 AVENTOS HK 100° CLIP ON opening angle stop deep grey	PC	85
AVENTOS HK-S LIFT SYSTEM (SETS)				
Aventos HK-s for Narrow Aluminium Glass (Grey)				
	372.97.136	AVENTOS HK-S GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 400 - 1000	SET	4056
	372.97.138	AVENTOS HK-S GREY STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 960 - 2215	SET	4056
Aventos HK-s for Narrow Aluminium Glass (White)				
	372.97.139	AVENTOS HK-S WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 400 - 1000	SET	4244
	372.97.141	AVENTOS HK-S WHITE STANDARD LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 960 - 2215	SET	4244

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HK-s for wood(Grey)				
	372.97.142	AVENTOS HK-S GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 220 - 500	SET	3020
	372.97.143	AVENTOS HK-S GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 400 - 1000	SET	3599
	372.97.145	AVENTOS HK-S GREY STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 960 - 2215	SET	3599
Aventos HK-s for wood(White)				
	372.97.146	AVENTOS HK-S WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 220 - 500	SET	3208
	372.97.147	AVENTOS HK-S WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 400 - 1000	SET	3785
	372.97.149	AVENTOS HK-S WHITE STANDARD LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 960 - 2215	SET	3785
Aventos HK-s for Narrow Aluminium Glass with Tip-on (Grey)				
	372.97.120	AVENTOS HK-S GREY TIP-ON LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 220 - 500	SET	5167
	372.97.121	AVENTOS HK-S GREY TIP-ON LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 400 - 1000	SET	5519
	372.97.123	AVENTOS HK-S GREY TIP-ON LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 960 - 2215	SET	5519
Aventos HK-s for Narrow Aluminium Glass with Tip-on (White)				
	372.97.124	AVENTOS HK-S WHITE TIP-ON LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 220 - 500	SET	5355
	372.97.125	AVENTOS HK-S WHITE TIP-ON LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 400 - 1000	SET	5707
	372.97.127	AVENTOS HK-S WHITE TIP-ON LIFT SYSTEM FOR NARROW ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 960 - 2215	SET	5707
Aventos HK-s for Wood with Tip-on (Grey)				
	372.97.128	AVENTOS HK-S GREY TIP-ON LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 220 - 500	SET	3487
	372.97.129	AVENTOS HK-S GREY TIP-ON LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 400 - 1000	SET	3838
	372.97.131	AVENTOS HK-S GREY TIP-ON LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 960 - 2215	SET	3838

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HK-s for Wood with Tip-on (White)				
	372.97.132	AVENTOS HK-S WHITE TIP-ON LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 220 - 500	SET	3675
	372.97.133	AVENTOS HK-S WHITE TIP-ON LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 400 - 1000	SET	4026
	372.97.135	AVENTOS HK-S WHITE TIP-ON LIFT SYSTEM FOR WOODEN FRONTS AND WIDE ALUMINIUM PROFILE FRONTS OF HEIGHT UPTO 600 MM AND POWER FACTOR = 960 - 2215	SET	4738
AVENTOS HK-S LIFT SYSTEM (COMPONENTS)				
AVENTOS HK-S lift mechanisms				
	372.94.276	20K2C01.02 AVENTOS HK-S Symmetrical LIFT MECHANISM with Power Factor =400-1000	PC	1865
	372.94.277	20K2E01.02 AVENTOS HK-S Symmetrical LIFT MECHANISM with Power Factor = 960-2215	PC	1865
AVENTOS HK-S TIP-ON lift mechanisms				
	372.94.275	20K2A01.02 AVENTOS HK-S Symmetrical LIFT MECHANISM with Power Factor= 220- 500	PC	1171
	372.94.278	20K2C01T AVENTOS HK-S TIP ON Symmetrical LIFT MECHANISM with Power Factor = 400-1000	PC	1593
	372.94.279	20K2E01T AVENTOS HK-S TIP ON Symmetrical LIFT MECHANISM with Power Factor = 960-2215	PC	1593
AVENTOS HK-S Silk white cover caps				
	372.94.274	20K8A01 AVENTOS HK-S Silk white left COVER CAP	PC	296
	372.94.273	20K8A01 AVENTOS HK-S Silk white right COVER CAP	PC	296
AVENTOS HK-S light grey cover caps				
	372.94.281	20K8A01 AVENTOS HK-S Light grey left COVER CAP	PC	183
	372.94.280	20K8A01 AVENTOS HK-S Light grey right COVER CAP	PC	183
Aventos HK-S Front fixing brackets for wooden fronts and wide aluminium profile fronts				
	342.22.060	175H3100 CLIP straight steel mounting plate, Spacing: 0 mm,version:screw on	PC	66
	342.22.080	177H3100E CLIP straight steel mounting plate, Spacing: 0 mm, version:expando	PC	77
Aventos HK-S Front fixing brackets for narrow aluminium profile fronts				
	372.94.287	20K4A01A02 AVENTOS HK-S stay lift left front steel fixing bracket for narrow alu frames	PC	382
	372.94.286	20K4A01A02 AVENTOS HK-S stay lift right front steel fixing bracket for narrow alu frames	PC	382






IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
AVENTOS HK-S - accessories - opening angle stops				
	372.85.593	20K7A41 AVENTOS HK-S 100° CLIP-ON OPENING ANGLE STOP, DEEP GREY	PC	85
AVENTOS HK-XS LIFT SYSTEM (WITHOUT HINGE AND TIP ON)				
<i>Aventos HK-xs for Narrow Aluminium Glass</i>				
	372.97.294	AVENTOS HK-XS STANDARD STAY LIFT FOR NARROW ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 200 - 1000	SET	1652
	372.97.295	AVENTOS HK-XS STANDARD STAY LIFT FOR NAROOO ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 500 - 1500	SET	1652
	372.97.296	AVENTOS HK-XS STANDARD STAY LIFT FOR NARROW ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 800 - 1800	SET	1652
<i>Aventos HK-xs for Wide aluminium Glass & Wood</i>				
	372.97.297	AVENTOS HK-XS STANDARD STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 200 - 1000	SET	1357
	372.97.298	AVENTOS HK-XS STANDARD STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 500 - 1500	SET	1357
	372.97.299	AVENTOS HK-XS STANDARD STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 800 - 1800	SET	1357
<i>Aventos HK-xs for Narrow Aluminium Glass for Tip-on</i>				
	372.97.303	AVENTOS HK-XS TIP-ON STAY LIFT FOR NARROW ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 180 - 800	SET	1746
	372.97.304	AVENTOS HK-XS TIP-ON STAY LIFT FOR NARROW ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 500 - 1200	SET	1746
	372.97.305	AVENTOS HK-XS TIP-ON STAY LIFT FOR NARROW ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 800 - 1600	SET	1746
<i>Aventos HK-xs for Wide Aluminium Glass for Tip-on</i>				
	372.97.306	AVENTOS HK-XS TIP-ON STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 180 - 800	SET	1451
	372.97.307	AVENTOS HK-XS TIP-ON STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 500 - 1200	SET	1451
	372.97.308	AVENTOS HK-XS TIP-ON STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 800 - 1600	SET	1451

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
AVENTOS HK-XS LIFT SYSTEM (WITH HINGES)				
Aventos HK-xs for Narrow Aluminium Glass (With Hinges)				
	372.97.439	AVENTOS HK-XS STANDARD STAY LIFT FOR NARROW ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 200 - 1000	SET	3101
	372.97.440	AVENTOS HK-XS STANDARD STAY LIFT FOR NARROOW ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 500 - 1500	SET	3101
	372.97.441	AVENTOS HK-XS STANDARD STAY LIFT FOR NARROW ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 800 - 1800	SET	3101
Aventos HK-xs for Wide aluminium Glass (With hinges)				
	372.97.442	AVENTOS HK-XS STANDARD STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 200 - 1000 WITH THE CLIP TOP BLUMOTION 107° STANDARD HINGE	SET	2135
	372.97.443	AVENTOS HK-XS STANDARD STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 500 - 1500 WITH THE CLIP TOP BLUMOTION 107° STANDARD HINGE	SET	2132
	372.97.444	AVENTOS HK-XS STANDARD STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 800 - 1800 WITH THE CLIP TOP BLUMOTION 107° STANDARD HINGE	SET	2135
	372.97.445	AVENTOS HK-XS STANDARD STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 200 - 1000 WITH THE CLIP 100° STANDARD HINGE	SET	1881
	372.97.446	AVENTOS HK-XS STANDARD STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 500 - 1500 WITH THE CLIP 100° STANDARD HINGE	SET	1881
	372.97.447	AVENTOS HK-XS STANDARD STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 800 - 1800 WITH THE CLIP 100° STANDARD HINGE	SET	1881
Aventos HK-xs for Narrow Aluminium Glass for Tip-on (With Unsprung Hinges)				
	372.97.448	AVENTOS HK-XS TIP-ON STAY LIFT FOR NARROW ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 180 - 800	SET	2548
	372.97.449	AVENTOS HK-XS TIP-ON STAY LIFT FOR NARROW ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 500 - 1200	SET	2548
	372.97.450	AVENTOS HK-XS TIP-ON STAY LIFT FOR NARROW ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 800 - 1600	SET	2548





IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
Aventos HK-xs for Wide Aluminium Glass for Tip-on (With Unsprung Hinges)				
	372.97.451	AVENTOS HK-XS TIP-ON STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 180 - 800 WITH THE CLIP TOP 107? STANDARD UNSPRUNG HINGE	SET	1827
	372.97.452	AVENTOS HK-XS TIP-ON STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 500 - 1200 WITH THE CLIP TOP 107? STANDARD UNSPRUNG HINGE	SET	1827
	372.97.453	AVENTOS HK-XS TIP-ON STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 800 - 1600 WITH THE CLIP TOP 107? STANDARD UNSPRUNG HINGE	SET	1827
	372.97.454	AVENTOS HK-XS TIP-ON STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 180 - 800 WITH THE CLIP 100? STANDARD UNSPRUNG HINGE	SET	1785
	372.97.455	AVENTOS HK-XS TIP-ON STAY LIFT WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 500 - 1200 WITH THE CLIP 100? STANDARD UNSPRUNG HINGE	SET	1785
	372.97.456	AVENTOS HK-XS TIP-ON STAY LIFT FOR WOODEN AND WIDE ALUMINIUM FRONTS FOR FRONT HEIGHTS : 240 - 600 MM AND POWER FACTOR : 800 - 1600 WITH THE CLIP 100? STANDARD UNSPRUNG HINGE	SET	1785
AVENTOS HK-XS LIFT SYSTEM (COMPONENTS)				
AVENTOS HK-XS lift mechanisms				
	372.95.701	20K1101 AVENTOS HK-XS stay lift, lift mechanism, PF=200-1000 (one-sided lift mechanism)	PC	1251
	372.95.702	20K1301 AVENTOS HK-XS stay lift, lift mechanism, PF=500-1500 (one-sided lift mechanism)	PC	1251
	372.95.703	20K1501 AVENTOS HK-XS stay lift, lift mechanism, PF=800-1800 (one-sided lift mechanism)	PC	1251
AVENTOS HK-XS TIP-ON lift mechanisms				
	372.95.711	20K1101T AVENTOS HK-XS TIP-ON stay lift, lift mechanism, PF=180-800 (one-sided lift mechanism)	PC	1345
	372.95.712	20K1301T AVENTOS HK-XS TIP-ON stay lift, lift mechanism, PF=500-1200 (one-sided lift mechanism)	PC	1345
	372.95.713	20K1501T AVENTOS HK-XS TIP-ON stay lift, lift mechanism, PF=800-1600 (one-sided lift mechanism)	PC	1345
AVENTOS HK-XS cabinet fixing bracket				
	372.95.792	20K5101 AVENTOS HK-XS STAY LIFT CABINET FIXING BRACKET, MATERIAL: STEEL, LENGTH: 68.6 MM,	PC	80

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
AVENTOS HK-XS front fixing bracket				
	372.95.785	20K4101 AVENTOS HK-XS STAY LIFT FRONT FIXING BRACKET FOR WOODEN FRONTS	PC	53
	372.95.783	20K4101A AVENTOS HK-XS stay lift screw-on front fixing bracket for narrow aluminium frames,	PC	348
SERVO DRIVE FOR AVENTOS (COMPONENTS)				
DRIVE UNITS				
	372.74.570	21FA000 AVENTOS HF/HS/HL SERVO-DRIVE drive unit set, 24 Volt direct current, 1 electrical cable, 1 connecting node , 2 end cap protectors	PC	41934
	372.94.290	21KA001 AVENTOS HK SERVO-DRIVE drive unit, 24 Volt direct current	PC	45582
AVENTOS SERVO DRIVE SWITCHES				
	554.99.390	21P5020 AVENTOS SERVO-DRIVE symmetrical light grey switch	PC	5980
	554.99.391	21P5020 AVENTOS SERVO-DRIVE symmetrical Silk white switch	PC	6218
AVENTOS SERVO DRIVE SWITCH CONNECTORS				
	372.94.288	21P5216 AVENTOS SERVO-DRIVE symmetrical Silk white switch connector	PC	848
	372.94.289	21P5216 AVENTOS SERVO-DRIVE symmetrical LIGHT GREY switch connector	PC	767
SERVO-DRIVE GENERAL FITTINGS				
	554.99.209	Z10NE020D SERVO-DRIVE 72 W Transformer, 1 phase, nominal voltage: 100-240 Volt	PC	13592
	554.99.210	Z10NG000 SERVO-DRIVE base mounted power supply housing unit	PC	909
	554.99.213	Z10NG120 SERVO-DRIVE Panel fixed power supply housing unit	PC	490

HAFELE FURNITURE FITTINGS PRICELIST 2019

IMAGE	FLAG	SAP ARTICLE	DESCRIPTION	UOM	BILLING MOQ	MRP/Pcs
	STOCK	008.28.290	SPECIAL ALLEN WRENCH 160X60 HEX. 6 MM	PC	1	171
	STOCK	283.64.918	PLINTH CLIP 37MM, HARMONIC STEEL	PC	1	78
	STOCK	020.90.914	EURO BOLT Ø10 FOR PLINTH CLIP STEEL	PC	1	39
	STOCK	356.22.470	8 MM DIA DOOR BUFFER 1.6 MM (sheet count =90)	PC	1	4
	STOCK	356.20.423	DOOR STOP HOLE Ø5, TRANSPARENT	PC	1	5
	STOCK	356.20.521	DOOR BUFFER SOFT TRANSPARENT, FOR DIA 10 MM	PC	10	6
	STOCK	356.01.550	K-LOCK CATCH W/MAGNET GREY	PC	1	188
	STOCK	356.01.700	MOUNTING PLATE & SHELL FOR K-LOCK, LIGHT GREY	SET	1	87
	STOCK	246.01.555	K-PUSH ROUND PLATE Ø10 W/PIN Ø3MM NICKEL PLATED	PC	1	13
	STOCK	246.03.910	K-PUSH ROUND PLATE Ø10 L14 FOR SCREWING NICKEL PLATED	PC	1	13
	STOCK	373.86.742	KRABY FRICTION 244 MM/60N+ACCESSORIES+GUIDE (1 SET)	PC	1	1960
	STOCK	373.86.743	KRABY FRICTION 244 MM/90N+ACCESSORIES+GUIDE (1 SET)	PC	1	1960
	STOCK	372.00.702	KRABY AUTOMATIC 244 MM/80N+ACCESSORIES+GUIDE (1 SET)	PC	1	1741
	STOCK	372.00.703	KRABY AUTOMATIC 244 MM/100N+ACCESSORIES+GUIDE (1 SET)	PC	1	1741
	STOCK	372.00.707	KIT KRABY AUT355/120N+ACCESSORIES+GUIDE	PC	1	2378
	STOCK	365.65.700	KRABY DROP DOWN, 244 MM +ACC.+GUIDE (1 SET)	PC	1	2501
	STOCK	372.05.004	K12 AUTOMATIC 244 MM/50N+ACCESSORIES+GUIDE (1 SET)	PC	1	2282
	STOCK	372.05.006	K12 AUTOMATIC 244 MM/80N+ACCESSORIES+GUIDE (1 SET)	PC	1	2282
	STOCK	365.60.700	K12 DROP DOWN NEW244+ACC.+GUIDE	PC	1	2629
	STOCK	274.50.951	K12 DROP DOWN NEW355+ACC.+GUIDE	PC	1	3321
	STOCK	365.47.001	LINK OPENING SYSTEM FOR FLAP DOWN DOORS A262 T-MET	PC	1	5570
	STOCK	365.47.002	LINK OPENING SYSTEM FOR FLAP DOWN DOORS N262 T-MET	PC	1	5570
	STOCK	365.47.003	LINK OPENING SYSTEM FOR FLAP DOWN DOORS U262 T-MET	PC	1	5570
	STOCK	365.47.004	LINK OPENING SYSTEM FOR FLAP DOWN DOORS AL280 T-MET	PC	1	5570
	STOCK	365.47.005	LINK OPENING SYSTEM FOR FLAP DOWN DOORS AQ300 T-MET	PC	1	6266

HAFELE FURNITURE FITTINGS PRICELIST 2019

IMAGE	FLAG	SAP ARTICLE	DESCRIPTION	UOM	BILLING MOQ	MRP/Pcs
	STOCK	380.64.950	LOCKING BRACKET FOR ECONOBOX	PC	1	58
FLAP & LID STAYS						
	STOCK	373.82.001	GAS LIFT FOR UPWARD OPENING C/C 245 MM 60 N	PC	1	215
	STOCK	373.82.002	GAS LIFT FOR UPWARD OPENING C/C 245 MM 80 N	PC	1	222
	STOCK	373.82.003	GAS LIFT FOR UPWARD OPENING C/C 245 MM 100 N	PC	1	230
	STOCK	373.82.004	GAS LIFT FOR UPWARD OPENING C/C 245 MM 120 N	PC	1	240
	STOCK	373.82.005	GAS LIFT FOR UPWARD OPENING C/C 245 MM 150 N	PC	1	248
	STOCK	373.83.006	GAS LIFT FOR UPWARD OPENING C/C 254 MM 200 N	PC	1	262
	STOCK	373.83.007	GAS LIFT FOR UPWARD OPENING C/C 254 MM 250 N	PC	1	270
	STOCK	373.84.001	GAS LIFT FOR DOWNWARD OPENING C/C 245 MM	PC	1	315
	TILL STOCK LAST	563.25.960	ADAPTER FOR ALUMINIUM FRAME, ZINC ALLOY NICKEL PLATED	PC	1	391
  	STOCK	373.66.611	DUO FLAP STAY,ZINC ALLOY,NICKEL PLATED	PC	1	1095
	SPECIAL ORDER	373.66.261	DUO FLAP STAY,ZINC ALLOY,WHITE COLOUR	PC	1	1878
	SPECIAL ORDER	373.66.211	DUO FLAP STAY,ZINC ALLOY,BLACK COLOUR	PC	1	1878
	STOCK	373.66.631	DUO FORTE FLAP STAY,NICKEL PLATED, FOR WOOD/ED = 28 MM	PC	1	1454
	SPECIAL ORDER	373.66.371	DUO FORTE FLAP STAY,ZINC ALLOY,WHITE COLOUR	PC	1	2048
	SPECIAL ORDER	373.66.311	DUO FORTE FLAP STAY,ZINC ALLOY,BLACK COLOUR	PC	1	2048
	STOCK	373.66.621	DUO FLAP STAY FOR ALUMINIUM FRAME, 20MM ZINC ALLOY NP	PC	1	1140
	STOCK	373.66.641	DUO FORTE FLAP STAY FOR ALUMINIUM FRAME, 20MM ZINC ALLOY NP, ED= 28 MM	PC	1	1437
FURNITURE LOCKS & CATCHES						
	SPECIAL ORDER	232.26.600	RIM LOCK SYMO 3000, HANDED - RIGHT, NICKEL PLATED, 18/22 MM, BACKSET 25 MM	PC	1	227
	SPECIAL ORDER	232.26.610	RIM LOCK SYMO 3000, HANDED - LEFT, NICKEL PLATED, 18/22 MM, BACKSET 25 MM	PC	1	227
	SPECIAL ORDER	232.26.620	RIM LOCK SYMO 3000, DRAWER VERSION, NICKEL PLATED, 18/22 MM, BACKSET 25 MM	PC	1	227
	SPECIAL ORDER	232.26.680	RIM LOCK SYMO 3000, DRAWER VERSION, NICKEL PLATED, 18/32 MM, BACKSET 25 MM	PC	1	261