



VIDEO SURVEILLANCE PRODUCT CATALOGUE



ABOUT US

Established in 1999, Ozone has a global presence spinning across 15 countries with 4 R&D centres across Israel, Korea, China and India and 4 state-of-the-art factories in India & China. Ozone WallCam is a professional security & surveillance equipment and solution provider having its **own R&D, manufacturing, sales & service** setup. At Ozone WallCam we '**Make in India**' and specialise in providing **world class** security and surveillance solutions for various industries and customer segments.

Our product & solution portfolio in the video surveillance domain includes IP, AHD and Wireless Cameras (incl. 4G enabled cameras), NVR (Network Video recorders), DVR (Digital Video Recorders), Video door phones, Automatic License plate reader, Mobile vehicle surveillance solution, Video Analytics etc. We also specialise in other security products including access control solutions, sensors, alarms and connected devices for IoT based solutions.

With the help of our worldwide technology partners, R&D and design centres, we have built the capability and technology to address the security and surveillance needs across various customer segments including large Enterprises, Government and Retail. Having worked on numerous projects, we have gained unmatched business and technical expertise by offering customised and integrated industry specific solutions.

Innovation and quality are the ethos of the Ozone brand, and we are committed to it. Our products go through stringent quality control tests and are **BIS, CE, FCC, RoHS** and **ISO** compliant.

We are your **One Stop Shop** for **End-to-End** security and surveillance requirements.

AHD CAMERAS : ECO+ SERIES

1MP DOME CAMERA

Model - OWC-D01-A10A6L28EC



- 1 Megapixel
- 1/4" HD-CMOS Sensor
- 2.8mm Fixed Lens
- 6 Array LED
- Upto 20 Meters IR Range
- Auto BLC & AWB
- True Day & Night with ICR
- 4 in 1 Mode Switch Cable

1MP BULLET CAMERA

Model - OWC-B03-A10A6L28EC



- 1 Megapixel
- 1/4" HD-CMOS Sensor
- 2.8mm Fixed Lens
- 6 Array LED
- Upto 20 Meters IR Range
- Auto BLC & AWB
- True Day & Night with ICR
- 4 in 1 Mode Switch Cable
- IP66

1.3MP DOME CAMERA

Model - OWC-D01-A13A6L36EC



- 1.3 Megapixel
- 1/3" HD-CMOS Sensor
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 20 Meters IR Range
- Auto BLC & AWB
- True Day & Night with ICR
- 4 in 1 Mode Switch Cable

1.3MP BULLET CAMERA

Model - OWC-B03-A13A6L36EC



- 1.3 Megapixel
- 1/3" HD-CMOS Sensor
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 20 Meters IR Range
- Auto BLC & AWB
- True Day & Night with ICR
- 4 in 1 Mode Switch Cable
- IP66

2MP DOME CAMERA

Model - OWC-D01-A20A6L36EC



- 2 Megapixel
- 1/2.9" HD-CMOS Sensor
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 20 Meters IR Range
- Auto BLC & AWB
- True Day & Night with ICR
- 4 in 1 Mode Switch Cable

2MP BULLET CAMERA

Model - OWC-B03-A20A6L36EC



- 2 Megapixel
- 1/2.9" HD-CMOS Sensor
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 20 Meters IR Range
- Auto BLC & AWB
- True Day & Night with ICR
- 4 in 1 Mode Switch Cable
- IP66



AHD DVRs : ECO+ SERIES

4 CHANNEL DVR

Model - OWC-DV-01-CH04E



- 4CH@1080N Live View & Recording
- 4 Channel Playback
- 5 in 1(Analog/AHD/IP/TVI/CVI)
- Supports HD/SD Streaming
- 1 Channel Audio Input
- 2 x USB
- 1 SATA upto 8TB HDD Support
- Digital Zoom & Network Playback
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 3A

8 CHANNEL DVR

Model - OWC-DV-01-CH08E



- 8CH@1080N Live View & Recording
- 8 Channel Playback
- 5 in 1(Analog/AHD/IP/TVI/CVI)
- Supports HD/SD Streaming
- 1 Channel Audio Input
- 2 x USB
- 1 SATA upto 8TB HDD Support
- Digital Zoom & Network Playback
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 3A

16 CHANNEL DVR

Model - OWC-DV-02-CH016S1H8E



- 16CH@1080N Live View & Recording
- 16 Channel Playback
- 5 in 1(Analog/AHD/IP/TVI/CVI)
- Supports HD/SD Streaming
- 1 Channel Audio Input
- 2 x USB
- 1 SATA upto 8TB HDD Support
- Digital Zoom & Network Playback
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 3A

AHD CAMERAS : CORE SERIES

1.3MP DOME CAMERA

Model - OWC-D01-A13A6L36C



- 1.3 Megapixel
- 1/3" HD-CMOS Sensor
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 30 Meters IR Range
- Auto BLC & AWB
- True Day & Night with ICR
- 4 in 1 Mode Switch Cable

1.3MP BULLET CAMERA

Model - OWC-B01-A13A6L36C



- 1.3 Megapixel
- 1/3" HD-CMOS Sensor
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 30 Meters IR Range
- Auto BLC & AWB
- True Day & Night with ICR
- 4 in 1 Mode Switch Cable
- IP66

2MP DOME CAMERA

Model - OWC-D01-A20A6L36C



- 2 Megapixel
- 1/2.9" HD-CMOS Sensor
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 30 Meters IR Range
- Auto BLC & AWB
- True Day & Night with ICR
- 4 in 1 Mode Switch Cable

2MP BULLET CAMERA

Model - OWC-B01-A20A6L36C



- 2 Megapixel
- 1/2.9" HD-CMOS Sensor
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 30 Meters IR Range
- Auto BLC & AWB
- True Day & Night with ICR
- 4 in 1 Mode Switch Cable
- IP66

5MP DOME CAMERA

Model - OWC-D01-A50A6L36



- 5 Megapixel
- 1/2.9" HD-CMOS Sensor
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 30 Meters IR Range
- Auto BLC & AWB
- True Day & Night with ICR
- UTC (Up The Coax) support

5MP BULLET CAMERA

Model - OWC-B01-A50A6L36



- 5 Megapixel
- 1/2.9" HD-CMOS Sensor
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 30 Meters IR Range
- Auto BLC & AWB
- True Day & Night with ICR
- UTC (Up The Coax) support
- IP66



STARVIZ CCTV CAMERA AT NIGHT



STANDARD CCTV CAMERA AT NIGHT

STARVIZ AHD CAMERAS : CORE SERIES

2MP DOME CAMERA

Model - OWC-D02-A20A3L365



- 2 Megapixel
- 1/2.8" HD-CMOS Sensor
- 3.6mm Fixed Lens
- 3 Array LED
- Illumination- 0.005 Lux (Color/Day)
- Upto 30 Meters IR Range
- Auto BLC & AWB
- True Day & Night with ICR

2MP BULLET CAMERA

Model - OWC-B02-A20A6L365



- 2 Megapixel
- 1/2.8" HD-CMOS Sensor
- 3.6mm Fixed Lens
- 6 Array LED
- Illumination- 0.005 Lux (Color/Day)
- Upto 30 Meters IR Range
- Auto BLC & AWB
- True Day & Night with ICR
- IP66

AHD MANUAL VARIFOCAL CAMERA : CORE SERIES

2MP BULLET CAMERA

Model - OWC-B04-A20A6L28-120MV



- 2 Megapixel
- 1/2.9" HD-CMOS Sensor
- 2.8-12mm Manual Varifocal Lens
- 42 IR LED
- Upto 40 Meters IR Range
- Auto BLC & AWB
- True Day & Night with ICR
- IP66





AHD ANPRs : CORE SERIES

2MP ANPR CAMERA

OWC-LPR01-A20L28-120E



- 2 Megapixel
- 1/2.8" HD-CMOS Sensor
- 2.8-12mm Manual Varifocal Lens
- 4 White Array LED (brightness adjustable)
- UTC (Up The Coax) Support
- 4 in 1 (Analog/AHD/CVI/TVI)
- Supports HLC
- Effective Distance : Within 10 Meters
- Vehicle Max. Speed upto 120km/h
- IP66

2MP ANPR CAMERA

OWC-LPR02-A20L60-220E



- 2 Megapixel
- 1/2.8" HD-CMOS Sensor
- 6-22mm Manual Varifocal Lens
- 6 White Array LED (brightness adjustable)
- UTC (Up The Coax) Support
- 4 in 1 (Analog/AHD/CVI/TVI)
- Supports HLC
- Effective Distance : Within 15 Meters
- Vehicle Max. Speed upto 120km/h
- IP66

IP ANPRs : CORE SERIES

2MP ANPR CAMERA

OWC-LPR01-I20L28-120E



- 2 Megapixel
- 1/2.8" HD-CMOS Sensor
- 2.8-12mm Manual Varifocal Lens
- 4 White Array LED (brightness adjustable)
- Supports ONVIF
- Supports HLC
- Effective Distance : Within 10 Meters
- Vehicle Max. Speed upto 5km/h
- Suitable for Entrance & Exit
- IP66

2MP ANPR CAMERA

OWC-LPR02-I20L60-220M



- 2 Megapixel
- 1/2.8" HD-CMOS Sensor
- 6-22mm Manual Varifocal Lens
- 6 White Array LED (brightness adjustable)
- Supports ONVIF
- Supports HLC & WDR
- Effective Distance : Within 20 Meters
- Vehicle Max. Speed upto 120km/h
- IP66

AHD DVRs : CORE SERIES

4 CHANNEL DVR

Model - OWC-DV-01-CH04



- 4CH@1080N Live View & Recording
- 4 Channel Playback
- 5 in 1(Analog/AHD/IP/TVI/CVI)
- Supports HD/SD Streaming
- 4 Channel Audio Input
- 2 x USB
- 1 SATA upto 8TB HDD Support
- Digital Zoom & Network Playback
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 3A

8 CHANNEL DVR

Model - OWC-DV-01-CH08



- 8CH@1080N Live View & Recording
- 4 Channel Playback
- 5 in 1(Analog/AHD/IP/TVI/CVI)
- Supports HD/SD Streaming
- 4 Channel Audio Input
- 2 x USB
- 1 SATA upto 8TB HDD Support
- Digital Zoom & Network Playback
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 3A

16 CHANNEL DVR

Model - OWC-DV-01-CH16



- 16CH@1080N Live View & Recording
- 4 Channel Playback
- 5 in 1(Analog/AHD/IP/TVI/CVI)
- Supports HD/SD Streaming
- 8 Channel Audio Input
- 4 Channel Alarm Input
- 2 x USB
- 2 SATA upto 8TB HDD Support each
- Digital Zoom & Network Playback
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 4A

32 CHANNEL DVR

Model - OWC-DV-01-CH32



- 32CH@1080N Live View & Recording
- 8 Channel Playback
- 5 in 1(Analog/AHD/IP/TVI/CVI)
- Supports HD/SD Streaming
- 16 Channel Audio Input
- 16 Channel Alarm Input
- 2 x USB
- 4 SATA upto 8TB HDD Support each
- Digital Zoom & Network Playback
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 5A



2MP AHD DVRs : CORE SERIES

4 CHANNEL DVR

Model - OWC-DV01-CH04M2S1H8



- 4CH@1080P Live view & Recording
- 2 Channel Playback
- 5 in 1(Analog/AHD/IP/TVI/CVI)
- Supports HD/SD Streaming
- 4CH Audio Input
- 2 x USB
- 1 SATA upto 8TB HDD Support
- Digital Zoom & Network Playback
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 3A

8 CHANNEL DVR 1 SATA

Model - OWC-DV-01-CH08M2S1H8



- 8CH@1080P Live View & Recording
- 4 Channel Playback
- 5 in 1(Analog/AHD/IP/TVI/CVI)
- Supports HD/SD Streaming
- 4 Channel Audio Input
- 2 x USB
- 1 SATA upto 8TB HDD Support
- Digital Zoom & Network Playback
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 3A

8 CHANNEL DVR 2 SATA

Model - OWC-DV-01-CH08M2S2H8



- 8CH@1080P Live View & Recording
- 4 Channel Playback
- 5 in 1(Analog/AHD/IP/TVI/CVI)
- Supports HD/SD Streaming
- 8 Channel Audio Input
- 4 Channel Alarm input
- 2 x USB
- 2 SATA upto 8TB HDD Support each
- Digital Zoom & Network Playback
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 4A

16 CHANNEL DVR

Model - OWC-DV-01-CH16M2S2H8



- 16CH@1080P Live View & Recording
- 8 Channel Playback
- 5 in 1(Analog/AHD/IP/TVI/CVI)
- Supports HD/SD Streaming
- 8 Channel Audio Input
- 4 Channel Alarm Input
- 2 x USB
- 2 SATA upto 8TB HDD Support each
- Digital Zoom & Network Playback
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 4A



5MP AHD DVRs : CORE SERIES

4 CHANNEL DVR

Model - OWC-DV01-CH04M5S1H8-5



- 4CH@5MP Live view & Recording
- 4 Channel Playback
- 5 in 1(Analog/AHD/IP/TVI/CVI)
- Supports HD/SD Streaming
- Supports upto 5MP Cameras
- High Video Compression
- 4CH Audio Input
- 2 x USB
- 1 SATA upto 8TB HDD Support
- UTC (Up The Coax) Control
- Digital Zoom & Network Playback
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 3A

8 CHANNEL DVR

Model - OWC-DV01-CH08M5S1H8-5



- 8CH@5MP Live view & Recording
- 8 Channel Playback
- 5 in 1(Analog/AHD/IP/TVI/CVI)
- Supports HD/SD Streaming
- Supports upto 5MP Cameras
- High Video Compression
- 4CH Audio Input
- 2 x USB
- 1 SATA upto 8TB HDD Support
- UTC (Up The Coax) Control
- Digital Zoom & Network Playback
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 3A



AHD Wi-Fi DVRs : CORE SERIES

4 CHANNEL DVR

Model - OWC-DV-02-CH04EW



- 4CH@1080N Live View & Recording
- 4 Channel Playback
- 5 in 1(Analog/AHD/IP/TVI/CVI)
- Wi-Fi Enabled
- Supports HD/SD Streaming
- 1 Channel Audio Input
- 2 x USB
- 1 SATA upto 8TB HDD Support
- Digital Zoom & Network Playback
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 3A

8 CHANNEL DVR

Model - OWC-DV-02-CH08EW



- 8CH@1080N Live View & Recording
- 8 Channel Playback
- 5 in 1(Analog/AHD/IP/TVI/CVI)
- Wi-Fi Enabled
- Supports HD/SD Streaming
- 1 Channel Audio Input
- 2 x USB
- 1 SATA upto 8TB HDD Support
- Digital Zoom & Network Playback
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 3A



IP CAMERAS : CORE SERIES

2MP DOME CAMERA

Model - OWC-D01-IE20A6L36



2 Megapixel
1/2.9" HD-CMOS Sensor
High Video Compression
Resolution: 1920*1080@25fps
3.6mm Fixed Lens
6 Array LED
Upto 30 Meters IR Range
True Day & Night with ICR
PoE Enabled
Supports ONVIF

2MP BULLET CAMERA

Model - OWC-B01-IE20A6L36



- 2 Megapixel
- 1/2.9" HD-CMOS Sensor
- High Video Compression
- Resolution: 1920*1080@25fps
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 30 Meters IR Range
- True Day & Night with ICR
- PoE Enabled
- Supports ONVIF
- IP66

3MP DOME CAMERA

Model - OWC-D01-IE30A6L36



- 3 Megapixel
- 1/3" HD-CMOS Sensor
- High Video Compression
- Resolution: 2048*1536@25fps
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 30 Meters IR Range
- True Day & Night with ICR
- PoE Enabled
- Supports ONVIF

3MP BULLET CAMERA

Model - OWC-B01-IE30A6L36



- 3 Megapixel
- 1/3" HD-CMOS Sensor
- High Video Compression
- Resolution: 2048*1536@25fps
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 30 Meters IR Range
- True Day & Night with ICR
- PoE Enabled
- Supports ONVIF
- IP66



IP CAMERAS : CORE SERIES

4MP DOME CAMERA

Model - OWC-D01-IE40A6L36



- 4 Megapixel
- 1/3" HD-CMOS Sensor
- High Video Compression
- Resolution: 2560*1440@19fps
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 30 Meters IR Range
- True Day & Night with ICR
- PoE Enabled
- Supports ONVIF

4MP BULLET CAMERA

Model - OWC-B01-IE40A6L36



- 4 Megapixel
- 1/3" HD-CMOS Sensor
- High Video Compression
- Resolution: 2560*1440@19fps
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 30 Meters IR Range
- True Day & Night with ICR
- PoE Enabled
- Supports ONVIF
- IP66

5MP DOME CAMERA

Model - OWC-D01-IE50A6L36




- 5 Megapixel
- 1/3" HD-CMOS Sensor
- High Video Compression
- Resolution: 2592*1944@19fps
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 30 Meters IR Range
- True Day & Night with ICR
- PoE Enabled
- Supports ONVIF

5MP BULLET CAMERA

Model - OWC-B01-IE50A6L36



- 5 Megapixel
- 1/3" HD-CMOS Sensor
- High Video Compression
- Resolution: 2592*1944@19fps
- 3.6mm Fixed Lens
- 6 Array LED
- Upto 30 Meters IR Range
- True Day & Night with ICR
- PoE Enabled
- Supports ONVIF
- IP66



STARVIZ CCTV CAMERA AT NIGHT

STANDARD CCTV CAMERA AT NIGHT

STARVIZ IP CAMERAS : CORE SERIES

2MP DOME CAMERA

Model - OWC-D02-IE20A3L365



- 2 Megapixel
- 1/2.8" HD-CMOS Sensor
- High Video Compression
- Resolution: 1920*1080@20fps
- 3.6mm Fixed Lens
- 3 Array LED
- Illumination- 0.005 Lux (Color/Day)
- Upto 30 Meters IR Range
- True Day & Night with ICR
- PoE Enabled
- Supports ONVIF

2MP BULLET CAMERA

Model - OWC-B02-IE20A6L365



- 2 Megapixel
- 1/2.8" HD-CMOS Sensor
- High Video Compression
- Resolution: 1920*1080@20fps
- 3.6mm Fixed Lens
- 6 Array LED
- Illumination- 0.005 Lux (Color/Day)
- Upto 30 Meters IR Range
- True Day & Night with ICR
- PoE Enabled
- Supports ONVIF
- IP66

IP MANUAL VARIFOCAL CAMERA : CORE SERIES

2MP BULLET CAMERA

Model - OWC-B04-IE20A6L28-120MV



- 2 Megapixel
- 1/2.9" HD-CMOS Sensor
- 2.8-12mm Manual Varifocal Lens
- 42 IR LED
- Upto 40 Meters IR Range
- Auto BLC & AWB
- True Day & Night with ICR
- PoE Enabled
- Supports ONVIF
- IP66



IP PTZ CAMERAS : CORE SERIES

1.3 MP IP PTZ-18X

Model - OWC-P02-IE13A7L49-490



- 1.3 Megapixel
- 1/3" HD-CMOS Sensor
- Standard Video Compression
- Resolution: 1280*960@25fps
- 18x Optical Zoom
- Upto 150 Meters IR Range
- 128 Preset
- 4 Tour Scan
- 4 Pattern Scan
- Pan: 0°~360°, Tilt: 0°~90° Rotation Angle
- 240°/S Max. Rotation speed
- Supports ONVIF
- IP66, 7" Metal Body
- Power Supply : 12V - 5A

2 MP IP PTZ-18X

Model - OWC-P03-IE20A6L47-846



- 2 Megapixel
- 1/2.8" HD-CMOS Sensor
- Standard Video Compression
- Resolution: 1920*1080P@25fps
- 18x Optical Zoom
- Upto 150 Meters IR Range
- 128 Preset
- 4 Tour Scan
- 4 Pattern Scan
- Pan: 0°~360°, Tilt: 0°~90° Rotation Angle
- 240°/S Max. Rotation speed
- Supports ONVIF
- IP66, 7" Metal Body
- Power Supply : 12V - 5A

4MP IP PTZ-18X

Model - OWC-P03-IE40A6L47-940



- 4 Megapixel
- 1/3" HD-CMOS Sensor
- Standard Video Compression
- Resolution: 2560*1440@19fps
- 18x Optical Zoom
- Upto 150 Meters IR Range
- 128 Preset
- 4 Tour Scan
- 4 Pattern Scan
- Pan: 0°~360°, Tilt: 0°~90° Rotation Angle
- 240°/S Max. Rotation speed
- Supports ONVIF
- IP66, 7" Metal Body
- Power Supply : 12V - 5A



STANDARD COMPRESSION NVRs : CORE SERIES

4 CHANNEL NVR

Model - OWC-NV-01-CH04 –S01H06



- 4CH@1080P Live View & Recording
- 1CH@1080P Playback
- Standard Video Compression
- Supports HD/SD Streaming
- 2 x USB
- 1 SATA upto 6TB HDD Support
- 1 x RJ45, 100Mbps Ethernet Network Interface
- 48Mbps Incoming Bandwidth
- Smartphone Support (iOS & Android)
- Supports ONVIF
- Power Supply : 12V - 3A

8 CHANNEL NVR

Model - OWC-NV-01-CH08 –S01H06



- 8CH@1080P Live View & Recording
- 2CH@1080P Playback
- Standard Video Compression
- Supports HD/SD Streaming
- 2 x USB
- 1 SATA upto 6TB HDD Support
- 1 x RJ45, 100Mbps Ethernet Network Interface
- 96Mbps Incoming Bandwidth
- Smartphone Support (iOS & Android)
- Supports ONVIF
- Power Supply : 12V - 3A

16 CHANNEL NVR

Model - OWC-NV-01-CH16 –S02H06




- 16CH@1080P/ 9CH@1080P/ 4CH@5MP Live View & Recording
- 2CH@1080P/ 4CH@1080P/ 1CH@5MP Playback
- Standard Video Compression
- Supports HD/SD Streaming
- 2 x USB
- 2 SATA upto 6TB HDD Support each
- 1 x RJ45, 100Mbps Ethernet Network Interface
- 280Mbps Incoming Bandwidth
- Smartphone Support (iOS & Android)
- Supports ONVIF
- Power Supply : 12V - 5A

32 CHANNEL NVR

Model - OWC-NV-01-CH32 –S02H06



- 32CH@1080P/ 16CH@4MP/ 8CH@5MP Live View & Recording
- 4CH@1080P/ 4CH@4MP/ 2CH@5MP Playback
- Standard Video Compression
- Supports HD/SD Streaming
- 2 x USB
- 2 SATA upto 6TB HDD Support each
- 1 x RJ45, 100Mbps Ethernet Network Interface
- 280Mbps Incoming Bandwidth
- Smartphone Support (iOS & Android)
- Supports ONVIF
- Power Supply : 12V - 5A



HIGH COMPRESSION NVRs : CORE SERIES

4 CHANNEL NVR

Model - OWC-NV-01-CH04S01H06-5



- 4CH@5MP/ 4CH@3MP/ 4CH@1080P Live View & Recording
- 1CH@5MP/ 2CH@3MP/ 4CH@1080P Playback
- High Video Compression
- Supports HD/SD Streaming
- 2 x USB
- 1 SATA upto 6TB HDD Support
- 1 x RJ45, 100Mbps Ethernet Network Interface
- 48Mbps Incoming Bandwidth
- Smartphone Support (iOS & Android)
- Supports ONVIF
- Power Supply : 12V - 3A

8 CHANNEL NVR

Model - OWC-NV-01-CH08S01H06-5



- 8CH@4MP/ 4CH@5MP/ 16CH@960P Live View & Recording
- 4CH@4MP/ 2CH@5MP/ 4CH@960P Playback
- High Video Compression
- Supports HD/SD Streaming
- 2 x USB
- 1 SATA upto 6TB HDD Support
- 1 x RJ45, 100Mbps Ethernet Network Interface
- 96Mbps Incoming Bandwidth
- Smartphone Support (iOS & Android)
- Supports ONVIF
- Power Supply : 12V - 3A

32 CHANNEL NVR

Model - OWC-NV-01-CH32S04H06-5



- 32CH@4MP/ 24CH@5MP/ 16CH@1080P Live View & Recording
- 9CH@4MP/ 4CH@5MP/ 16CH@1080P Playback
- High Video Compression
- Supports HD/SD Streaming
- 2 x USB
- 4 SATA upto 6TB HDD Support each
- 1 x RJ45, 100Mbps Ethernet Network Interface
- 280Mbps Incoming Bandwidth
- Smartphone Support (iOS & Android)
- Supports ONVIF
- Power Supply : 12V - 5A

MOBILE VEHICLE CAMERA : CORE SERIES

INTERNAL CAMERA

Model - OWC-MI04-A13LL28



- 1.3 Megapixel
- 1/3" HD-CMOS Sensor
- 2.8mm Fixed Lens
- 12 IR LED
- Upto 10 Meters IR Range
- Aviation Video output interface
- Auto BLC & AWB
- True Day & Night with ICR
- IP66, Metal Body

INTERNAL CAMERA WITH MIC

Model - OWC-MI04-A13LL28M



- 1.3 Megapixel
- 1/3" HD-CMOS Sensor
- 2.8mm Fixed Lens
- 12 IR LED
- Upto 10 Meters IR Range
- Built-in Microphone
- Aviation Video output interface
- Auto BLC & AWB
- True Day & Night with ICR
- IP66, Metal Body

EXTERNAL CAMERA

Model - OWC-MO05-A13LL28



- 1.3 Megapixel
- 1/3" HD-CMOS Sensor
- 2.8mm Fixed Lens
- 18 IR LED
- Upto 15 Meters IR Range
- Aviation Video output interface
- Auto BLC & AWB
- True Day & Night with ICR
- IP69K, Metal Body



MOBILE VEHICLE DVR : CORE SERIES

SINGLE SD CARD Support



FEATURE	: MODEL
Basic	: OWC-MD-01-CH04SD1
GPS	: OWC-MD-01-CH04SD1G
GPS, Wi-Fi	: OWC-MD-01-CH04SD1GW
GPS, 4G/3G	: OWC-MD-01-CH04SD1G4G
GPS, 4G/3G, Wi-Fi	: OWC-MD-01-CH04SD1GW4G

- 4CH@720P Live View & Recording
- 1 Channel Playback
- Standard Video Compression
- Supports HD/SD Streaming
- 4 Channel Audio Input
- 4 Channel Alarm Input
- Single SD upto 256GB Support
- 1 x USB
- Smartphone Support (iOS & Android)
- Power Input : 9~32V DC
- GPS, 4G/3G, Wi-Fi Enabled (optional)

DUAL SD CARD Support



FEATURE	: MODEL
Basic	: OWC-MD-01-CH04SD2
GPS, Wi-Fi	: OWC-MD-01-CH04SD2GW
GPS, 4G/3G	: OWC-MD-01-CH04SD2G4G
GPS, 4G/3G, Wi-Fi	: OWC-MD-01-CH04SD2GW4G


- 4CH@720P Live View & Recording
- 1 Channel Playback
- Standard Video Compression
- Supports HD/SD Streaming
- 4 Channel Audio Input
- 4 Channel Alarm Input
- Dual SD upto 256GB Support each
- G-Sensor Support
- 1 x USB
- Smartphone Support (iOS & Android)
- Power Input : 9~36V DC
- GPS, 4G/3G, Wi-Fi Enabled (optional)

SINGLE SD CARD + HDD/SSD Support



FEATURE	: MODEL
Basic	: OWC-MD-02-CH04SD1S01H02
GPS, Wi-Fi	: OWC-MD-02-CH04SD1S01H02GW
GPS, 4G/3G	: OWC-MD-02-CH04SD1S01H02G4G
GPS, 4G/3G, Wi-Fi	: OWC-MD-02-CH04SD1S01H02GW4G

- 4CH@720P Live View & Recording
- 1 Channel Playback
- Standard Video Compression
- Supports HD/SD Streaming
- 4 Channel Audio Input
- 4 Channel Alarm Input
- Single SD (256GB) + 1 HDD/SSD (2TB) Support
- 1 x USB
- Smartphone Support (iOS & Android)
- Power Input : 10~36V DC
- GPS, 4G/3G, Wi-Fi Enabled (optional)



Wi-Fi CUBE CAMERAS : CORE SERIES

1MP CUBE CAM

Model - OWC-C01-I10L144F



- 1 Megapixel
- 1/4" HD-CMOS Sensor
- Standard Video Compression
- Resolution: 1280*720@25fps
- 180° Panoramic View
- Upto 10 Meters IR Range
- True Day & Night with ICR
- Wi-Fi Enabled
- 2-way Audio Communication
- Micro SD upto 64GB Support
- Smartphone Supports (iOS & Android)
- Supports ONVIF

2MP CUBE CAM

Model - OWC-C02-I20L144F



- 2 Megapixel
- 1/2.7" HD-CMOS Sensor
- Standard Video Compression
- Resolution: 1920*1080@25fps
- 180° Panoramic View
- Upto 10 Meters IR Range
- True Day & Night with ICR
- Wi-Fi Enabled
- 2-way Audio Communication
- Micro SD upto 64GB Support
- Smartphone Supports (iOS & Android)
- Supports ONVIF

2MP FISH EYE

Model - OWC-C03-I20L144F



- 2 Megapixel
- 1/2.7" HD-CMOS Sensor
- Standard Video Compression
- Resolution: 1920*1080@25fps
- 360° Fish Eye View
- Upto 10 Meters IR Range
- True Day & Night with ICR
- Wi-Fi Enabled
- 2-way Audio Communication
- Micro SD upto 64GB Support
- Smartphone Support (iOS & Android)
- Supports ONVIF



Wi-Fi NVR KIT - 4:1 : CORE SERIES

4CH 1.3MP Wi-Fi NVR KIT

Model - OWC-W01-I13A6L36CH04



- 4CH@960P Live View & Recording
- 4CH Playback
- Standard Video Compression
- Resolution: 1280*960@25fps
- 1/3" HD-CMOS Sensor
- 3.6mm Fixed Lens
- Upto 25 Meters IR Range
- True Day & Night with ICR
- Supports HD/SD Streaming
- 2 x USB
- 1 SATA upto 4TB HDD Support
- 1 RJ45, 100Mbps Ethernet Network Interface
- Wi-Fi Enabled
- Wi-Fi range upto 30Mtr. (Close Field)
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 3A
- IP66 Metal Camera

4CH 2MP Wi-Fi NVR KIT

Model - OWC-W01-I20A6L36CH04



- 4CH@1080P Live View & Recording
- 4CH Playback
- Standard Video Compression
- Resolution: 1920*1080@25fps
- 1/2.9" HD-CMOS Sensor
- 3.6mm Fixed Lens
- Upto 25 Meters IR Range
- True Day & Night with ICR
- Supports HD/SD Streaming
- 2 x USB
- 1 SATA upto 4TB HDD Support
- 1 RJ45, 100Mbps Ethernet Network Interface
- Wi-Fi Enabled
- Wi-Fi range upto 30Mtr. (Close Field)
- Smartphone Support (iOS & Android)
- Power Supply : 12V - 3A
- IP66 Metal Camera



VIDEO DOOR PHONE



INDOOR UNIT

Model - OWC-VDP01-A65TMR70T

- 7" TFT LCD
- Resolution: 800*480 pixels
- Hands-Free Talk Back
- Feather Touch Button
- Supports upto 2 Outdoor Unit
- 4-wire Communication System
- Supports Door Lock Control
- Power Supply: DC 13.5V

OUTDOOR UNIT

Model - OWC-VDP01-A65TMR70T

- 650 TVL
- HD-CMOS Sensor
- Wide Angle View
- Night Vision with IR LED
- Supports Door Lock Control
- IP54, Metal Body

ELECTRIC RIM LOCK



Model - OWC-ERL01-R (Right Door)

Model - OWC-ERL01-L (Left Door)

FEATURES

- Compatible with any Electric Access Control Solution
- Computerised Dotted Keys
- Solid Brass Double Cylinder
- Solid Steel Lock case with Stainless Steel finish
- Tested for more than 500,000 Operations
- Brass Latch, Strike Bolt, Dead Bolt & Roller Tongue
- Steel Knob & Push Button
- Operating voltage : DC 12V, 1.5/2/3A

CCTV ACCESSORIES



CHANNEL : MODEL

4CH : OWC-PS0104CHE
8CH : OWC-PS0108CHE
16CH : OWC-PS0116CHE

CCTV SMPS

- Input Voltage: 150 VAC-285 VAC, 50-60Hz
- Output Voltage: DC 12V-1A (per channel)
- Individual Output Terminal
- Individual LED Indicator
- Plastic Cabinet



3+1 COAXIAL CABLE

Model - OWC-C01-AC90E

- 90 Meter Cable Length
- Solid Copper Video Core- 0.6mm Dia
- High Density Coaxial Shield
- Weather proof PVC Jacket
- Sequential Marking at Every Meter



BNC CONNECTOR

Model - OWC-BNC01-B

- Full Brass body
- PVC Plastic jacket

OZONE WALLCAM

ONE STOP SHOP FOR END-TO-END SECURITY & SURVEILLANCE



Ozone Secutech Pvt. Ltd.

H-40, Bali Nagar, New Delhi - 110015

Email : customer care@wallcam.in

Customer care no. : 011-4557 6666 | Website: www.ozonewallcam.com

