










IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
<b>CLIP top BLUMOTION HINGE SETS</b>				
<b>CLIP top BLUMOTION 110° HINGE SETS</b>				
<b>ONYX BLACK CLIP top BLUMOTION 110 °HINGE SETS</b>				
	342.39.000	ONYX BLACK-CLIP TOP BLUMOTION -110° - OVERLAY, SCREW ON, (SET OF 1 HINGE,1 STRAIGHT MOUNTING PLATE, 1 BOSS COVER CAP, 1 ARM COVER CAP)	SET	447
	342.39.001	ONYX BLACK-CLIP TOP BLUMOTION -110° - HALF OVERLAY, SCREW ON, (SET OF 1 HINGE,1 STRAIGHT MOUNTING PLATE, 1 BOSS COVER CAP, 1 ARM COVER CAP)	SET	470
	342.39.002	ONYX BLACK-CLIP TOP BLUMOTION -110° - INSET, SCREW ON, (SET OF 1 HINGE,1 STRAIGHT MOUNTING PLATE, 1 BOSS COVER CAP, 1 ARM COVER CAP)	SET	475
<b>ONYX BLACK CLIP top BLUMOTION 95 ° PROFILE DOOR HINGE SETS</b>				
	342.39.003	ONYX BLACK-CLIP TOP BLUMOTION -95° - THICK DOOR- FULL OVERLAY, SCREW ON, (SET OF 1 HINGE,1 STRAIGHT MOUNTING PLATE, 1 BOSS COVER CAP, 1 ARM COVER CAP)	SET	511
	342.39.004	ONYX BLACK-CLIP TOP BLUMOTION -95° - THICK DOOR- HALF OVERLAY, SCREW ON, (SET OF 1 HINGE,1 STRAIGHT MOUNTING PLATE, 1 BOSS COVER CAP, 1 ARM COVER CAP)	SET	544
	342.39.005	ONYX BLACK-CLIP TOP BLUMOTION -95° - THICK DOOR- INSET, SCREW ON, (SET OF 1 HINGE,1 STRAIGHT MOUNTING PLATE, 1 BOSS COVER CAP, 1 ARM COVER CAP)	SET	544
<b>ONYX BLACK CLIP TOP UNSPRUNG HINGE SETS</b>				
	342.83.415	ONYX BLACK-CLIP TOP- UNSPRUNG -95° - THICK DOOR- FULL OVERLAY, SCREW ON, (SET OF 1 HINGE,1 STRAIGHT MOUNTING PLATE, 1 BOSS COVER CAP, 1 ARM COVER CAP)	SET	335
	342.83.416	ONYX BLACK-CLIP TOP- UNSPRUNG -95° - THICK DOOR- HALF OVERLAY, SCREW ON, (SET OF 1 HINGE,1 STRAIGHT MOUNTING PLATE, 1 BOSS COVER CAP, 1 ARM COVER CAP)	SET	357
	342.83.417	ONYX BLACK-CLIP TOP- UNSPRUNG -95° - THICK DOOR- INSET, SCREW ON, (SET OF 1 HINGE,1 STRAIGHT MOUNTING PLATE, 1 BOSS COVER CAP, 1 ARM COVER CAP)	SET	358
	342.44.412	ONYX BLACK-CLIP TOP-WIDE ANGLE- ZERO PROTRUSION 155°, SCREW ON, UNSPRUNG (SET OF 1 HINGE,1 STRAIGHT MOUNTING PLATE, 1 BOSS COVER CAP, 1 ARM COVER CAP)	SET	881










IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
<b>ONYX BLACK CLIP TOP 155° HINGE SETS</b>				
	342.44.512	ONYX BLACK-CLIP TOP-WIDE ANGLE- ZERO PROTRUSION 155°, SCREW ON, (SET OF 1 HINGE,1 STRAIGHT MOUNTING PLATE, 1 BOSS COVER CAP, 1 ARM COVER CAP)	SET	881
<b>CLIP top BLUMOTION 110° HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE</b>				
	342.02.118	CLIP TOP BLUMOTION 110° STANDARD HINGE FOR OVERLAY APPLICATIONS WITH 2MM EXTRA OVERLAY AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET (SPECIAL HINGE)	SET	313
	342.02.077	CLIP TOP BLUMOTION 110° STANDARD EXPANDO HINGE FOR OVERLAY APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	437
	342.02.078	CLIP TOP BLUMOTION 110° STANDARD INSERTA HINGE FOR OVERLAY APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	473
	342.02.074	CLIP TOP BLUMOTION 110° STANDARD HINGE FOR DUAL APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	346
	342.02.075	CLIP TOP BLUMOTION 110° STANDARD INSERTA HINGE FOR DUAL APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	491
	342.02.076	CLIP TOP BLUMOTION 110° STANDARD HINGE FOR INSET APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	398
<b>CLIP top BLUMOTION 110° HINGE SETS WITH THE STRAIGHT SCREW-ON MOUNTING PLATE</b>				
	342.02.113	CLIP TOP BLUMOTION 110° STANDARD HINGE FOR OVERLAY APPLICATIONS WITH 2 MM EXTRA OVERLAY AND CLIP STRAIGHT STEEL MOUNTING PLATE SET (SPECIAL HINGE)	SET	352
	342.02.140	CLIP TOP BLUMOTION 110° STANDARD EXPANDO HINGE FOR OVERLAY APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	476

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
	342.02.141	CLIP TOP BLUMOTION 110° STANDARD INSERTA HINGE FOR OVERLAY APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	512
	342.02.137	CLIP TOP BLUMOTION 110° STANDARD HINGE FOR DUAL APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	384
	342.02.138	CLIP TOP BLUMOTION 110° STANDARD INSERTA HINGE FOR DUAL APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	530
	342.02.139	CLIP TOP BLUMOTION 110° STANDARD HINGE FOR INSET APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	439
<b>CLIP top BLUMOTION 95° PROFILE DOOR HINGE SETS</b>				
<b>CLIP top BLUMOTION 95° PROFILE DOOR HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE</b>				
	342.02.109	CLIP TOP BLUMOTION 95° PROFILE DOOR HINGE FOR OVERLAY APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	357
	342.02.110	CLIP TOP BLUMOTION 95° PROFILE DOOR HINGE FOR DUAL APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	394
	342.02.111	CLIP TOP BLUMOTION 95° PROFILE DOOR HINGE FOR INSET APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	456
<b>CLIP top BLUMOTION 95° PROFILE DOOR HINGE SETS WITH THE STRAIGHT SCREW-ON MOUNTING PLATE</b>				
	342.02.172	CLIP TOP BLUMOTION 95° PROFILE DOOR HINGE FOR OVERLAY APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	395
	342.02.173	CLIP TOP BLUMOTION 95° PROFILE DOOR HINGE FOR DUAL APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	432
	342.02.174	CLIP TOP BLUMOTION 95° PROFILE DOOR HINGE FOR INSET APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	494











IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
<b>CLIP top HINGE SETS</b>				
<b>CLIP top 107° HINGE SETS</b>				
<b>CLIP top 107° HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE</b>				
	342.02.067	CLIP TOP 107° STANDARD HINGE FOR OVERLAY APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	176
	342.02.068	CLIP TOP 107° STANDARD HINGE FOR DUAL APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	204
	342.02.069	CLIP TOP 107° STANDARD HINGE FOR INSET APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	210
<b>CLIP top 107° UNSPRUNG HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE</b>				
	342.02.072	CLIP TOP 107° STANDARD UNSPRUNG HINGE FOR OVERLAY APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	163
	342.02.070	CLIP TOP 107° STANDARD UNSPRUNG HINGE FOR DUAL APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	205
<b>CLIP top 107° HINGE SETS WITH THE STRAIGHT SCREW-ON MOUNTING PLATE</b>				
	342.02.130	CLIP TOP 107° STANDARD HINGE FOR OVERLAY APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	217
	342.02.131	CLIP TOP 107° STANDARD HINGE FOR DUAL APPLICATION AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	245
	342.02.132	CLIP TOP 107° STANDARD HINGE FOR INSET APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	251
	342.02.135	CLIP TOP 107° STANDARD UNSPRUNG HINGE FOR OVERLAY APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	204
	342.02.133	CLIP TOP 107° STANDARD UNSPRUNG HINGE FOR DUAL APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	246









IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
<b>CLIP top 120° HINGE SETS</b>				
<b>CLIP top 120° UNSPRUNG HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE</b>				
	342.02.081	CLIP TOP 120° STANDARD UNSPRUNG HINGE FOR OVERLAY APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	233
<b>CLIP top 120° HINGE SETS WITH THE STRAIGHT SCREW-ON MOUNTING PLATE</b>				
	342.02.144	CLIP TOP 120° STANDARD UNSPRUNG HINGE FOR OVERLAY APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	274
<b>CLIP top 95° PROFILE DOOR HINGE SETS</b>				
<b>CLIP top 95° PROFILE DOOR HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE</b>				
	342.02.098	CLIP TOP 95° PROFILE DOOR HINGE FOR OVERLAY APPLICATION AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	214
	342.02.099	CLIP TOP 95° PROFILE DOOR HINGE FOR DUAL APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	233
	342.02.101	CLIP TOP 95° PROFILE DOOR HINGE FOR INSET APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	245
<b>CLIP top 95° PROFILE DOOR HINGE SETS WITH THE STRAIGHT SCREW-ON MOUNTING PLATE</b>				
	342.02.161	CLIP TOP 95° PROFILE DOOR HINGE FOR OVERLAY APPLICATION AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	255
	342.02.162	CLIP TOP 95° PROFILE DOOR HINGE FOR DUAL APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	274
	342.02.164	CLIP TOP 95° PROFILE DOOR HINGE FOR INSET APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	286











IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
<b>CLIP top WIDE ANGLE HINGE SETS</b>				
<b>CLIP top 125° WIDE ANGLE ZERO PROTRUSION HINGE SETS</b>				
<b>CLIP top 125° WIDE ANGLE HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE</b>				
	342.02.082	CLIP TOP 125° WIDE ANGLE HINGE FOR OVERLAY APPLICATION AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	912
<b>CLIP top 125° WIDE ANGLE HINGE SETS WITH THE STRAIGHT SCREW-ON MOUNTING PLATE</b>				
	342.02.145	CLIP TOP 125° WIDE ANGLE HINGE FOR OVERLAY APPLICATION AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	953
<b>CLIP top 155° WIDE ANGLE ZERO PROTRUSION HINGE SETS</b>				
<b>CLIP top 155° WIDE ANGLE HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE</b>				
	342.02.086	CLIP TOP 155° WIDE ANGLE HINGE FOR OVERLAY APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	723
	342.02.088	CLIP TOP 155° WIDE ANGLE UNSPRUNG HINGE FOR OVERLAY APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	723
<b>CLIP top 155° WIDE ANGLE HINGE SETS WITH THE STRAIGHT SCREW-ON MOUNTING PLATE</b>				
	342.02.150	CLIP TOP 155° WIDE ANGLE HINGE FOR OVERLAY APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	769
	342.02.151	CLIP TOP 155° WIDE ANGLE UNSPRUNG HINGE FOR OVERLAY APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	769
<b>CLIP top 170° WIDE ANGLE HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE</b>				
	342.02.089	CLIP TOP 170° WIDE ANGLE HINGE FOR OVERLAY APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	394
	342.02.090	CLIP TOP 170° WIDE ANGLE HINGE FOR DUAL APPLICATION AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	572
<b>CLIP top 170° WIDE ANGLE HINGE SETS WITH THE STRAIGHT SCREW-ON MOUNTING PLATE</b>				
	342.02.152	CLIP TOP 170° WIDE ANGLE HINGE FOR OVERLAY APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	435
	342.02.153	CLIP TOP 170° WIDE ANGLE HINGE FOR DUAL APPLICATION AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	613









IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
CLIP top ALUMINIUM PROFILE HINGE SETS				
CLIP top 120° ALUMINIUM PROFILE FRAME DOOR HINGE SETS				
CLIP top ALUMINIUM FRAME DOOR HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE				
	342.02.080	CLIP TOP 120° UNSPRUNG ALUMINIUM FRAME DOOR HINGE FOR OVERLAY APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	340
CLIP top ALUMINIUM FRAME DOOR HINGE SETS WITH THE STRAIGHT STEEL MOUNTING PLATE				
	342.02.143	CLIP TOP 120° UNSPRUNG ALUMINIUM FRAME DOOR HINGE FOR OVERLAY APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	381
CLIP top 95° ALUMINIUM PROFILE FRAME DOOR HINGE SETS				
CLIP top ALUMINIUM FRAME DOOR HINGE SETS WITH THE CRUCIFORM EXPANDO MOUNTING PLATE				
	342.02.102	CLIP TOP 95° ALUMINIUM FRAME DOOR HINGE FOR OVERLAY APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	416
	342.02.103	CLIP TOP 95° ALUMINIUM FRAME DOOR HINGE FOR BLUMOTION 973A FOR OVERLAY APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	375
	342.02.105	CLIP TOP 95° ALUMINIUM FRAME DOOR HINGE FOR BLUMOTION 973A FOR DUAL APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	449
CLIP top ALUMINIUM FRAME DOOR HINGE SETS WITH THE STRAIGHT SCREW-ON MOUNTING PLATE				
	342.02.165	CLIP TOP 95° ALUMINIUM FRAME DOOR HINGE FOR OVERLAY APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	457
	342.02.166	CLIP TOP 95° ALUMINIUM FRAME DOOR HINGE FOR BLUMOTION 973A FOR OVERLAY APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	416
	342.02.168	CLIP TOP 95° ALUMINIUM FRAME DOOR HINGE FOR BLUMOTION 973A FOR DUAL APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	490









IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
<b>CLIP top GLASS DOOR HINGE SETS</b>				
<b>CLIP top CRISTALLO GLASS DOOR HINGE SETS</b>				
<b>CRISTALLO GLASS DOOR HINGE SET WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE</b>				
	342.02.083	CLIP TOP CRISTALLO 125° HINGE WITH 973A9000 BLUMOTION FOR OVERLAY AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	1428
<b>CRISTALLO GLASS DOOR HINGE SET WITH THE STRAIGHT SCREW-ON MOUNTING PLATE</b>				
	342.02.146	CLIP TOP CRISTALLO 125° HINGE, CRISTALLO RECTANGULAR ADHESION PLATE, BLUMOTION AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	1469
<b>CLIP top 94° GLASS DOOR HINGE SETS</b>				
<b>CLIP top 94° GLASS DOOR HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE ( FOR GLASS FRONT THICKNESS F.S. = 4.5 mm to 7 mm ) (RADIUS R = 1 mm)</b>				
	342.02.095	CLIP TOP 94° GLASS DOOR HINGE FOR OVERLAY APPLICATION AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	386
	342.02.096	CLIP TOP 94° GLASS DOOR HINGE FOR DUAL APPLICATION AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	422
	342.02.097	CLIP TOP 94° GLASS DOOR HINGE FOR INSET APPLICATION AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	429
<b>CLIP top 94° GLASS DOOR HINGE SETS WITH THE STRAIGHT SCREW-ON MOUNTING PLATE</b>				
	342.02.158	CLIP TOP 94° GLASS DOOR HINGE FOR OVERLAY APPLICATION AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	427
	342.02.159	CLIP TOP 94° GLASS DOOR HINGE FOR DUAL APPLICATION AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	463
	342.02.160	CLIP TOP 94° GLASS DOOR HINGE FOR INSET APPLICATION AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	470












IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
<b>D-Shaped boss cover cap for glass door hinges</b>				
	342.30.236	84.4120 D-SHAPE CHROME PLATED GLASS DOOR HINGE BOSS COVER CAP, LENGTH: 41 MM, LENGTH: 41 MM, HEIGHT: 8.2 MM	PC	252
<b>CLIP top SPECIAL HINGE SETS</b>				
<b>CLIP top 95° BLIND CORNER HINGE SETS</b>				
<b>CLIP top 95° BLIND CORNER HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE</b>				
	342.02.100	CLIP TOP 95° BLIND CORNER HINGE FOR INSET APPLICATIONS AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	320
	342.02.104	CLIP TOP BLUMOTION 95° BLIND CORNER HINGE FOR INSET APPLICATION AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	587
<b>CLIP top 95° BLIND CORNER HINGE SETS WITH THE STRAIGHT SCREW-ON MOUNTING PLATE</b>				
	342.02.163	CLIP TOP 95° BLIND CORNER HINGE FOR INSET APPLICATIONS AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	361
	342.02.167	CLIP TOP BLUMOTION 95° BLIND CORNER HINGE FOR INSET APPLICATION AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	628
<b>CLIP top 45° ANGLED DOOR HINGE SETS</b>				
<b>CLIP top 45° ANGLED DOOR HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE</b>				
	342.02.091	CLIP TOP 45°II ANGLED HINGE FOR OVERLAY APPLICATION AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	403
	342.02.092	CLIP TOP 45°I ANGLED HINGE FOR HALF OVERLAY APPLICATION AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	416
<b>CLIP top 45° ANGLED DOOR HINGE SETS WITH THE STRAIGHT SCREW-ON MOUNTING PLATE</b>				
	342.02.154	CLIP TOP 45°II ANGLED HINGE FOR OVERLAY APPLICATION AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	444
	342.02.155	CLIP TOP 45°I ANGLED HINGE FOR HALF OVERLAY APPLICATION AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	457

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
<b>CLIP top 60° BI-FOLD DOOR HINGE SETS</b>				
<b>CLIP top 60° BI-FOLD HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE</b>				
	342.02.093	CLIP TOP 60° BI-FOLD HINGE AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	529
<b>CLIP top 60° BI-FOLD DOOR HINGE SETS WITH THE CRUCIFORM EXPANDO MOUNTING PLATE</b>				
	342.02.036	CLIP TOP 60° BI-FOLD HINGE AND CLIP STEEL CRUCIFORM EXPANDO MOUNTING PLATE SET	SET	549
<b>CLIP top 60° BI-FOLD HINGE SETS WITH THE STRAIGHT SCREW-ON MOUNTING PLATE</b>				
	342.02.156	CLIP TOP 60° BI-FOLD HINGE AND CLIP STRAIGHT STEEL MOUNTING PLATE SET	SET	570
<b>CLIP top BLUMOTION 110° HINGES</b>				
	342.43.600	73B3550 CLIP TOP BLUMOTION 110° STANDARD SCREW-ON HINGE FOR OVERLAY APPLICATION WITH 2 MM EXTRA OVERLAY	PC	290
	342.42.605	71B3550 CLIP TOP BLUMOTION 110° STANDARD HINGE FOR OVERLAY APPLICATIONS, FINISH: ONYX BLACK, BOSS: SCREW-ON	PC	332
	342.42.690	71B358E CLIP TOP BLUMOTION 110° STANDARD HINGE FOR OVERLAY APPLICATIONS, FINISH: NICKEL PLATED, BOSS: EXPANDO	PC	414
	342.42.623	71B3590 CLIP TOP BLUMOTION 110° STANDARD HINGE FOR OVERLAY APPLICATIONS, FINISH: NICKEL PLATED, BOSS: INSERTA	PC	450
	342.42.606	71B3650 CLIP TOP BLUMOTION 110° STANDARD HINGE FOR DUAL APPLICATIONS, FINISH: ONYX BLACK, BOSS: SCREW-ON	PC	393
	342.42.614	71B3650 CLIP TOP BLUMOTION 110° STANDARD SCREW-ON HINGE FOR DUAL APPLICATIONS	PC	364
	342.42.634	71B3690 CLIP TOP BLUMOTION 110° STANDARD HINGE FOR DUAL APPLICATIONS, FINISH: NICKEL PLATED, BOSS: INSERTA	PC	468
	342.42.602	71B3750 CLIP TOP BLUMOTION 110° STANDARD HINGE FOR INSET APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	377
	342.42.607	71B3750 CLIP TOP BLUMOTION 110° STANDARD HINGE FOR INSET APPLICATIONS, FINISH: ONYX BLACK, BOSS: SCREW-ON	PC	390
<b>CLIP top BLUMOTION 107° HINGES</b>				
	342.99.500	75B1550 CLIP TOP BLUMOTION 107° STANDARD HINGE FOR OVERLAY APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	307
	342.99.501	75B1650 CLIP TOP BLUMOTION 107° STANDARD HINGE FOR DUAL APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	342
	342.99.502	75B1750 CLIP TOP BLUMOTION 107° STANDARD HINGE FOR INSET APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	399

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
<b>CLIP top BLUMOTION 95° PROFILE DOOR HINGES</b>				
	342.46.603	71B9550 CLIP TOP BLUMOTION 95° PROFILE DOOR HINGE FOR OVERLAY APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	333
	342.46.604	71T9550 CLIP TOP 95° PROFILE DOOR HINGE FOR OVERLAY APPLICATION, FINISH: ONYX BLACK, BOSS: SCREW-ON	PC	391
	342.46.601	71B9650 CLIP TOP BLUMOTION 95° PROFILE DOOR HINGE FOR DUAL APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	370
	342.46.605	71T9650 CLIP TOP 95° PROFILE DOOR HINGE FOR DUAL APPLICATIONS, FINISH: ONYX BLACK, BOSS: SCREW-ON	PC	420
	342.46.602	71B9750 CLIP TOP BLUMOTION 95° PROFILE DOOR HINGE FOR INSET APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	432
	342.46.606	71T9750 CLIP TOP 95° PROFILE DOOR HINGE FOR INSET APPLICATIONS, FINISH: ONYX BLACK, BOSS: SCREW-ON	PC	420
<b>CLIP top 107° HINGES</b>				
	342.80.500	75T1550 CLIP TOP 107° STANDARD HINGE FOR OVERLAY APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	151
	342.80.501	75T1650 CLIP TOP 107° STANDARD HINGE FOR DUAL APPLICATION, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	179
	342.80.504	75T1750 CLIP TOP 107° STANDARD HINGE FOR INSET APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	186
	342.80.405	74T1550.TL CLIP TOP 107° STANDARD UNSPRUNG HINGE FOR OVERLAY APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	138
	342.80.401	74T1650.TL CLIP TOP 107° STANDARD UNSPRUNG HINGE FOR DUAL APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	181
<b>CLIP top 120° HINGES</b>				
	342.81.400	70T5550.TL CLIP TOP 120° STANDARD UNSPRUNG HINGE FOR OVERLAY APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	209
<b>CLIP top 95° PROFILE DOOR HINGES</b>				
	342.83.505	71T9550 CLIP TOP 95° PROFILE DOOR HINGE FOR OVERLAY APPLICATION, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	189
	342.83.502	71T9650 CLIP TOP 95° PROFILE DOOR HINGE FOR DUAL APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	209
	342.83.508	71T9750 CLIP TOP 95° PROFILE DOOR HINGE FOR INSET APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	220




IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
<b>CLIP top 95° UNSPRUNG PROFILE DOOR HINGES - ONYX BLACK</b>				
	342.83.405	70T9550.TL CLIP TOP 95° UNSPRUNG PROFILE DOOR HINGE FOR OVERLAY APPLICATION, FINISH: ONYX BLACK, BOSS: SCREW-ON	PC	240
	342.83.406	70T9650.TL CLIP TOP 95° UNSPRUNG PROFILE DOOR HINGE FOR DUAL APPLICATIONS, FINISH: ONYX BLACK, BOSS: SCREW-ON	PC	258
	342.83.407	70T9750.TL CLIP TOP 95° UNSPRUNG PROFILE DOOR HINGE FOR INSET APPLICATIONS, FINISH: ONYX BLACK, BOSS: SCREW-ON	PC	260
<b>CLIP top 125° WIDE ANGLE HINGE</b>				
	342.92.500	71T7500D CLIP TOP 125° WIDE ANGLE HINGE FOR OVERLAY APPLICATION, VERSION:SCREW-ON	PC	887
<b>CLIP top 155° WIDE ANGLE HINGES</b>				
	342.44.500	71T7500N CLIP TOP 155° WIDE ANGLE HINGE FOR OVERLAY APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	796
	342.44.502	71T7500N CLIP TOP 155° WIDE ANGLE HINGE FOR OVERLAY APPLICATIONS, FINISH: ONYX BLACK BOSS: SCREW-ON	PC	916
	342.44.501	71T7600N CLIP TOP 155° WIDE ANGLE HINGE FOR DUAL APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	1012
	342.44.400	70T7500NTL CLIP TOP 155° WIDE ANGLE UNSPRUNG HINGE FOR OVERLAY APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	796
	342.44.402	70T7500NTL CLIP TOP 155° WIDE ANGLE UNSPRUNG HINGE FOR OVERLAY APPLICATIONS, FINISH: ONYX BLACK, BOSS: SCREW-ON	PC	931
<b>CLIP top 170° WIDE ANGLE HINGES</b>				
	342.82.500	71T6550 CLIP TOP 170° WIDE ANGLE HINGE FOR OVERLAY APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	370
	342.82.502	71T6650 CLIP TOP 170° WIDE ANGLE HINGE FOR DUAL APPLICATION, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	547
<b>CLIP top ALUMINIUM FRAME DOOR HINGES</b>				
	342.93.400	72T550A.TL CLIP TOP 120° UNSPRUNG ALUMINIUM FRAME DOOR HINGE FOR OVERLAY APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	315
	342.91.603	71T950A CLIP TOP 95° ALUMINIUM FRAME DOOR HINGE FOR OVERLAY APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	391
	342.91.300	71T950AB CLIP TOP 95° ALUMINIUM FRAME DOOR HINGE FOR BLUMOTION 973A FOR OVERLAY APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	350
	342.91.301	71T960AB CLIP TOP 95° ALUMINIUM FRAME DOOR HINGE FOR BLUMOTION 973A FOR DUAL APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	424

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
<b>CRISTALLO HINGE AND MOUNTING PLATES</b>				
	342.95.302	79C450BT CLIP TOP CRISTALLO 125° HINGE FOR BLUMOTION 973A FOR OVERLAY APPLICATION, FINISH: NICKEL PLATED	PC	996
	342.95.350	78C450BT CLIP TOP CRISTALLO 125° UNSPRUNG HINGE FOR OVERLAY APPLICATION, FINISH: NICKEL PLATED	PC	996
	342.34.690	78C4568 CRISTALLO RECTANGULAR ADHESION PLATE, FIXING: GLUE-ON, FINISH: SPECIAL NICKEL PLATED	PC	133
	342.34.681	175M4C20 CLIP CRISTALLO- STRAIGHT ZINC GLUE-ON MOUNTING PLATE FOR GLASS CABINETS	PC	1965
<b>CLIP top 94° GLASS DOOR HINGE</b>				
	342.96.303	75T4100 CLIP TOP 94° GLASS DOOR HINGE FOR OVERLAY APPLICATION, FINISH:BLACK / NICKEL, BOSS: SCREW-ON	PC	361
	342.96.301	75T4200 CLIP TOP 94° GLASS DOOR HINGE FOR DUAL APPLICATION, FINISH:BLACK / NICKEL, BOSS: SCREW-ON	PC	398
	342.96.305	75T4300 CLIP TOP 94° GLASS DOOR HINGE FOR INSET APPLICATION, FINISH:BLACK / NICKEL, BOSS: SCREW-ON	PC	404
<b>CLIP top 95° BLIND CORNER HINGE</b>				
	342.84.501	79T9550 CLIP TOP 95° BLIND CORNER HINGE FOR INSET APPLICATIONS, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	296
	342.48.600	79B9550 CLIP TOP BLUMOTION 95° BLIND CORNER HINGE FOR INSET APPLICATION, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	562
<b>CLIP top 45° ANGLE DOOR HINGES</b>				
	342.85.508	79T5550 CLIP TOP 45° ANGLING HINGE FOR OVERLAY APPLICATION ,FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	378
	342.85.507	79A9658.T CLIP TOP 45° ANGLING HINGE FOR HALF OVERLAY APPLICATION ,FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	391
<b>CLIP top 60° BI-FOLD DOOR HINGES</b>				
	342.87.600	79T8500 CLIP TOP 60° BI-FOLD HINGE,FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	504
<b>HINGE MOUNTING PLATES</b>				
<b>CLIP cruciform mounting plate</b>				
	342.21.910	173L6100 CLIP STEEL CRUCIFORM MOUNTING PLATE,SPACING: 0 MM	PC	25
	342.21.976	174E6100.01 CLIP STEEL CRUCIFORM EXPANDO MOUNTING PLATE,SPACING: 0 MM	PC	35
	342.21.906	173L8100 CLIP STEEL CRUCIFORM MOUNTING PLATE WITH PRE-MOUNTED SYSTEM SCREWS , SPACING: 0 MM	PC	35





IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
<b>CLIP straight steel mounting plate</b>				
	342.22.060	175H3100 CLIP STRAIGHT STEEL MOUNTING PLATE, SPACING: 0 MM	PC	66
	342.22.080	177H3100E CLIP STRAIGHT STEEL EXPANDO MOUNTING PLATE, SPACING: 0 MM	PC	77
	342.22.065	175H3100 CLIP STRAIGHT STEEL MOUNTING PLATE ONYX BLACK, SPACING: 0 MM	PC	73
<b>HINGE ACCESSORIES</b>				
<b>Hinge boss cover caps</b>				
	342.45.031	70T1504 PLAIN NICKEL PLATED HINGE BOSS COVER CAP	PC	18
	342.45.030	70T3504 PLAIN NICKEL PLATED HINGE BOSS COVER CAP FOR CLIP TOP BLUMOTION HINGES	PC	21
	342.45.032	1220669 - 70T3504 -HINGE BOSS COVER CAP, PLAIN, ONYX BLACK	PC	21
<b>hinge arm cover caps</b>				
	342.23.971	90M2503.BP HINGE ARM HORIZONTAL STAMPED (BLUM) COVER CAP	PC	12
	342.94.611	70.1503.BP HINGE ARM BEVELLED STAMPED (BLUM) COVER CAP	PC	20
	342.94.603	6954352 - 70.1503.BP - HINGE COVER CAP, STAMPED (BLUM), ONYX BLACK	PC	15
	342.94.604	70.1663 HINGE ARM HORIZONTAL ONYX BLACK COVER CAP	PC	18
<b>CLIP HINGE SETS</b>				
<b>CLIP 100° HINGE SETS</b>				
<b>CLIP 100° STANDARD HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE</b>				
	342.02.058	CLIP 100° STANDARD HINGE FOR OVERLAY APPLICATION AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	140
	342.02.059	CLIP 100° STANDARD HINGE FOR DUAL APPLICATION AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	154
	342.02.063	CLIP 100° STANDARD HINGE FOR INSET APPLICATION AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	154




























IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
<b>CLIP 100° UNSPRUNG HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE</b>				
	342.02.066	CLIP 100° STANDARD UNSPRUNG HINGE FOR OVERLAY APPLICATION AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	154
	342.02.062	CLIP 100° STANDARD UNSPRUNG HINGE FOR DUAL APPLICATION AND CLIP STEEL CRUCIFORM MOUNTING PLATE SET	SET	166
<b>CLIP HINGE (COMPONENTS)</b>				
<b>CLIP 100° HINGES</b>				
	342.15.506	71M2550 CLIP 100° STANDARD HINGE FOR OVERLAY APPLICATION, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	115
	342.15.580	71M258E CLIP 100° STANDARD HINGE FOR OVERLAY APPLICATION, FINISH: NICKEL PLATED, BOSS: EXPANDO	PC	130
	342.03.106	71M2590B CLIP 100° STANDARD HINGE FOR OVERLAY APPLICATION, FINISH: NICKEL PLATED, BOSS: INSERTA	PC	209
	342.15.515	71M2650 CLIP 100° STANDARD HINGE FOR DUAL APPLICATION, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	130
	342.15.524	71M2750 CLIP 100° STANDARD HINGE FOR INSET APPLICATION, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	130
	342.14.509	70M2550.TL CLIP 100° STANDARD UNSPRUNG HINGE FOR OVERLAY APPLICATION, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	130
	342.14.510	70M2650.TL CLIP 100° STANDARD UNSPRUNG HINGE FOR DUAL APPLICATION, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	141
<b>MODUL HINGE SETS</b>				
<b>MODUL 100° HINGE SETS</b>				
<b>MODUL 100° HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE ( FOR FRONT THICKNESS F.S. = 16 mm to 24 mm ) ( HINGE BOSS DEPTH = Min. 10.5 mm ) ( RADIUS R = 1 mm )</b>				
	342.56.594	MODUL 100° STANDARD HINGE FOR OVERLAY APPLICATION AND MODUL STEEL CRUCIFORM MOUNTING PLATE SET	SET	104
	342.56.595	MODUL 100° STANDARD HINGE FOR DUAL APPLICATION AND MODUL STEEL CRUCIFORM MOUNTING PLATE SET	SET	143
	342.56.596	MODUL 100° STANDARD HINGE FOR INSET APPLICATION AND MODUL STEEL CRUCIFORM MOUNTING PLATE SET	SET	145

IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
<b>MODUL 170° WIDE ANGLE HINGE SETS</b>				
<b>MODUL 170° WIDE ANGLE HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE</b>				
	342.58.593	MODUL 170° WIDE ANGLE HINGE FOR OVERLAY APPLICATION AND MODUL STEEL CRUCIFORM MOUNTING PLATE SET	SET	334
<b>MODUL 95° BLIND CORNER HINGE SETS</b>				
<b>MODUL 95° BLIND CORNER HINGE SETS WITH THE CRUCIFORM SCREW-ON MOUNTING PLATE ( FOR FRONT THICKNESS F.S. = 16 mm to 28 mm ) (HINGE BOSS DEPTH = Min. 12 mm ) (RADIUS R = 1 mm)</b>				
	342.31.591	MODUL 95° BLIND CORNER HINGE AND MODUL STEEL CRUCIFORM MOUNTING PLATE SET	SET	406
<b>MODUL HINGE ( COMPONENTS )</b>				
<b>MODUL 100° HINGE</b>				
	342.56.500	91M2550 MODUL 100° STANDARD HINGE FOR OVERLAY APPLICATION, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	74
	342.56.501	91M2650 MODUL 100° STANDARD HINGE FOR DUAL APPLICATION, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	99
	342.56.502	91M2750 MODUL 100° STANDARD HINGE FOR INSET APPLICATION, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	100
<b>MODUL 170° WIDE ANGLE HINGE</b>				
	342.58.500	91A6550 MODUL 170° WIDE ANGLE HINGE FOR OVERLAY APPLICATION, FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	289
<b>modul 95° Blind corner hinge</b>				
	342.31.500	99M9550 MODUL 95° BLIND CORNER HINGE , FINISH: NICKEL PLATED, BOSS: SCREW-ON	PC	361
<b>MODUL cruciform mounting plates</b>				
	342.41.510	193L6100 MODUL STEEL CRUCIFORM MOUNTING PLATE , SPACING: 0 MM	PC	30
	342.41.520	194E6100.ED MODUL STEEL CRUCIFORM EXPANDO MOUNTING PLATE, SPACING: 0 MM	PC	36
<b>BLUMOTION adapter plate</b>				
	356.14.510	970.1201 BLUMOTION STRAIGHT (20/32) ADAPTER PLATE	PC	38
	356.14.520	970.1501 BLUMOTION CRUCIFORM (37/32) ADAPTER PLATE	PC	28



IMAGE	NEW ARTICLE	DESCRIPTION	UOM	MRP
<b>BLUMOTION drillings and adapter plates</b>				
	356.14.502	970.1002 BLUMOTION DRILLING TO BE FIXED NEAR THE HANDLE SIDE	PC	197
	356.08.950	970A1002 BLUMOTION DRILLING TO BE FIXED NEAR THE HINGE SIDE	PC	217
	356.08.940	971A0500 BLUMOTION IN CRUCIFORM (37/32) ADAPTER PLATE TO BE FIXED NEAR THE HINGE SIDE	PC	455
	356.08.942	971A05E0 BLUMOTION IN CRUCIFORM (37/32) EXPANDO ADAPTER PLATE TO BE FIXED NEAR THE HINGE SIDE	PC	490
<b>BLUMOTION clip-on adapters to be fixed on the hinge arm</b>				
	356.08.900	973A0500.01 BLUMOTION CLIP-ON FOR STANDARD HINGES FOR OVERLAY APPLICATIONS	PC	225
	356.08.901	973A0600 BLUMOTION CLIP-ON FOR STANDARD HINGES FOR DUAL APPLICATIONS	PC	329
	356.08.902	973A0700 BLUMOTION CLIP-ON FOR STANDARD HINGES FOR INSET APPLICATIONS	PC	184
	342.45.000	B973A7000 BLUMOTION CLIP-ON FOR THE 155° WIDE ANGLE HINGE ,APPLICABLE FOR BOTH OVERLAY AND DUAL APPLICATIONS	PC	227
	356.08.910	973A6000 BLUMOTION CLIP-ON FOR THE 170° WIDE ANGLE HINGE ,APPLICABLE FOR BOTH OVERLAY AND DUAL APPLICATIONS	PC	352
	342.45.001	9522369 -973A7000 -BLUMOTION CLIP-ON, WIDE ANGLE HINGE 155°, OVERLAY AND DUAL APPLICATION, ONYX BLACK	PC	276
<b>TIP-ON FOR DOORS TO BE USED WITH UNSPRUNG HINGES</b>				
	423.58.022	956.1004 TIP-ON FOR DOORS, SHORT VERSION, R7036 PLATINUM GREY, TO FIXED NEAR THE HANDLE SIDE	PC	539
	356.04.703	956.1004 TIP-ON FOR DOORS, SHORT VERSION, SILK WHITE, TO FIXED NEAR THE HANDLE SIDE	PC	539
	356.04.303	956.1004 TIP-ON FOR DOORS, SHORT VERSION, TERRA BLACK, TO FIXED NEAR THE HANDLE SIDE	PC	539
	423.58.023	956A1004 TIP-ON SET , LONG VERSION, WITH MAGNET, R7036 PLATINUM GREY, TO BE FIXED NEAR THE HANDLE SIDE	PC	677

## HAFELE FURNITURE FITTINGS PRICELIST 2019

IMAGE	FLAG	SAP ARTICLE	DESCRIPTION	UOM	BILLING MOQ	MRP/Pcs
	STOCK	<b>342.73.610</b>	KIMANA HINGE KIT, NICKEL PLATED	PC	1	<b>574</b>
	STOCK	<b>290.41.750</b>	LIBRA H1 + ACCESSORIES + FITTING GUIDE	SET	1	<b>493</b>
	SPECIAL ORDER	<b>290.41.960</b>	LIBRA H6+ ACCESSORIES + FITTING GUIDE	SET	1	<b>2037</b>
	STOCK	<b>290.41.754</b>	LIBRA H7+ SCREW FIX WITH PEG JOINT & MOUNTING ACCESSORIES	SET	1	<b>2397</b>
	STOCK	<b>290.01.040</b>	ALUMINIUM PROFILE H.40MM L=2500MM	PC	1	<b>3459</b>
	STOCK	<b>290.01.081</b>	ALUMINIUM PROFILE H.80MM L=2500MM	PC	1	<b>5309</b>
	STOCK	<b>290.21.941</b>	COVER CAP NIKO D.5MM IRON NICKEL FINISH	PC	10	<b>4</b>
	STOCK	<b>291.04.312</b>	CONCEALED HANGER FOR MIRROR PANEL (SET OF 2)	SET	1	<b>476</b>
<b>FURNITURE HINGES</b>						
	STOCK	<b>311.90.980</b>	METALLA HINGE 110° FULL OVER LAY ASSEMBLED WITH HINGES & 0MM MOUNTING PLATE 2PCS EACH & SCREWS 8 PCS	PR	1	<b>100</b>
	STOCK	<b>311.90.981</b>	METALLA HINGE 110° HALF OVER LAY ASSEMBLED WITH HINGES & 0MM MOUNTING PLATE 2PCS EACH & SCREWS 8 PCS	PR	1	<b>103</b>
	STOCK	<b>311.90.982</b>	METALLA HINGES 110° INSET APPLICATION ASSEMBLED WITH HINGES & 0MM MOUNTING PLATE 2PCS EACH & SCREWS 8PCS	PR	1	<b>106</b>
<b>ECO METALLA HINGE (24 HOURS SALT SPRAY TESTED)</b>						
	STOCK	<b>308.00.024</b>	ECO METALLA HINGE 110° FULL OVER LAY ASSEMBLED WITH HINGES & 0MM MOUNTING PLATE 2PCS EACH & SCREWS 8 PCS	PR	1	<b>80</b>
	STOCK	<b>308.00.025</b>	ECO METALLA HINGE 110° HALF OVER LAY ASSEMBLED WITH HINGES & 0MM MOUNTING PLATE 2PCS EACH & SCREWS 8 PCS	PR	1	<b>83</b>
	STOCK	<b>308.00.026</b>	ECO METALLA HINGES 110° INSET APPLICATION ASSEMBLED WITH HINGES & 0MM MOUNTING PLATE 2PCS EACH & SCREWS 8PCS	PR	1	<b>87</b>
	STOCK	<b>311.01.036</b>	CLIP-ON METALLA 0 CRANK 4 HOLE MP	PR	1	<b>155</b>
	STOCK	<b>311.01.037</b>	CLIP-ON METALLA HALF CRANK 4 HOLE MP	PR	1	<b>162</b>
	STOCK	<b>311.01.038</b>	CLIP-ON METALLA INSET 4 HOLE MP	PR	1	<b>163</b>

## HAFELE FURNITURE FITTINGS PRICELIST 2019

IMAGE	FLAG	SAP ARTICLE	DESCRIPTION	UOM	BILLING MOQ	MRP/Pcs
 <b>BOM</b>	STOCK	<b>311.01.033</b>	METALLA HINGE WITH 4 HOLE MOUNTING PLATE FULL OVERLAY 48/6 MM MS NICKEL PLATED (2 HINGE+2 MOUNTING PLATE)	PR	1	<b>106</b>
	STOCK	<b>311.01.034</b>	METALLA HINGE WITH 4 HOLE MOUNTING PLATE HALF OVERLAY 110 DEGREE STEEL NICKEL PLATED	PR	1	<b>107</b>
	STOCK	<b>311.01.035</b>	METALLA HINGE WITH 4 HOLE MOUNTING PLATE INSET MOUNTING STEEL NICKEL PLATED	PR	1	<b>112</b>
 <b>BOM</b>	STOCK	<b>316.30.580</b>	METALLAMAT A HINGE+ 2 MM MOUNTING PLATE, 110 DEGREE OPENING, 0 CRANK, FOR DOOR THICKNESS UPTO 19 MM	PC	1	<b>93</b>
 <b>BOM</b>	STOCK	<b>316.30.581</b>	METALLAMAT A HINGE+ 2 MM MOUNTING PLATE, 110 DEGREE OPENING, 9 MM CRANK, FOR DOOR THICKNESS UPTO 19 MM	PC	1	<b>100</b>
 <b>BOM</b>	STOCK	<b>316.30.582</b>	METALLAMAT A HINGE+ 2 MM MOUNTING PLATE, 110 DEGREE OPENING, 17 MM CRANK, FOR DOOR THICKNESS UPTO 19 MM	PC	1	<b>101</b>
 <b>BOM</b>	STOCK	<b>316.31.510</b>	METALLAMAT A HINGE+ 2 MM MOUNTING PLATE, 92 DEGREE OPENING, 0 CRANK, FOR DOOR THICKNESS UPTO 35 MM	PC	1	<b>222</b>
 <b>BOM</b>	STOCK	<b>316.31.511</b>	METALLAMAT A HINGE+ 2 MM MOUNTING PLATE, 92 DEGREE OPENING, 9 CRANK, FOR DOOR THICKNESS UPTO 35 MM	PC	1	<b>227</b>
 <b>BOM</b>	STOCK	<b>316.31.512</b>	METALLAMAT A HINGE+ 2 MM MOUNTING PLATE, 92 DEGREE OPENING, 17 CRANK, FOR DOOR THICKNESS UPTO 35 MM	PC	1	<b>244</b>
 <b>BOM</b>	STOCK	<b>329.05.609</b>	DUOMATIC CONCEALED HINGE+ 2 MM MOUNTING PLATE, 0 MM CRANK, 94° OPENING ANGLE, FOR PROFILE DOORS UPTO 40 MM THICKNESS.	PC	1	<b>394</b>
 <b>BOM</b>	STOCK	<b>329.05.619</b>	DUOMATIC CONCEALED HINGE+ 2 MM MOUNTING PLATE, 11 MM CRANK, 94° OPENING ANGLE, FOR PROFILE DOORS UPTO 40 MM THICKNESS.	PC	1	<b>399</b>
 <b>BOM</b>	STOCK	<b>329.05.634</b>	DUOMATIC CONCEALED HINGE+ 2 MM MOUNTING PLATE, 22 MM CRANK, 94° OPENING ANGLE, FOR PROFILE DOORS UPTO 40 MM THICKNESS.	PC	1	<b>410</b>
	STOCK	<b>315.07.037</b>	SLIDE ON SOFT CLOSE HINGE HALF OVERLAY	PR	1	<b>298</b>
	STOCK	<b>315.07.038</b>	SLIDE ON SOFT CLOSE HINGE HALF OVERLAY	PR	1	<b>307</b>
	STOCK	<b>315.07.039</b>	SLIDE ON SOFT CLOSE HINGE INSET	PR	1	<b>315</b>
	STOCK	<b>315.07.020</b>	METALLA HINGE + 0 MM MOUNTING PLATE, 110° FULL OVERLAY-SOFT CLOSE HINGE	PC	1	<b>225</b>
	STOCK	<b>315.07.021</b>	METALLA HINGE + 0 MM MOUNTING PLATE, 110° HALF OVERLAY-SOFT CLOSE HINGE	PC	1	<b>227</b>




## HAFELE FURNITURE FITTINGS PRICELIST 2019

IMAGE	FLAG	SAP ARTICLE	DESCRIPTION	UOM	BILLING MOQ	MRP/Pcs
	STOCK	<b>315.07.022</b>	METALLA HINGE+ 0 MM MOUNTING PLATE, 110° INSET-SOFT CLOSE HINGE	PC	1	<b>238</b>
	STOCK	<b>315.07.030</b>	THICK DOOR SOFT CLOSE HINGE FULL OVERLAY	PC	1	<b>292</b>
	STOCK	<b>315.07.031</b>	THICK DOOR SOFT CLOSE HINGE HALF OVERLAY	PC	1	<b>301</b>
	STOCK	<b>315.07.032</b>	THICK DOOR SOFT CLOSE HINGE INSET	PC	1	<b>315</b>
	STOCK	<b>315.06.753</b>	SS SOFT CLOSE HNG 110 DEG FULL OVELAY	PR	1	<b>703</b>
	STOCK	<b>315.06.754</b>	SS SOFT CLOSE HNG 110 DEG HALF OVELAY	PR	1	<b>709</b>
	STOCK	<b>311.66.511</b>	PIE CUT CORNER HINGE 135 DEGREE 48/6 MM	PC	1	<b>163</b>
	STOCK	<b>311.70.610</b>	MOUNTING PLATE FOR PIE CUT CORNER HINGE	PC	1	<b>27</b>
	STOCK	<b>315.07.012</b>	WIDE ANGLE SOFT CLOSE HINGE 165° OPENING 48/6 MM STEEL NICKEL PLATED (CONSIST OF 2 HINGES+2 MOUNTING PLATES+ 8 SS SCREWS	PR	1	<b>831</b>
	STOCK	<b>316.32.600</b>	METALLAMAT A-175 - 0 CRANK	PC	1	<b>374</b>
	STOCK	<b>316.32.601</b>	METALLAMAT A-175 - 18MM CRANK	PC	1	<b>402</b>
	STOCK	<b>316.51.502</b>	MOUNTING PLATE - 2 MM	PC	1	<b>20</b>
	TILL STOCK LAST	<b>317.02.502</b>	GLASS DOOR HINGE WITH HOOK-IN FIXING, SCREW MOUNTED - 17.5 MM CRANK FOR INSET APPLICATION OF THE SHUTTER.	PC	1	<b>93</b>
	TILL STOCK LAST	<b>317.93.602</b>	MOUNTING PLATE - 2 MM	PC	1	<b>31</b>
	TILL STOCK LAST	<b>317.10.410</b>	COVER CAPS FOR GLASS HINGE, STRAIGHT EDGED, POLISHED CHROME	PC	1	<b>92</b>
	TILL STOCK LAST	<b>317.10.420</b>	COVER CAPS FOR GLASS HINGE, ROUND, POLISHED CHROME	PC	1	<b>92</b>
	STOCK	<b>343.33.970</b>	EASY MONT HINGE WITH SPRING, SCREW-MOUNTED, STEEL, ZINC PLATED	PC	1	<b>154</b>
	TILL STOCK LAST	<b>342.66.730</b>	FLAP HINGE, ZINC ALLOY, NICKEL PLATED.	PC	1	<b>290</b>
	STOCK	<b>341.24.415</b>	KUBIKINA HINGES, 180° OPENING, FOR 18 MM, THICK DOOR, ZINC ALLOY, CHROME PLATED MATT, WITH GREY CAP	PC	1	<b>1651</b>
	TILL STOCK LAST	<b>341.07.518</b>	CONCEALED HINGE OPENING ANGLE 180° FOR BOARD THICKNESS 13-16 MM, BRASS PLATED.	PC	1	<b>1068</b>
	TILL STOCK LAST	<b>341.07.527</b>	CONCEALED HINGE OPENING ANGLE 180° FOR BOARD THICKNESS 19-24 MM, BRASS PLATED.	PC	1	<b>1203</b>
	TILL STOCK LAST	<b>341.07.536</b>	CONCEALED HINGE OPENING ANGLE 180° FOR BOARD THICKNESS 19-25 MM, BRASS PLATED.	PC	1	<b>1321</b>
	TILL STOCK LAST	<b>341.07.736</b>	CONCEALED HINGE OPENING ANGLE 180° FOR BOARD THICKNESS 19-25MM, NICKEL PLATED	PC	1	<b>1321</b>

## HAFELE FURNITURE FITTINGS PRICELIST 2019

IMAGE	FLAG	SAP ARTICLE	DESCRIPTION	UOM	BILLING MOQ	MRP/Pcs
	TILL STOCK LAST	<b>341.07.545</b>	CONCEALED HINGE OPENING ANGLE 180° FOR BOARD THICKNESS 22 26MM, BRASS PLATED	PC	1	<b>1862</b>
	TILL STOCK LAST	<b>341.07.745</b>	CONCEALED HINGE OPENING ANGLE 180° FOR BOARD THICKNESS 22 26MM, NICKEL PLATED	PC	1	<b>1862</b>
	TILL STOCK LAST	<b>341.07.772</b>	CONCEALED HINGE OPENING ANGLE 180° FOR BOARD THICKNESS 41 45MM, NICKEL PLATED	PC	1	<b>5658</b>
<b>DRAWER RUNNERS</b>						
<b>25 KG BALL BEARING RUNNERS</b>						
	TILL STOCK LAST	<b>420.50.626</b>	36 MM FULL EXTENSION BALL BEARING RUNNER,STEEL, ZINC PLATED, 250 MM, 25 KG	PR	1	<b>256</b>
	TILL STOCK LAST	<b>420.50.631</b>	36 MM FULL EXTENSION BALL BEARING RUNNER,STEEL, ZINC PLATED, 300 MM, 25 KG	PR	1	<b>307</b>
	TILL STOCK LAST	<b>420.50.636</b>	36 MM FULL EXTENSION BALL BEARING RUNNER,STEEL, ZINC PLATED, 350 MM, 25 KG	PR	1	<b>359</b>
	TILL STOCK LAST	<b>420.50.641</b>	36 MM FULL EXTENSION BALL BEARING RUNNER,STEEL, ZINC PLATED, 400 MM, 25 KG	PR	1	<b>408</b>
	TILL STOCK LAST	<b>420.50.646</b>	36 MM FULL EXTENSION BALL BEARING RUNNER,STEEL, ZINC PLATED, 450 MM, 25 KG	PR	1	<b>459</b>
	TILL STOCK LAST	<b>420.50.651</b>	36 MM FULL EXTENSION BALL BEARING RUNNER,STEEL, ZINC PLATED, 500 MM, 25 KG	PR	1	<b>509</b>
	TILL STOCK LAST	<b>420.50.656</b>	36 MM FULL EXTENSION BALL BEARING RUNNER,STEEL, ZINC PLATED, 550 MM, 25 KG	PR	1	<b>560</b>
	TILL STOCK LAST	<b>420.50.327</b>	36 MM FULL EXTENSION BALL BEARING RUNNER,STEEL, BLACK, 250 MM, 25 KG	PR	1	<b>256</b>
	TILL STOCK LAST	<b>420.50.332</b>	36 MM FULL EXTENSION BALL BEARING RUNNER,STEEL, BLACK, 300 MM, 25 KG	PR	1	<b>307</b>
	TILL STOCK LAST	<b>420.50.337</b>	36 MM FULL EXTENSION BALL BEARING RUNNER,STEEL, BLACK, 350 MM, 25 KG	PR	1	<b>359</b>
	TILL STOCK LAST	<b>420.50.342</b>	36 MM FULL EXTENSION BALL BEARING RUNNER,STEEL, BLACK, 400 MM, 25 KG	PR	1	<b>408</b>
	TILL STOCK LAST	<b>420.50.347</b>	36 MM FULL EXTENSION BALL BEARING RUNNER,STEEL, BLACK, 450 MM, 25 KG	PR	1	<b>459</b>
	TILL STOCK LAST	<b>420.50.352</b>	36 MM FULL EXTENSION BALL BEARING RUNNER,STEEL, BLACK, 500 MM, 25 KG	PR	1	<b>509</b>
	TILL STOCK LAST	<b>420.50.357</b>	36 MM FULL EXTENSION BALL BEARING RUNNER,STEEL, BLACK, 550 MM, 25 KG	PR	1	<b>560</b>
<b>30 KG BALL BEARING RUNNERS</b>						
	STOCK	<b>422.87.300</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 30KG/PAIR FOR 250 MM (10")	PR	1	<b>295</b>
	STOCK	<b>422.87.301</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 30KG/PAIR FOR 300 MM (12")	PR	1	<b>354</b>
	STOCK	<b>422.87.302</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 30KG/PAIR FOR 350 MM (14")	PR	1	<b>411</b>
	STOCK	<b>422.87.303</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 30KG/PAIR FOR 400 MM (16")	PR	1	<b>484</b>
	STOCK	<b>422.87.304</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 30KG/PAIR FOR 450 MM (18")	PR	1	<b>543</b>
	STOCK	<b>422.87.305</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 30KG/PAIR FOR 500 MM (20")	PR	1	<b>602</b>
	STOCK	<b>422.87.306</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 30KG/PAIR FOR 550 MM (22")	PR	1	<b>662</b>
	STOCK	<b>422.87.900</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION ZINC PLATED LOAD CAPACITY 30KG/PAIR FOR 250 MM (10")	PR	1	<b>295</b>
	STOCK	<b>422.87.901</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION ZINC PLATED LOAD CAPACITY 30KG/PAIR FOR 300 MM (12")	PR	1	<b>354</b>
	STOCK	<b>422.87.902</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION ZINC PLATED LOAD CAPACITY 30KG/PAIR FOR 350 MM (14")	PR	1	<b>411</b>
	STOCK	<b>422.87.903</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION ZINC PLATED LOAD CAPACITY 30KG/PAIR FOR 400 MM (16")	PR	1	<b>484</b>
	STOCK	<b>422.87.904</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION ZINC PLATED LOAD CAPACITY 30KG/PAIR FOR 450 MM (18")	PR	1	<b>543</b>
	STOCK	<b>422.87.905</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION ZINC PLATED LOAD CAPACITY 30KG/PAIR FOR 500 MM (20")	PR	1	<b>602</b>
	STOCK	<b>422.87.906</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION ZINC PLATED LOAD CAPACITY 30KG/PAIR FOR 550 MM (22")	PR	1	<b>662</b>

## HAFELE FURNITURE FITTINGS PRICELIST 2019

IMAGE	FLAG	SAP ARTICLE	DESCRIPTION	UOM	BILLING MOQ	MRP/Pcs
<b>45 KG BALL BEARING RUNNERS</b>						
	STOCK	<b>422.58.325</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 45KG/PAIR FOR (250 MM (10"))	PR	1	<b>459</b>
	STOCK	<b>422.58.330</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 45KG/PAIR FOR 300 MM (12")	PR	1	<b>504</b>
	STOCK	<b>422.58.335</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 45KG/PAIR FOR 350 MM (14")	PR	1	<b>529</b>
	STOCK	<b>422.58.340</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 45KG/PAIR FOR 400 MM (16")	PR	1	<b>562</b>
	STOCK	<b>422.58.345</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 45KG/PAIR FOR 450 MM (18")	PR	1	<b>619</b>
	STOCK	<b>422.58.350</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 45KG/PAIR FOR 500 MM (20")	PR	1	<b>638</b>
	STOCK	<b>422.58.355</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 45KG/PAIR FOR 550 MM (22")	PR	1	<b>701</b>
	STOCK	<b>422.58.360</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 45KG/PAIR FOR 600 MM (24")	PR	1	<b>780</b>
	STOCK	<b>422.58.365</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 45KG/PAIR FOR 650 MM (26")	PR	1	<b>884</b>
	STOCK	<b>422.58.370</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION BLACK LOAD CAPACITY 45KG/PAIR FOR 700 MM (28")	PR	1	<b>1034</b>
	STOCK	<b>422.58.925</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION GALVANIZED LOAD CAPACITY 45KG/PAIR FOR (250 MM (10"))	PR	1	<b>459</b>
	STOCK	<b>422.58.930</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION GALVANIZED LOAD CAPACITY 45KG/PAIR FOR 300 MM (12")	PR	1	<b>504</b>
	STOCK	<b>422.58.935</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION GALVANIZED LOAD CAPACITY 45KG/PAIR FOR 350 MM (14")	PR	1	<b>529</b>
	STOCK	<b>422.58.940</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION GALVANIZED LOAD CAPACITY 45KG/PAIR FOR 400 MM (16")	PR	1	<b>562</b>
	STOCK	<b>422.58.945</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION GALVANIZED LOAD CAPACITY 45KG/PAIR FOR 450 MM (18")	PR	1	<b>619</b>
	STOCK	<b>422.58.950</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION GALVANIZED LOAD CAPACITY 45KG/PAIR FOR 500 MM (20")	PR	1	<b>638</b>
	STOCK	<b>422.58.955</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION GALVANIZED LOAD CAPACITY 45KG/PAIR FOR 550 MM (22")	PR	1	<b>701</b>
	STOCK	<b>422.58.960</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION GALVANIZED LOAD CAPACITY 45KG/PAIR FOR 600 MM (24")	PR	1	<b>780</b>
	STOCK	<b>422.58.965</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION GALVANIZED LOAD CAPACITY 45KG/PAIR FOR 650 MM (26")	PR	1	<b>884</b>
	STOCK	<b>422.58.970</b>	BALL BEARING SLIDES SIDE MOUNTED FULL EXTENSION GALVANIZED LOAD CAPACITY 45KG/PAIR FOR 70 MM (28")	PR	1	<b>1034</b>
<b>SOFT CLOSE BALL BEARING RUNNERS</b>						
	STOCK	<b>432.02.191</b>	SOFT CLOSE TELE RUNNER 40 KG 300 MM ZP	PR	1	<b>872</b>
	STOCK	<b>432.02.192</b>	SOFT CLOSE TELE RUNNER 40 KG 350 MM ZP	PR	1	<b>965</b>
	STOCK	<b>432.02.193</b>	SOFT CLOSE TELE RUNNER 40 KG 400 MM ZP	PR	1	<b>1056</b>
	STOCK	<b>432.02.194</b>	SOFT CLOSE TELE RUNNER 40 KG 450 MM ZP	PR	1	<b>1161</b>
	STOCK	<b>432.02.195</b>	SOFT CLOSE TELE RUNNER 40 KG 500 MM ZP	PR	1	<b>1256</b>
	STOCK	<b>432.02.196</b>	SOFT CLOSE TELE RUNNER 40 KG 550 MM ZP	PR	1	<b>1349</b>
	STOCK	<b>432.02.197</b>	SOFT CLOSE TELE RUNNER 40 KG 600 MM ZP	PR	1	<b>1442</b>

## HAFELE FURNITURE FITTINGS PRICELIST 2019

IMAGE	FLAG	SAP ARTICLE	DESCRIPTION	UOM	BILLING MOQ	MRP/Pcs
	STOCK	<b>432.02.131</b>	SOFT CLOSE TELE RUNNER 40 KG 300MM BLACK	PR	1	<b>872</b>
	STOCK	<b>432.02.132</b>	SOFT CLOSE TELE RUNNER 40 KG 350MM BLACK	PR	1	<b>965</b>
	STOCK	<b>432.02.133</b>	SOFT CLOSE TELE RUNNER 40 KG 400MM BLACK	PR	1	<b>1056</b>
	STOCK	<b>432.02.134</b>	SOFT CLOSE TELE RUNNER 40 KG 450MM BLACK	PR	1	<b>1161</b>
	STOCK	<b>432.02.135</b>	SOFT CLOSE TELE RUNNER 40 KG 500MM BLACK	PR	1	<b>1256</b>
	STOCK	<b>432.02.136</b>	SOFT CLOSE TELE RUNNER 40 KG 550MM BLACK	PR	1	<b>1349</b>
	STOCK	<b>432.02.137</b>	SOFT CLOSE TELE RUNNER 40 KG 600MM BLACK	PR	1	<b>1442</b>
<b>PUSH TO OPEN BALL BEARING RUNNERS</b>						
	TILL STOCK LAST	<b>432.20.921</b>	PUSH TO OPEN RUNNER 300 MM BRIGHT ZINC	PR	1	<b>797</b>
	TILL STOCK LAST	<b>432.20.922</b>	PUSH TO OPEN RUNNER 350 MM BRIGHT ZINC	PR	1	<b>893</b>
	TILL STOCK LAST	<b>432.20.923</b>	PUSH TO OPEN RUNNER 400 MM BRIGHT ZINC	PR	1	<b>991</b>
	TILL STOCK LAST	<b>432.20.924</b>	PUSH TO OPEN RUNNER 450 MM BRIGHT ZINC	PR	1	<b>1092</b>
	TILL STOCK LAST	<b>432.20.925</b>	PUSH TO OPEN RUNNER 500 MM BRIGHT ZINC	PR	1	<b>1191</b>
	TILL STOCK LAST	<b>432.20.926</b>	PUSH TO OPEN RUNNER 550 MM BRIGHT ZINC	PR	1	<b>1285</b>
	TILL STOCK LAST	<b>432.20.927</b>	PUSH TO OPEN RUNNER 600 MM BRIGHT ZINC	PR	1	<b>1388</b>
	STOCK	<b>432.13.507</b>	SOFT CLOSING MECHANISM FOR DRAWER RUNNERS,CAPACITY: 25 KG,PLASTIC, LIGHT GREY & BLACK	PC	1	<b>269</b>
	STOCK	<b>432.13.508</b>	SOFT CLOSING MECHANISM FOR METABOX 19 MM WALL,25 KG,PLASTIC,LIGHT GREY & BLACK	PC	1	<b>269</b>
<b>ECONOBOX</b>						
	STOCK	<b>555.93.440</b>	SELF CLOSING DRAWER SLIDE , SINGLE EXTENSION 54 MM HEIGHT X 400 MM IN LENGTH LOAD BEARING CAPACITY - 25 KG. STEEL, CREAM	PR	1	<b>411</b>
	STOCK	<b>555.93.445</b>	SELF CLOSING DRAWER SLIDE , SINGLE EXTENSION 54 MM HEIGHT X 450 MM IN LENGTH LOAD BEARING CAPACITY - 25 KG STEEL, CREAM	PR	1	<b>436</b>
	STOCK	<b>555.94.440</b>	SELF CLOSING DRAWER SLIDE , SINGLE EXTENSION 86 MM HEIGHT X 400 MM IN LENGTH LOAD BEARING CAPACITY - 25 KG. STEEL, CREAM	PR	1	<b>456</b>
	STOCK	<b>555.94.445</b>	SELF CLOSING DRAWER SLIDE , SINGLE EXTENSION 86 MM HEIGHT X 450 MM IN LENGTH LOAD BEARING CAPACITY - 25 KG. STEEL, CREAM	PR	1	<b>487</b>
	STOCK	<b>555.94.450</b>	SELF CLOSING DRAWER SLIDE , SINGLE EXTENSION 86 MM HEIGHT X 500 MM IN LENGTH LOAD BEARING CAPACITY - 25 KG. STEEL, CREAM	PR	1	<b>518</b>
	STOCK	<b>555.95.440</b>	SELF CLOSING DRAWER SLIDE , SINGLE EXTENSION 118 MM HEIGHT X 400 MM IN LENGTH LOAD BEARING CAPACITY - 25 KG. STEEL, CREAM	PR	1	<b>529</b>
	STOCK	<b>555.95.445</b>	SELF CLOSING DRAWER SLIDE , SINGLE EXTENSION 118 MM HEIGHT X 450 MM IN LENGTH LOAD BEARING CAPACITY - 25 KG. STEEL, CREAM	PR	1	<b>574</b>
	STOCK	<b>555.95.450</b>	SELF CLOSING DRAWER SLIDE , SINGLE EXTENSION 118 MM HEIGHT X 500 MM IN LENGTH LOAD BEARING CAPACITY - 25 KG. STEEL, CREAM	PR	1	<b>613</b>