



Sensys



Sensys Obsidian Black



Onsys



Intermat



Slide On

Auto Closing Concealed Hinges

► Slide On Hinges & Intermat Hinges










Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
Slide On Hinges								
	Slide On 2333 Hinge - T42 for 14-25 mm thick doors; Opening angle 95°							
	9242867	9242867	Base 12.5 (Crank 0°) with Mounting Plate (D 1.5 mm)	1	Pair	100	94	83021090
	9242868	9242868	Base 5 (Crank 9.5°) with Mounting Plate (D 1.5 mm)	1	Pair	100	99	83021090
	9242869	9242869	Base -1.5 (Crank 16°) with Mounting Plate (D 1.5 mm)	1	Pair	100	104	83021090
	Accessories for Slide On Hinge							
	9042758	9042758	Dampener for Hinge Cup overlay doors	1	Pc	100	153	83024200
Intermat Hinges								
	Intermat 9943 Hinge - TH42 for 15-25 mm thick doors; Opening angle 110°							
	9242871	9242871	Base 12.5 (Crank 0°) with Mounting Plate (D 0 mm)	1	Pair	100	302	83021090
	9242872	9242872	Base 3 (Crank 9.5°) with Mounting Plate (D 0 mm)	1	Pair	100	334	83021090
	9242873	9242873	Base -3.5 (Crank 16°) with Mounting Plate (D 0 mm)	1	Pair	100	342	83021090
	Intermat 9936 Hinge - TH42 for 14-32 mm thick doors; Opening angle 95°							
	9242874	9242874	Base 12.5 (Crank 0°) with Mounting Plate (D 0 mm)	1	Pair	100	304	83021090
	9242876	9242876	Base 3 (Crank 9.5°) with Mounting Plate (D 0 mm)	1	Pair	100	338	83021090
	9242877	9242877	Base -3.5 (Crank 16°) with Mounting Plate (D 0 mm)	1	Pair	100	372	83021090
	Intermat 9935 Hinge - TH22/L for 16-43 mm thick doors; Opening angle 95°							
	9242878	9242878	Base 18 (Crank -5°) with Mounting Plate (D 0 mm)	1	Pair	100	940	83021090
	9242883	9242883	Base 8 (Crank 5°) with Mounting Plate (D 0 mm)	1	Pair	100	992	83021090
	9242885	9242885	Base -3 (Crank 16°) with Mounting Plate (D 0 mm)	1	Pair	100	1,042	83021090
	Intermat 9956 Hinge - TH42 16-24 mm thick doors; Opening angle 165°							
	9242890	9242890	Base 12.5 (Crank 0°) with Intermat Mounting plate	1	Pair	50	940	83021090
	Intermat 9930 Hinge- TH52 16-21 mm thick doors; Opening angle 50/65°							
	9243042	9243042	Corner unit folding door with Intermat Mounting Plate (D 0 mm); cup in sensys design	1	Pair	100	880	83021090
	9242888	9242888	Corner unit folding door with Intermat Mounting Plate (D 0 mm); cup in Intermat design	1	Pair	100	838	83021090

Auto Closing Concealed Hinges

► Intermat Hinges & Onsys Hinges



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
	Intermat 9936 Hinge W90 - TH42 14-28 mm thick doors; face angle 90°, Opening Angle 95°							
	9242895	9242895	Blind corner (W 90°)	1	Pair	100	838	83021090
	Intermat 9936 Hinge TA22 19 mm Aluminium Profile doors; Opening angle 95°							
	9242896	9242896	Base 13.5 (Crank 0°) with Mounting Plate (D 0 mm)	1	Pair	10	512	83021090
	Accessories for Intermat Hinge							
	72983	9072322	Intermat Cross Mounting Plate (System 9000) (D 0 mm)	1	Pc	100	24	83021000
	9071575	9091575	Sensys Cross Mounting Plate (System 8099) (D 0 mm)	1	Pc	100	29	83021000
	Push to Open (P20) Opening System Screw on							
	9051925	9051925	P20 Universal Maxi	1	Set	25	462	39263000
	9089611	9089611	Push to open Pin Strong for screwing on	1	Set	25	632	39269097
Onsys Hinge								
	Onsys 4447i Hinge - TH42 for 14-25 mm thick doors; Opening angle 105°							
	9281432	9281432	Onsys Hinge - 25 mm - 0 Crank with mounting plate and cover caps	1	Pair	50	342	83021090
	9281434	9281434	Onsys Hinge - 25 mm - 9.5 Crank with mounting plate and cover caps	1	Pair	50	376	83021090
	9281436	9281436	Onsys Hinge - 25 mm - 16 Crank with mounting plate and cover caps	1	Pair	50	410	83021090
	Onsys 4447 Hinge - TH42 for 14-25 mm thick doors; Opening angle 105° (Non Silent)							
	9297208	9297208	Onsys Hinge - 25 mm - 0 Crank with mounting plate and cover caps	1	Pair	50	205	83021090
	9297209	9297209	Onsys Hinge - 25 mm - 9.5 Crank with mounting plate and cover caps	1	Pair	50	240	83021090
	9297210	9297210	Onsys Hinge - 25 mm - 16 Crank with mounting plate and cover caps	1	Pair	50	274	83021090
	Onsys 4477 Hinge - TH42 for 14-25 mm thick doors; Opening angle 105° (Non Spring Push to Open)							
	9297202	9297202	Onsys Hinge - 25 mm - 0 Crank with mounting plate and cover caps	1	Pair	50	222	83021090
	9297203	9297203	Onsys Hinge - 25 mm - 9.5 Crank with mounting plate and cover caps	1	Pair	50	257	83021090
	9297204	9297204	Onsys Hinge - 25 mm - 16 Crank with mounting plate and cover caps	1	Pair	50	291	83021090

Auto Closing Concealed Hinges

► Sensys Hinges



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
Sensys Hinge								
	Sensys 8645i Hinge - TH52 for 15-24 mm thick doors; Opening angle 110°							
	9242922	9242922	Base 12.5 (Crank 0°) with Mounting Plate (D 0 mm)	1	Pair	100	616	83021090
	9242923	9242923	Base 3 (Crank 9.5°) with Mounting Plate (D 0 mm)	1	Pair	100	650	83021090
	9242924	9242924	Base -4 (Crank 16°) with Mounting Plate (D 0 mm)	1	Pair	100	684	83021090
	Sensys 8631i Hinge - TH52 for 15-32 mm thick doors; Opening angle 95°							
	9242902	9242902	Base 12.5 (Crank 0°) with Mounting Plate (D 0 mm)	1	Pair	100	666	83021090
	9242905	9242905	Base 3 (Crank 9.5°) with Mounting Plate (D 0 mm)	1	Pair	100	710	83021090
	9242906	9242906	Base-4 (Crank 16°) with Mounting Plate (D 0 mm)	1	Pair	100	752	83021090
	Sensys 8657i Hinge - TH52 for 15-32 mm thick doors; Opening angle 165° (Zero Protrusion Hinge)							
	9243040	9243040	Base 12.5 (Crank 0°) with Mounting Plate (D 0 mm)	1	Pair	50	1,350	83021090
	Sensys 8638i Hinge - TA32 for 19 mm Aluminium Profile; Opening angle 95°							
	9243057	9243057	Base 12.5 (Crank 0°) with Mounting Plate (D 0 mm)	1	Pair	50	923	83021090
	Sensys 8639i W90 Hinge - TH52 for 90° Face Angle Application; Opening angle 95°							
	9243043	9243043	Base 4 (Crank 4) with Mounting Plate	1	Pair	50	1,350	83021090
	Accessories of Sensys Hinge							
	9199822	9199822	Sensys Cover Cap "Made in Germany"	1	Pc	50	14	83024200
	9082614	9082614	Sensys Cover Cap for Hinge Cup T52/53	1	Pc	50	18	83024200
	9071575	9091575	Sensys Mount Plate D 0	1	Pc	100	29	83021000
	9088242	9088242	Sensys Press-in Linear Mount Plate D 0.5	1	Pc	50	102	83021000
	9046472	9046472	Dampener for Overlay Hinges - Screw On	1	Pc	50	341	83024200
	46695	9246420	Door Buffer Self-Adhesive	1000	Pc	1000	4,000	39269097
	1001097	1001097	T43 Hinge Screws (45169a)	1	Pc	5000	4	73181558
	1058613	1058613	T43 Hinge Sockets 10 mm Dia	1	Pc	10000	6	39269097

Auto Closing Concealed Hinges

► Obsidian Black Sensys Hinges



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
Obsidian Black Sensys Hinge								
	Obsidian Black Sensys 8645i Hinge - TH52 for 15-24 mm thick doors; Opening angle 110°							
	9091738	9091738	Base 12.5 (Crank 0°)	1	Pc	50	385	83021000
	9091739	9091739	Base 3 (Crank 9.5°)	1	Pc	50	411	83021000
	9091740	9091740	Base -4 (Crank 16°) (Order mounting plate separately)	1	Pc	50	436	83021000
	Obsidian Black Sensys 8631i Hinge - TH52 for 15-32 mm thick doors; Opening angle 95°							
	9091753	9091753	Base 12.5 (Crank 0°)	1	Pc	50	410	83021000
	9091755	9091755	Base 3 (Crank 9.5°)	1	Pc	50	430	83021000
	9091756	9091756	Base-4 (Crank 16°) (Order mounting plate separately)	1	Pc	50	466	83021000
	Obsidian Black Sensys 8657i Hinge-TH52 for 15-32 mm thick doors; Opening angle 165°(Zero Protrusion Hinge)							
	9091767	9091767	Base 12.5 (Crank 0°) (Order mounting plate separately)	1	Pc	50	1,009	83021000
	Obsidian Black Sensys 8646i Hinge - TH52 for 10-16 mm Thin door; Opening angle 110°							
	9091761	9091761	Base 12.5 (Crank 0°)	1	Pc	50	564	83021000
	9091762	9091762	Base 3 (Crank 9.5°)	1	Pc	50	590	83021000
	9091763	9091763	Base-4 (Crank 16°) (Order mounting plate separately)	1	Pc	50	615	83021000
	Obsidian Black Sensys 8639i W90 Hinge - TH52 for 90° Face Angle Application; Opening angle 95°							
	9091748	9091748	Base 4 (Crank 4°) (Order mounting plate separately)	1	Pc	50	838	83021000
	Accessories of Sensys Hinge							
	9091803	9091803	System 8099 Sensys Cross Mounting Plate with eccentric CAM D 0 mm in Black	1	Pc	50	94	83021000
	9091815	9091815	Sensys Screw-on Linear Mounting Plate with eccentric CAM D 0.5 in Black	1	Pc	50	128	83021000
	9091820	9091820	Sensys Cover Cap for Hinge Arm in Black	1	Pc	50	17	83024200
	9091822	9091822	Sensys Cover Cap for Hinge Cup T52/53 in Black	1	Pc	50	26	83024200


Assorted Hinges


▶ Glass Hinges & Butt Hinges




Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
---------	-------------	-----	------------------	------	------	----	-----	---------

Assorted Hinges

Glass Door hinge Opening angle 105°								
	20870	9076437	Glass Door hinge ET 150 nickel matt for inset door	1	Pair	20	1,448	83021000
	20873	20873	Magnetic catch D7/GP9 black	1	Pc	20	164	85051100

HIN - Ball Bearing Hinge: SS 304, EN 1935 Certified for 200,000 Cycle, 105 min Fire rated, 5 years Functional Warranty								
	9287297	9287297	SS 304 (4" x 3" x 3) without screws - Bulk pack	1	Pair	100	838	83021000
	9287298	9287298	SS 304 (5" x 3" x 3) without screws - Bulk pack	1	Pair	100	1,024	83021000

HIN - Ball Bearing Hinge: SS 304, EN 1935 Certified for 200,000 Cycle, 105 min Fire rated, 5 years Functional Warranty

HIN - Ball Bearing Hinge Satin Stainless Steel (SSS) Finish								
 	9268384	9268384	SS 304 Hinge 4"x3"x3 Round Corner (Hole Pattern: C)	1	Pair	20	838	83021000
	9268632	9268632	SS 304 Hinge 5"x3"x3 Round Corner (Hole Pattern: Z) (Supplied with screws)	1	Pair	20	1,024	83021000





Quadro



KA Telescopic Runner

Drawer Runners

▸ Quadro



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
	Quadro- 25 Partial Extension 25 Kg							
	72904.S	9243213	250 mm with catches	1	Set	10	1,110	83021090
	72905.S	9243214	300 mm with catches	1	Set	10	1,170	83021090
	73210.S	9243215	350 mm with catches	1	Set	10	1,230	83021090
	73211.S	9243216	400 mm with catches	1	Set	10	1,290	83021090
	73212.S	9243217	450 mm with catches	1	Set	10	1,350	83021090
	33687.S	9243218	500 mm with catches	1	Set	10	1,410	83021090
	73214.S	9243219	550 mm with catches	1	Set	10	1,470	83021090
	Quadro-25 Partial Extension with Silent System 25 Kg							
	9135931.S	9243222	250 mm with catches	1	Set	10	1,234	83021090
	9135933.S	9243223	300 mm with catches	1	Set	10	1,308	83021090
	9135935.S	9243224	350 mm with catches	1	Set	10	1,270	83021090
	9135937.S	9243225	400 mm with catches	1	Set	10	1,310	83021090
	9135939.S	9243226	450 mm with catches	1	Set	10	1,346	83021090
	9135941.S	9243227	500 mm with catches	1	Set	10	1,384	83021090
	9135943.S	9243228	550 mm with catches	1	Set	10	1,490	83021090
	Quadro-V6 Full Extension 30 Kg with Silent System							
	45285.S	9243229	300 mm with catches	1	Set	10	2,800	83024200
	45287.S	9243230	350 mm with catches	1	Set	10	2,800	83024200
	45289.S	9243231	400 mm with catches	1	Set	10	3,050	83024200
	45291.S	9243232	450 mm with catches	1	Set	10	3,170	83024200
	45293.S	9243233	500 mm with catches	1	Set	10	3,290	83024200
	45295.S	9243234	550 mm with catches	1	Set	10	3,530	83024200
	45297.S	9243235	600 mm with catches	1	Set	10	3,900	83024200
	Quadro 25 Partial Extension with P20 25 Kg							
	9135958.S	9243236	300 mm with catches	1	Set	10	1,860	83021090
	9135960.S	9243237	350 mm with catches	1	Set	10	1,940	83021090
	9135962.S	9243238	400 mm with catches	1	Set	10	2,020	83021090
	9135964.S	9243239	450 mm with catches	1	Set	10	2,100	83021090
	9135966.S	9243240	500 mm with catches	1	Set	10	2,180	83021090
	Quadro V6 Full Extension with P20 30 Kg							
	9135984.S	9243241	250 mm with catches	1	Set	10	2,800	83021090
	9135985.S	9243242	300 mm with catches	1	Set	10	2,800	83021090
	9135987.S	9243243	350 mm with catches	1	Set	10	3,050	83021090
	9135989.S	9243244	400 mm with catches	1	Set	10	3,170	83021090
	9135991.S	9243245	450 mm with catches	1	Set	10	3,290	83021090
	9135993.S	9243246	500 mm with catches	1	Set	10	3,530	83021090
	9135995.S	9243247	550 mm with catches	1	Set	10	3,900	83021090
	Quadro S Full Extension with Silent System 30 kg (Plug on Installation)							
	9289256	9289256	250 mm	1	Set	10	1,810	83024200
	9289257	9289257	300 mm	1	Set	10	1,830	83024200
	9289258	9289258	350 mm	1	Set	10	1,860	83024200
	9289259	9289259	400 mm	1	Set	10	1,920	83024200
	9289260	9289260	450 mm	1	Set	10	1,980	83024200
	9289261	9289261	500 mm	1	Set	10	2,040	83024200

Drawer Runners

► Quadro & KA



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
	Quadro S Full Extension with Silent System 30 kg (Slide on Installation)							
	9279697	9279697	250 mm	1	Set	10	1,740	83024200
	9279698	9279698	300 mm	1	Set	10	1,800	83024200
	9279699	9279699	350 mm	1	Set	10	1,860	83024200
	9279700	9279700	400 mm	1	Set	10	1,920	83024200
	9279701	9279701	450 mm	1	Set	10	1,980	83024200
	9279702	9279702	500 mm	1	Set	10	2,040	83024200

Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
	Quadro Catches for wooden drawers							
	9144830	9144830	Left	1	Pc	10	57	39263000
	9144841	9144841	Right	1	Pc	10	57	39263000
	75808	75808	Catch + Shelf Support Set Black	1	Set	10	180	39263000

Product	Article No.	SAP	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code	
	KA 5632 45 kg Zinc / Black										
	Zinc		Black								
	9293321	9293321	9293322	9293322	200 mm	1	Set	10	399	83024200	
	73276	9215435	44916	9215445	250 mm	1	Set	10	399	83024200	
	73277	9215436	44915	9215446	300 mm	1	Set	10	419	83024200	
	73278	9215437	44914	9215447	350 mm	1	Set	10	439	83024200	
	73279	9209240	44913	9215448	400 mm	1	Set	10	459	83024200	
	73280	9209239	44912	9215449	450 mm	1	Set	10	479	83024200	
	73281	9193319	44911	9215450	500 mm	1	Set	10	499	83024200	
	73282	9215441	44909	9215451	550 mm	1	Set	10	599	83024200	
	73283	9215442	44908	9215452	600 mm	1	Set	10	699	83024200	
	73284	9215443	44907	9215453	650 mm	1	Set	10	799	83024200	
	41355	9215444	44906	9215454	700 mm	1	Set	10	899	83024200	

Drawer Runners

► KA & FR





Product	Article No.	SAP	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code	
	KA 4532, 35 kg Silent System / P20 Zinc										
	Silent System		Push To Open								
	9114271	9114271	9114281	9114281	300 mm	1	Set	10	1,078	83024200	
	9114273	9114273	9114282	9114282	350 mm	1	Set	10	1,117	83024200	
	9114274	9114274	9114283	9114283	400 mm	1	Set	10	1,156	83024200	
	9114275	9114275	9114284	9114284	450 mm	1	Set	10	1,175	83024200	
	9114276	9114276	9114285	9114285	500 mm	1	Set	10	1,195	83024200	
	9114277	9114277	9114286	9114286	550 mm	1	Set	10	1,255	83024200	
	9114278	9114278	9114288	9114288	600 mm	1	Set	10	1,352	83024200	
	9114279	9114279	9114289	9114289	650 mm	1	Set	10	1,451	83024200	
9114280	9114280	9114290	9114290	700 mm	1	Set	10	1,549	83024200		
	KA 4632 with Silent System 35 Kg Zinc / Black										
	Zinc		Black								
	9263543	9263543	9264009	9264009	300 mm	1	Set	10	1,078	83024200	
	9263544	9263544	9264010	9264010	350 mm	1	Set	10	1,117	83024200	
	9263545	9263545	9264021	9264021	400 mm	1	Set	10	1,156	83024200	
	9263546	9263546	9264022	9264022	450 mm	1	Set	10	1,175	83024200	
	9263548	9263548	9263550	9263550	500 mm	1	Set	10	1,195	83024200	
9263549	9263549	9264023	9264023	550 mm	1	Set	10	1,255	83024200		
	KA 4620 90 Kg										
	41392	41392	400 mm			1	Set	5	1,632	83024200	
	41393	41393	450 mm			1	Set	5	1,632	83024200	
	41394	41394	500 mm			1	Set	5	1,814	83024200	
	41395	41395	550 mm			1	Set	5	1,834	83024200	
	41396	41396	600 mm			1	Set	5	1,994	83024200	
	41397	41397	650 mm			1	Set	5	2,504	83024200	
	41398	41398	700 mm			1	Set	5	2,712	83024200	
	KA 3320 136 Kg										
	9263137	9263137	760 mm			1	Set	5	9,376	83024200	
	9263138	9263138	810 mm			1	Set	3	10,046	83024200	
	9263139	9263139	860 mm			1	Set	3	10,716	83024200	
	9263140	9263140	910 mm			1	Set	3	11,162	83024200	
	FR 302, 20 kg with stop control										
	75993	75993	250 mm			1	Set	20	119	83024200	
	75994	1083317	300 mm			1	Set	20	129	83024200	
	75995	1083318	350 mm			1	Set	20	144	83024200	
	75996	1083319	400 mm			1	Set	20	161	83024200	
	75997	1083320	450 mm			1	Set	20	179	83024200	
	13089	1083321	500 mm			1	Set	20	197	83024200	
	9006351	9006351	550 mm			1	Set	20	216	83024200	

Drawer Runners

► KA



Product	Article No.	SAP	Item Description	Qty.	Unit	PU	MRP	HS Code
	KA 5740, 14 kg per shutter							
	41371	41371	300 mm	1	Set	1	1,065	83024200
	41372	41372	350 mm	1	Set	1	1,282	83024200
	41373	41373	400 mm	1	Set	1	1,356	83024200
	41374	41374	450 mm	1	Set	1	1,409	83024200
	41375	41375	500 mm	1	Set	1	1,478	83024200
	41376	41376	550 mm	1	Set	1	1,536	83024200
	41377	41377	600 mm	1	Set	1	1,605	83024200
	41378	41378	650 mm	1	Set	1	1,517	83024200
	41379	41379	700 mm	1	Set	1	1,737	83024200
	KA 5740 Accessory Kit							
	9079526	9079526	KA5740 Accessory Kit	1	Set	1	415	83024200
	60832	9090098	Face frame Hinge with spring system	1	Pc	10	813	83021000

