


BED & WARDROBE FITTINGS and ACCESSORIES













SR.NO S.	ITEM	ITEM-CODE	SIZE(mm)	FINISH	PCS/SET	SPU	MRP
 DHP3 BL  DHP1 FR  DHP4 CP 		DHP1-FR	220x9	FR	Each	5	276
		DHP2-FR	228x10	FR	Each	5	604
	Designer Handle- Plastic	DHP3-BL		BL	Each	15	276
		DHP4-CP	80x80	CP	Each	15	260
		DHP5-CP	Ø80	CP	Each	15	260
	Recessed Handle- 90mm	RH-90	90mm	Plastic	Each	20	588 /20pcs.
	Recessed Handle- Steel Furniture	RHS-94		BL/SL/WH	Each	20	25

HI SLIDES WARDROBE SLIDING SYSTEMS









HI SLIDE WALK-IN SLIDING SYSTEM

	Bottom Roller Fitting (for single door)	HSWSS-BR1	Door Thickness = 9 mm (Max.)	NP	Setof2		282
	2 Way Soft Close Damper-15 Kgs (single door kit with actuator)	HSWSS-SCK-15	15kgs	GR	Setof2		1438
	2 Way Soft Close Damper-25 Kgs (single door kit with actuator)	HSWSS-SCK-25	25kgs	GR	Setof2		1438
	2 Way Soft Close Damper-40 Kgs (single door kit with actuator)	HSWSS-SCK-40	40kgs	GR	Setof2		1438

BED & WARDROBE FITTINGS and ACCESSORIES

SR.NO S.	ITEM	ITEM-CODE	SIZE(mm)	FINISH	PCS/SET	SPU	MRP
Tracks / Shutter Profiles for Hi- Slide Walk-in Sliding System							
Anodised Silver / Black Finish							
	Top GuidingTrack	HSWSS-TGT-3M-AS/BL		AS/BL	3m		2718 / Pc
	Bottom Roller Track	HSWSS-BRT-3M-AS/BL		AS/BL	3m		1158 / Pc
	Shutter Profile-Top/mid	HSWSS-SPTM-3M-AS/BL		AS/BL	3m		1122 / Pc
	Shutter Profile - Bottom	HSWSS-SPB-3M-AS/BL		AS/BL	3m		1898 / Pc
	Shutter Profile - Vertical	HSWSS-SPV-3M-AS/BL		AS/BL	3m		1940 / Pc
		HSWSS-SPV-36-AS/BL		AS/BL	3.66m		2368 / Pc
	Shutter Profile - Vertical Handle	HSWSS-SPVH-3M-AS/BL		AS/BL	3m		2398 / Pc
		HSWSS-SPVH-36-AS/BL		AS/BL	3.66m		2926 / Pc
Special Finish							
	Top Guiding Track	HSWSS-TGT-3M-SF		SF	3m		3126 / Pc
	Bottom Roller Track	HSWSS-BRT-3M-SF		SF	3m		1344 / Pc
	Shutter Profile-Top / mid	HSWSS-SPTM-3M-SF		SF	3m		1310 / Pc
	Shutter Profile - Bottom	HSWSS-SPB-3M-SF		SF	3m		2238 / Pc
	Shutter Profile - Vertical	HSWSS-SPV-3M-SF		SF	3m		2260 / Pc
		HSWSS-SPV-36-SF		SF	3.66m		2756 / Pc
	Shutter Profile - Vertical Handle	HSWSS-SPVH-3M-SF		SF	3m		2736 / Pc
		HSWSS-SPVH-36-SF		SF	3.66m		3340 / Pc

BED & WARDROBE FITTINGS and ACCESSORIES

SR.NO S.	ITEM	ITEM-CODE	SIZE(mm)	FINISH	PCS/SET	SPU	MRP
Chrome Plated / Brushed Al.							
	Top Guiding Track	HSWSS-TGT-3M-CP/BA		CP/BA	3m		2918 / Pc
	Bottom Roller Track	HSWSS-BRT-3M-CP/BA		CP/BA	3m		1254 / Pc
	Shutter Profile-Top / mid	HSWSS-SPTM-3M-CP/BA		CP/BA	3m		1212 / Pc
	Shutter Profile - Bottom	HSWSS-SPB-3M-CP/BA		CP/BA	3m		2066 / Pc
	Shutter Profile - Vertical	HSWSS-SPV-3M-CP/BA		CP/BA	3m		2108 / Pc
		HSWSS-SPV-36-CP/BA		CP/BA	3.66m		2572 / Pc
	Shutter Profile - Vertical Handle	HSWSS-SPVH-3M-CP/BA		CP/BA	3m		2566 / Pc
		HSWSS-SPVH-36-CP/BA		CP/BA	3.66m		3128 / Pc
	Sleeve for Hi Slide Walk-in Wardrobe 4 mm Glass (optional)	HSWSS-SL4		CL	3m		33 / m
HI SLIDE IN LINE EURO-60							
	Hi Slide Inline Euro - 60 (2 door mechanism + Al. Tracks-Top & Bottom + Soft Close +Soft Open fittings)	HSIE60-180	1750mm, Max Weight per door 60Kg	SL	Set		69208
		HSIE60-200	1950mm, Max Weight per door 60Kg	SL	Set		71680
		HSIE60-210	2050mm, Max Weight per door 60Kg	SL	Set		76624
		HSIE60-240	2350mm, Max Weight per door 60Kg	SL	Set		78518
		HSIE60-300	2950mm, Max Weight per door 60Kg	SL	Set		82802

BED & WARDROBE FITTINGS and ACCESSORIES

SR.NO S.	ITEM	ITEM-CODE	SIZE(mm)	FINISH	PCS/SET	SPU	MRP
HI SLIDE TOPPER 16-46							
	Hi Slide Topper 16-46 For 2 doors (complete 2 door fittings with top & bottom soft close attachment kit)	HST16-46-802	Door Thickness 16mm-46mm Max Weight per door 80Kg	AS	Set	1	9350
	Hi Slide Topper 16-46 For 3 doors (complete 3 door fittings with top & bottom soft close attachment kit)	HST16-46-803	Door Thickness 16mm-46mm Max Weight per door 80Kg	AS	Set	1	11764
	Aluminium Track for Hi Slide Topper 16-46 (set of top and bottom tracks in 2.44 meters)	HST16-46-T2	2.44m	AS	Set	4	3906
	Aluminium Track for Hi Slide Topper 16-46 (set of top and bottom tracks in 3.66 meters)	HST16-46-T3	3.66m	AS	Set	4	6216
	Centro - Soft Cl. Attachment for 3 Door Fittings (For Topper 16-46)	HSTC1		GR	Set	1	1964
HI SLIDE TOPPER 18-20/20-25							
	HI SLIDE TOPPER 18-20-2 Doors (complete 2 door fittings with top & bottom soft close attachment kit)	HST18-20-502	Load 50kg/door For 18-20mm Doors	ZW	Set	1	6802
	HI SLIDE TOPPER 20-25-2 Doors (complete 2 door fittings with top & bottom soft close attachment kit)	HST20-25-502	Load 50kg/door For 20-25mm Doors	ZW	Set	1	6802
	HI SLIDE TOP PER 18-20-3 Doors (complete 3 door fittings with top & bottom soft close attachment kit)	HST18-20-503	Load 50kg/door For 18-20mm Doors	ZW	Set	1	7958
	HI SLIDE TOP PER 20-25-3 Doors (complete 3 door fittings with top & bottom soft close attachment kit)	HST20-25-503	Load 50kg/door For 20-25mm Doors	ZW	Set	1	7958
	Al.Track for Hi Slide Topper 18-20 & 20-25-2 Door (Set of Top & Bottom tracks in 2.44mm)	HST18-20-25-T2	2.44m	AS	Set	3	3834
	Al. Track for Hi Slide Topper 18-20 & 20-25-3 Door (Set of Top & Bottom tracks in 3.66mm)	HST18-20-25-T3	3.66m	AS	Set	3	6134
	Centro-Soft Cl. Attachment for 3 Door Fittings (For Topper 18-20, Topper 20-25)	HSTC2		GR	Set	1	1976








BED & WARDROBE FITTINGS and ACCESSORIES

SR.NO S.	ITEM	ITEM-CODE	SIZE(mm)	FINISH	PCS/SET	SPU	MRP
HI SLIDE OVERLAY 2 DOORS							
	Hi Slide Overlay for 2 Doors -22mm (with Soft Close Attachment 80 Kgs-2 Nos.)	HSO-222SC-80	Load 50kg/door For 18-22mm Doors	SL	Set	1	4122
	Hi Slide Overlay for 2 Doors -28mm (with Soft Close Attachment 80Kgs-2 Nos.)	HSO-282SC-80	Load 50kg/door For 24-28mm Doors	SL	Set	1	4244
HI SLIDE OVERLAY 3 DOORS							
	Hi Slide Overlay for 3 Doors - 22mm (with Soft Close Attachment 80Kgs-2 Nos.) with centro	HSO-223SC-80	Load 50kg/door For 18-22mm Doors	SL	Set	1	8032
	Hi Slide Overlay for 3 Doors - 28mm (with Soft Close Attachment 80Kgs-2 Nos.) with centro	HSO-283SC-80	Load 50kg/door For 24-28mm Doors	SL	Set	1	7906
	AL.Profile Track for Hi Slide Overlay (for Top)	HSO-TT1-2		AS	2.44m	6	1776 /pc
	AL. Profile Track for Hi Slide Overlay (forBottom)	HSO-TT1-3		AS	3.66m	6	2664 /pc
		HSO-BT1-2		AS	2.44m	6	1370 /pc
		HSO-BT1-3		AS	3.66m	6	2054 /pc
HI SLIDE OVERLAY AL. PROFILE SHUTTER 2 DOORS							
	Hi Slide Overlay-Al. Profile Shutter for 2Doors (with Soft Close Attachment 80Kgs-2 Nos.)	HSO-APS-2SC-80	Load 50kg/shutter	SL	Set	1	3984
	Hi Slide Overlay-Al. Profile Shutter for 3Doors (Soft Close) 80Kgs	HSO-APS-3SC-80	Load 50kg/shutter	SL	Set	1	7278
	Soft Close Kit for HSO 222SC /282SC/ 223SC/283SC (80kgs)-2Nos.	HSOK-80SC		GR	Set of 2pcs.	10	2594

BED & WARDROBE FITTINGS and ACCESSORIES

SR.NO S.	ITEM	ITEM-CODE	SIZE(mm)	FINISH	PCS/SET	SPU	MRP	
HI SLIDE TWIN								
	Hi SlideTwin	HS-T1	Load 120Kg/door	ZW	Set-Single Door	1	1138	
	Al. Profile Track (Hi Slide Twin)	HS-T-3M-AS		AS	3m	6	2624 / Pc	
HI SLIDE 90 DOME TRACK & HI SLIDE 90 SOFT CLOSE								
	Hi Slide 90 (Dome Track)	HS-90-DT	Load 90Kg/door	BL	Set for Single Door	1	530	
	Hi Slide 90 Soft Close (Dome Track)	HS-90-SC	Load 90Kg/door	ZW	Set - Single Door		3326	
	Al. Profile Track HS-90DT (forTop)	HS-90-TT-AS-2		AS	2.44m	20	704 / Pc	
		HS-90-TT-3M-AS		AS	3m		866 / Pc	
		HS-90-TT-AS-3		AS	3.66m	20	1056 / Pc	
	Al. Profile Track HS-45DT/HS-90DT (for Bottom)	HS-45-DT-AS-2		AS	2.44m	100	300 / Pc	
		HS-45-DT-3M-AS		AS	3m		368 / Pc	
		HS-45-DT-AS-3		AS	3.66m	75	448 / Pc	
	Al. Profile Hi Slide 90 Twin Track - Top	HSDT-TTT-2				2.44m	10	1302 / Pc
		HSDT-TTT-3M		AS	3m		1602 / Pc	
		HSDT-TTT-3				3.66m	10	1954 / Pc
	Al. Profile Hi Slide DomeTwinTrack-Bottom (for HS-90 & HS-45)	HSDT-TDT-2				2.44m	30	700 / Pc
HSDT-TDT-3M			AS	3m		860 / Pc		
HSDT-TDT-3					3.66m	30	1050 / Pc	
Hi Slide and Fold 20-25								
	Hi Slide and Fold 20-25 (Set of 2 Top Fittings, 2 Bottom Fittings, 4 Folding Hinge, 2 Soft Close and Assembling Kit)	HSF-20-25	Height ≤ 2500 mm;300mm ≤ width ≤600 mm (single door) Load capacity 20kgs-25kgs per door	ZW	Set		6080	
	Al. Track for Hi Slide and Fold 20-25 (Set of Top & Bottom tracks in 2.44 meters)	HSF-20-25-T2	2.44m	AS	Set		3918	
	Al. Track for Hi Slide and Fold 20-25 (Set of Top & Bottom tracks in 3.66 meters)	HSF-20-25-T3	3.66m	AS	Set		6266	

BED & WARDROBE FITTINGS and ACCESSORIES

SR.NO S.	ITEM	ITEM-CODE	SIZE(mm)	FINISH	PCS/SET	SPU	MRP
Hi Slide 50 Reversible							
	Hi Slide 50 - REVERSIBLE Soft Close - 2 Doors (Complete 2 Door Fittings With Soft Close attachments)	HS50R-2	Load 50Kg/door	GR	Set		2796
	Hi Slide 50 - REVERSIBLE Soft Close - 3 Doors (Complete 3 Door Fittings With Soft Close attachments)	HS50R-3	Load 50Kg/door	GR	Set		3568
 For Top	Al. Profile Track for Hi Slide 50 REVERSIBLE Soft Close 2 Doors and 3 Doors (Set of Top & Bottom tracks)	HS50R-T2	2.44m	AS	Set		2982
 For Bottom HS50R-T2/3		HS50R-T3	3.66m	AS	Set		4472
 For Top & Bottom HS50T2D-T2/3	Al. Profile Track for HS50 PRT (set of top & bottom regular track in 2.44m for 2 doors)	HS50T2D-T2	2.44m	AS	Set	12	1980
	Al. Profile Track for HS50 PRT (set of top & bottom regular track in 3.66 m for 2 doors)	HS50T2D-T3	3.66m	AS	Set	12	2970
HI SLIDE 50 PLUS (DOME TRACK)							
	Hi Slide 50 Plus (DomeTrack) 2 Door-Soft Close	HS50PDT-2	Load 50Kg/door	ZW	Set	1	2542
	 For top For bottom HS502D-T2 /T3	Al. Profile Track for HS50-2 and HS50 PDT (set of top & bottom dome track in 2.44 m for 2 doors)	HS502D-T2	2.44m	AS	Set	20
Al. Profile Track for HS50-2 and HS50 PDT (set of top & bottom dome track in 3.66m for 2 doors)		HS502D-T3	3.66m	AS	Set	20	2426
 For top For bottom HS50-DT2/3	Al. Profile Track for HS50 & HS50 Plus PDT (Twin Track for both Top and Bottom)	HS50-DT2	2.44m	AS	Set		2238
		HS50-DT3	3.66m	AS	Set		3358

BED & WARDROBE FITTINGS and ACCESSORIES

SR.NO S.	ITEM	ITEM-CODE	SIZE(mm)	FINISH	PCS/SET	SPU	MRP
HI SLIDE 45 Dome							
	Hi Slide 45 (Dome) for 1 Shutter	HS-45-DT	Load 45Kg/door	ZW	Set-SingleDoor	1Set	302
	Al. Track HS-45 / HS-45 DT (forTop)	HS-45-AS-2		AS	2.44m	40	394 / Pc
		HS-45-3M-AS		AS	3m		486 / Pc
 <p>For top For bottom</p>	Al. Track HS-45 DT/HS-90 DT (for Bottom)	HS-45-AS-3		AS	3.66m	40	592 / Pc
		HS-45-DT-AS-2		AS	2.44m	100	300 / Pc
		HS-45-DT-3M-AS		AS	3m		368 / Pc
	HS-45-DT-AS-3		AS	3.66m	75	448 / Pc	
HI SLIDE 45							
 <p>For top & bottom</p>	Hi Slide 45 (for 1 Shutter)	HS-45	Load 45Kg/door	ZW	Set-Single Door	1Set	302
	Al. Profile Track HS-45 / HS-45 DT (for Top & Bottom)	HS-45-AS-2		AS	2.44m	40	394 / Pc
		HS-45-3M-AS		AS	3m		486 / Pc
	HS-45-AS-3		AS	3.66m	40	592 / Pc	
	Soft Close Kit for HS-45 /45 DT(40 Kg)	HS-SCK2-40	40Kg	GR	Set of 2 Pcs.	15	958
HI SLIDE SD 15							
	Hi Slide SD 15	HSSD-15	Load 15kg/door	ZW	Set	1	1172
	Soft close and assembly kit for Hi Slide SD 15 (for 1 track)	HSSD-DK		GR	Set	10	888
	Aluminium Track for Hi Slide SD 15 (Single)	HSSD-T2	2.44m	AS	Each	8	1188
Hi Slide-Glass Display - 15							
 <p>Upper rail(single door)</p>	Hi Slide-Glass Display-15 (Single Door Fitting with Soft Close and Bottom Guide)	HSGD-15	Load 15 Kgs per Door Max. Thickness - 5mm	GR	Set		2104
	Al. Profile Track for Hi Slide-Glass Display - 15 (Only for Top track)	HSGD-TT-T2	2.44m	AS	Pc		774 /Pc