




A HOME SAFETY  
AWARENESS  
INITIATIVE BY  
GODREJ LOCKS



**LOCKS & ARCHITECTURAL  
FITTINGS AND SYSTEMS**

FOR A SAFER, SMARTER LIVING EXPERIENCE.



# PRICE LIST 2021

w.e.f. 01<sup>ST</sup> July, 2021.

FOR A SAFER, SMARTER LIVING EXPERIENCE.

## Safety Strengths

Godrej provides a total locking solution, offering locks at various safety strengths to ensure optimum safety.

- **Safety Level 1 - Basic Safety**
- **Safety Level 2 - Ultra Safe Technology**
- **Safety Level 3 - Extra Safe Technology (EXS)**
- **Safety Level 4 - EVVA 3 Kurve System Technology (3KS)**
- **Safety Level 5 - Advanced Digital Access Control Technology**



Godrej Safety Strength 1 locks come with the conventional mechanical locking system through basic security systems which have levers, wafers, tumblers and single-row pin-cylinder technologies.



Godrej Safety Strength 2 locks have highly precise computerised dimple keys with Advanced multi-row pin-cylinder technology. Here, the maximum number of combinations (key differs) that can be provided is up to 100 million, which makes each key unique and non-interchangeable with any other key.



Godrej Safety Strength 3 locks come with Advanced, Angular multi-row pin-cylinder technology. The maximum number of combinations (key differs) that can be provided is up to 2 billion and a highly complex system of master key solutions is possible.



The highest safety strength, Godrej EVVA, in mechanical locks, comes with a revolutionary EVVA 3 Kurve system technology (3KS) with a floating pin, sidebars and locking bar. This conforms to European standard EN 1303. The 30 trillion combination cycle means that a single key will not be repeated for the next 30 trillion keys. Since there are not 30 trillion humans on the planet, it's virtually impossible for someone else to have an identical key as yours.



Unlike conventional mechanical locks, the Godrej Digital Locks are based on virtual networks, which have four different access control systems and have unlimited combinations to ensure enhanced safety.

# CONTENTS

## Padlocks

1 - 2

---

## Furniture Locks

2 - 3

---

## Rim Locks

4 - 6

---

## Mortise Locks

6 - 16

---

## Cylindrical Lock & Digital Series

16

---

## Door Fittings

17 - 18

---

## Door Controls

18 - 19

---

## Furniture Fittings

19 - 21

---

## Glass Hardware

21 - 26

---

## Service Chart

27

---

## Sales & Service Network

28

---

## Industrial Solutions

29 - 30

---

### ABBREVIATIONS

- 1CK - 1 Cylinder, 1 Knob (Operable by key from one side)
- 2C - 2 Cylinder (Operable by key from both sides)
- I/O - Inside Opening
- O/O - Outside Opening
- 3KS - 3 Kurve System
- R - Right Handle
- L - Left Handle



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
<b>PADLOCKS</b>			HSN Code : 83011000			
<b>NAV-TAL PADLOCK</b>						
1	Nav-tal 5 Levers (2 keys)	3276	46171501SD00045	30	375	
2	Nav-tal 5 Levers (3 keys)	3277	46171501SD00046	30	390	
3	Nav-tal 5 Levers (3 keys) - Blister	3060	46171501SD00055	30	435	
4	Nav-tal 6 Levers (2 keys)	3278	46171501SD00051	20	490	
5	Nav-tal 6 Levers (3 keys)	3279	46171501SD00053	20	520	
6	Nav-tal 6 Levers (3 keys) - Blister	3061	46171501SD00052	20	550	
7	Nav-tal 6 Levers - Long Shackle (2 keys)	3280	46171501SD00048	20	520	
8	Nav-tal 6 Levers - Long Shackle (3 keys)	8870	46171501SD00050	20	540	
9	Nav-tal 7 Levers Hardened (2 keys)	3290	46171501SD00059	20	740	
10	Nav-tal 7 Levers Hardened (3 keys) - Blister	3062	46171501SD00060	20	800	
11	Nav-tal 7 Levers Hardened (4 keys)	7169	46171501SD00127	20	820	
12	Nav-tal 7 Lever Shut Height 30 mm (3 Keys)	3596	46171501SD00124	20	840	
13	Nav-tal 7 Lever Shut Height 50 mm (3 Keys)	3597	46171501SD00057	20	860	
14	Nav-tal 8 Levers Hardened (2 keys)	3281	46171501SD00065	10	1540	
15	Nav-tal 8 Levers Deluxe Hardened (3 keys)	3282	46171501SD00064	10	1640	
<b>FREEDOM PADLOCK</b>						
16	Freedom 5 Levers (2 keys)	3285	46171501SD00171	30	245	
17	Freedom 5 Levers (2 keys) - Blister	3064	46171501SD00025	30	255	
18	Freedom 6 Levers (2 keys)	3286	46171501SD00027	20	280	
19	Freedom 6 Levers (2 keys) - Blister	3065	46171501SD00026	20	290	
20	Freedom 7 Levers (2 keys)	3287	46171501SD00030	20	370	
21	Freedom 7 Levers (2 keys) - Blister	3066	46171501SD00029	20	380	
22	Freedom 7 Levers (3 keys)	7665	46171501SD00122	20	410	
<b>SOLID BRASS PADLOCKS</b>						
23	Godrej No.1 40mm	2774	46171501SD00487	20	500	
24	Godrej No.1 50mm	2775	46171501SD00488	20	620	
25	Godrej No.1 60mm	2776	46171501SD00490	20	890	
26	Godrej No.1 70mm	2777	46171501SD00491	10	1110	
<b>SHERLOCK (SOLID BRASS)</b>						
27	Sherlock 60 mm Ultra - 3 Keys (Blister)	7676	46171501SD00178	3	1710	
<b>KADI-TALA - 6 LEVERS</b>						
28	Kaditala 200 mm Texture Brown (3 Keys)	5091	46171501SD00037	12	1080	
29	Kaditala 200 mm Chrome (3 Keys)	5093	46171501SD00036	12	1210	
30	Kaditala 275 mm Texture Brown (3 Keys)	5092	46171501SD00041	12	1190	
31	Kaditala 275 mm Chrome (3 Keys)	5094	46171501SD00039	12	1330	



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
<b>LUGGAGE LOCK</b>						
32	MyLock Candy (2 Keys)	6666	46171501SD00156	24	190	
<b>ACE PRO SS-304 PADLOCK</b>						
33	Ace Pro 5 Levers (3 Keys)	3486	46171501SD00436	60	230	
34	Ace Pro 6 Levers (3 Keys)	3487	46171501SD00437	60	320	
35	Ace Pro 7 Levers (3 Keys)	3488	46171501SD00438	40	450	
<b>ROUND PADLOCK</b>						
36	Round Padlock 5 Levers (3 Keys)	8147	46171501SD00103	60	200	
37	Round Padlock 6 Levers (3 Keys)	8148	46171501SD00104	60	290	
38	Round Padlock 7 Levers (3 Keys)	8149	46171501SD00105	40	405	
39	Round Padlock 10 Levers (3 Keys)	8150	46171501SD00106	10	660	
<b>SQUARE PADLOCK</b>						
40	Square Padlock 6 Levers (4 Keys)	8151	46171501SD00101	40	365	
41	Square Padlock 7 Levers (4 Keys)	8153	46171501SD00107	30	550	
42	Square Padlock 8 Levers (4 Keys)	8154	46171501SD00108	10	700	
<b>NAVTAL ULTRA XL+ PADLOCK</b>						
43	Nav-Tal Ultra XL+ (4 Keys)	5100	46171501SD00328	20	990	
44	Nav-Tal Ultra XL+ (4 Keys) - Blister	4081	46171501SD00422	20	1030	
45	Nav-Tal Ultra XL+ (4 Keys) Pack of 2	4063	46171501SD00420	10	1810	
<b>PREMIUM PADLOCKS</b>						
46	Imara 70 mm (3 Keys)	6247	46171501SD00134	5	1320	
47	Imara 80 mm (3 Keys)	6248	46171501SD00136	5	1710	
48	Scorpio (3 Keys)	7394	46171501SD00194	4	1640	
49	Dual Access Padlock (2 MK 2 CK)	7395	46171501SD00154	2	3180	
50	Herculoc Plus (4 Keys)	5485	46171501SD00237	1	6100	
<b>DURALOCK ULTRA XL+</b>						
51	70 mm Duralock Ultra XL+ (3 Keys)	4066	46171501SD00427	6	900	
52	90 mm Duralock Ultra XL+ (3 Keys)	4067	46171501SD00428	6	1530	
53	70mm Duralock Ultra XL+ with Common Key	4072	46171501SD00429	4	1600	
54	90mm Duralock Ultra XL+ with Common Key	4073	46171501SD00430	4	2740	
<b>ULTRA SHUTTER LOCKS</b>						
55	Centre Shutter Lock Ultra 1C	3090	46171501SD00450	2	2160	
56	Centre Shutter Lock Ultra 2C	3091	46171501SD00451	2	2530	
<b>FURNITURE LOCKS</b>						
HSN Code : 83013000						
57	Universal Furniture Lock	2333	46171595SD00028	50	118	
58	Almirah Lock	3936	46171595SD00015	30	450	
59	Push Button Lock	5253	46171595SD00222	12	750	



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
<b>MULTI PURPOSE LOCK</b>						
60	Popular Multipurpose Lock	8000	46171595SD00130	50	149	
61	New Multi Purpose Lock with Reversible Key	9350	46171595SD00010	50	240	
62	Multipurpose lock reversible common key-Texture black	9353	46171595SD00011	50	235	
63	New Multi Purpose Lock rev key Chrome plated	8817	46171595SD00030	50	265	
64	Multi Purpose Round Lock - Nickel	3098	46171595SD00739	50	210	
65	32mm Popular Multipurpose Lock	5300	46171595SD00237	50	175	
<b>CAM LOCK</b>						
66	5 Lever Cam Lock	3097	46171595SD00738	30	225	
67	10 Lever Pedestal Bolt PB 101	5248	46171595SD00220	12	330	
68	10 Lever Straight Bolt CB 101	5249	46171595SD00219	12	325	
69	10 Lever Long Barrel CB 102	5251	46171595SD00235	12	320	
70	10 Lever Long Barrel PB 102	5252	46171595SD00221	12	330	
<b>DRAWER CUPBOARD LOCK</b>						
71	Drawer cupboard lock Left Opening	4991	46171595SD00016	60	440	
72	Drawer cupboard lock Right Opening	4992	46171595SD00017	60	445	
73	Universal Drawer Cupboard Lock ( 75mm)	3099	46171595SD00740	40	420	
<b>TABLE LOCK</b>						
74	Table Lock Left Opening	5245	46171595SD00224	20	350	
75	Table Lock Right Opening	5246	46171595SD00225	20	350	
<b>SUPERNOVA</b>						
76	Supernova Wardrobe lock	7651	46171595SD00134	16	610	
77	Supernova Wardrobe lock - CK	7652	46171595SD00184	16	610	
<b>CURVO</b>						
78	25mm Curvo Wardrobe Lock	8010	46171595SD00020	12	580	
79	32mm Curvo Wardrobe Lock	8011	46171595SD00026	12	650	
80	32mm Curvo Wardrobe Lock - CK	8086	46171595SD00027	12	650	
81	20mm Curvo Drawer Lock	8012	46171595SD00126	12	460	
82	25mm Curvo Drawer Lock	8013	46171595SD00128	12	475	
83	20mm Curvo Drawer Lock - CK	8085	46171595SD00127	12	460	
<b>NUVO</b>						
84	20 mm Pin Cylinder Drawer Lock	4374	46171595SD00685	24	300	
85	25 mm Pin Cylinder Drawer Lock	4375	46171595SD00686	24	340	
86	25 mm Pin Cylinder Wardrobe Lock	4376	46171595SD00687	24	380	
87	32 mm Pin Cylinder Wardrobe Lock	4377	46171595SD00688	24	460	
88	20 mm Pin Cylinder Drawer Lock Texture Brown	2574	46171595SD00781	24	245	
89	25 mm Pin Cylinder Drawer Lock Texture Brown	2575	46171595SD00782	24	295	
90	25 mm Pin Cylinder Wardrobe Lock Texture Brown	2576	46171595SD00783	24	340	



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
91	32 mm Pin Cylinder Wardrobe Lock Texture Brown	2577	46171595SD00784	24	395	
<b>RIM LOCKS</b>			HSN Code : 83014090			
<b>PIN CYLINDER RIM LOCKS</b>						
92	Rim Lock 1CK (Inside Opening) - Beige Brown	9104	46171597SD00028	6	1740	
93	Rim Lock 1CK (Outside Opening) - Beige Brown	9105	46171597SD00069	6	1720	
94	Rim Lock 1CK (Inside Opening) - Metallic Satin	8351	46171597SD00259	6	1990	
95	Rim Lock 1CK (Outside Opening) - Metallic Satin	8352	46171597SD00260	6	1970	
<b>GRILL DOOR LOCK</b>						
96	Grill Door Lock	3572	46171597SD00264	2	1170	
<b>NIGHT LATCH</b>						
97	Premium Night Latch - Brushed Steel (Inside Opening)	7666	46171597SD00251	6	1510	
98	Premium Night Latch - Brushed Steel (Outside Opening)	7667	46171597SD00253	6	1500	
99	Super Night Latch (Inside Opening)	8812	46171597SD00370	6	1430	
100	Super Night Latch (Outside Opening)	8813	46171597SD00008	6	1430	
101	Night Latch (Inside Opening)	8261	46171597SD00040	10	1440	
102	Night Latch (Outside Opening)	8814	46171597SD00172	10	1430	
<b>ULTRA LATCHBOLT (Carton)</b>						
103	Ultra Latchbolt 1CK Beige Brown I/O - 3 Keys	7793	46171597SD00166	4	1840	
104	Ultra Latchbolt 1CK Beige Brown O/O - 3 Keys	7794	46171597SD00167	4	1850	
<b>ULTRA TRIBOLT</b>						
105	1CK I/O Satin Nickel (Carton)	8127	46171597SD00384	4	3480	
106	1CK Satin Nickel O/O (Carton)	8129	46171597SD00374	4	3440	
107	1CK Deadbolt Satin Nickel (Carton)	8128	46171597SD00371	4	3470	
108	2C Satin Nickel I/O (Carton)	8130	46171597SD00169	4	3790	
109	2C Satin Nickel Deadbolt (Carton)	8131	46171597SD00378	4	3820	
110	1CK Beige Brown I/O (Carton)	8133	46171597SD00170	4	3110	
111	1CK Beige Brown O/O (Carton)	8135	46171597SD00373	4	3070	
112	1CK Beige Brown Deadbolt (Carton)	8134	46171597SD00372	4	3090	
113	2C Beige Brown Deadbolt (Carton)	8137	46171597SD00375	4	3400	
114	1CK Antique Brass I/O (Blister)	8111	46171597SD00376	3	3670	
115	1CK Antique Brass Deadbolt (Carton)	8112	46171597SD00377	4	3650	
116	2C Antique Brass Deadbolt (Carton)	8115	46171597SD00379	4	4020	
117	1CK Brushed Steel I/O (Blister)	8116	46171597SD00380	3	3240	
<b>ULTRA XL+ VERTIBOLT</b>						
118	Ultra XL+ Vertibolt 1CK Antique Brass (Blister)	4290	46171597SD00428	3	2700	
119	Ultra XL+ Vertibolt 1CK Satin Nickel (Blister)	4291	46171597SD00429	3	2580	
120	Ultra XL+ Vertibolt 1CK Texture Brown (Blister)	3092	46171597SD00487	3	2460	
121	Ultra XL+ Vertibolt 2C Antique Brass (Blister)	4292	46171597SD00430	3	3020	













w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
122	Ultra XL+ Vertibolt 2C Satin Nickel (Blister)	4293	46171597SD00431	3	2900	
123	Ultra XL+ Vertibolt 2C Texture Brown (Blister)	3093	46171597SD00488	3	2780	
<b>ULTRA XL+ RIM DEADBOLT</b>						
124	Ultra XL+ Rim Deadbolt 1 CK SS	2339	46171597SD00523	4	1880	
125	Ultra XL+ Rim Deadbolt 1 CK AB	2341	46171597SD00524	4	1990	
126	Ultra XL+ Rim Deadbolt 2C SS	2340	46171597SD00526	4	2040	
127	Ultra XL+ Rim Deadbolt 2C AB	2342	46171597SD00525	4	2230	
<b>ULTRA XL+ TWINBOLT</b>						
128	Ultra XL+ Twinbolt 1CK SS	6082	46171597SD00231	4	2620	
129	Ultra XL+ Twinbolt 1CK AB	6083	46171597SD00224	4	2750	
130	Ultra XL+ Twinbolt 1CK Deadbolt SS	6084	46171597SD00281	4	2630	
131	Ultra XL+ Twinbolt 1CK Deadbolt AB	6085	46171597SD00282	4	2740	
132	Ultra XL+ Twinbolt 1CK O/O SS	5760	46171597SD00283	4	2610	
133	Ultra XL+ Twinbolt 1CK O/O AB	5761	46171597SD00284	4	2750	
134	Twinbolt XL+ 2C SN	2799	46171597SD00494	4	3010	
135	Twinbolt XL+ 2C AB	2800	46171597SD00495	4	3200	
<b>ULTRA XL+ TRIBOLT</b>						
136	Ultra XL+ Tribolt 1CK SS	6086	46171597SD00342	4	3410	
137	Ultra XL+ Tribolt 1CK AB	6087	46171597SD00343	4	3620	
138	Ultra XL+ Tribolt 1CK DB SS	6088	46171597SD00344	4	3390	
139	Ultra XL+ Tribolt 1CK DB AB	6089	46171597SD00345	4	3580	
140	Ultra XL+ Tribolt 2C DB SS	6090	46171597SD00346	4	3670	
141	Ultra XL+ Tribolt 2C DB AB	6091	46171597SD00347	4	3970	
142	Ultra XL+ Tribolt 1CK O/O SS	5762	46171597SD00350	4	3400	
143	Ultra XL+ Tribolt 1CK O/O AB	5763	46171597SD00351	4	3600	
<b>EXS+ ASTRO</b> <span style="float: right;"><b>HSN Code : 83014090</b></span>						
144	Astro 1CK Ruby Red	3397	46171597SD00471	2	4970	
145	Astro Double Door 1CK Ruby Red	3391	46171597SD00465	2	4970	
146	Astro 2C Ruby Red	3398	46171597SD00472	2	5240	
147	Astro Double Door 2C Ruby Red	3392	46171597SD00466	2	5240	
148	Astro 1CK Milano Bronze	3399	46171597SD00473	2	4940	
149	Astro Double Door 1CK Milano Bronze	3393	46171597SD00467	2	4970	
150	Astro 2C Milano Bronze	3400	46171597SD00474	2	5240	
151	Astro Double Door 2C Milano Bronze	3394	46171597SD00468	2	5240	
<b>EXS+ ALTRIX</b>						
152	Altrix 1CK Royal Titanium	3226	46171597SD00476	2	6560	
153	Altrix 1CK Deadbolt Royal Titanium	3227	46171597SD00477	2	6580	
154	Altrix 1CK Outside Opening Royal Titanium	3230	46171597SD00480	2	6430	





w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
155	Altrix 2C Royal Titanium	3228	46171597SD00478	2	7050	
156	Altrix 2C Deadbolt Royal Titanium	3229	46171597SD00479	2	7020	
157	Altrix 1CK Milano Bronze	3231	46171597SD00481	2	6570	
158	Altrix 1CK Deadbolt Milano Bronze	3232	46171597SD00482	2	6550	
159	Altrix 1CK Outside Opening Milano Bronze	3236	46171597SD00485	2	6460	
160	Altrix 2C Milano Bronze	3233	46171597SD00483	2	6920	
161	Altrix 2C Deadbolt Milano Bronze	3234	46171597SD00484	2	7020	
<b>EXS+ PENTABOLT</b>						
162	Pentabolt 1CK I/O Satin Nickel	3345	46171597SD00451	2	6190	
163	Pentabolt 1CK DB Satin Nickel	3346	46171597SD00452	2	6040	
164	Pentabolt 1CK O/O Satin Nickel	3347	46171597SD00453	2	6180	
165	Pentabolt 1CK DB Antique Brass	3348	46171597SD00454	2	6170	
166	Pentabolt 1CK I/O Antique Brass	3349	46171597SD00455	2	6320	
167	Pentabolt 2C DB Satin Nickel	3380	46171597SD00463	2	6550	
168	Pentabolt 2C DB Antique Brass	3381	46171597SD00464	2	6680	
<b>3KS PENTABOLT ARIES</b>						
169	Pentabolt Aries 1CK I/O Roman Silver	6359	46171597SD00280	1	10480	
170	Pentabolt Aries 1CK DB Roman Silver	6360	46171597SD00267	1	10280	
171	Pentabolt Aries 2C DB Roman Silver	6361	46171597SD00154	1	10820	
172	Pentabolt Aries 1CK I/O Vegas Gold	6362	46171597SD00269	1	10580	
173	Pentabolt Aries 1CK DB Vegas Gold	6363	46171597SD00156	1	10380	
174	Pentabolt Aries 2C DB Vegas Gold	6364	46171597SD00157	1	10920	
<b>ULTRA RETROFIT ADAPTOR</b>			<b>HSN Code : 83024110</b>			
175	Retrofit Adaptor - Type A	6245	46171597SD00290	40	255	
176	Retrofit Adaptor - Type B	6246	46171597SD00291	40	265	
177	Retrofit Adaptor - Type C	2647	46171597SD00498	40	260	
<b>LEVER MORTISE LOCKS</b>			<b>HSN Code : 83014090</b>			
178	Keyless Latch with handle*	9155	46171598SD00147	6	840	
179	ELC 01 100 mm only handle SS*	4168	46171598SD01415	4	800	
180	ELC 02 100 mm only handle SS*	4169	46171598SD01416	4	800	
181	Keyless Latch for ELC handles Brown	6119	46171598SD01008	10	530	
182	Baby Latch with Venus Mini Handle Satin*	9102	46171598SD00152	6	1990	
183	2 Lever Lock with Regal Handle Set	9157	46171598SD00052	6	1240	
184	4 Lever Narrow Stile Mortise Lock	9158	46171598SD00419	6	630	
185	4 Lever Hookbolt	9159	46171598SD00650	6	630	
186	4 Lever Combipack with Legend Chrome Handle Set	9161	46171598SD00049	6	1550	
187	6 Lever Mortise 2 way Deadlock	6997	46171598SD00437	10	590	
188	7 Lever Mortise 2 way Deadlock	8815	46171598SD01114	10	1020	



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product	
189	Mortise Lockbody 6L Chrome	2347	46171598SD01719	10	780		
190	2L Mortise Lock 45mm BS	2537	46171598SD01631	10	530		
<b>COMBIPACK WITH 6 LEVER MORTISE LOCK</b>							
191	Diana	8170	46171598SD00137	4	1880		
192	Stella	8171	46171598SD00138	4	1880		
193	Décor Brass	7296	46171598SD00423	6	2360		
194	Venus Satin	7295	46171598SD00424	6	2290		
195	Venus Brass	7297	46171598SD00425	6	2280		
196	Crystal Brass	7298	46171598SD00426	6	2310		
197	Crystal Satin	7299	46171598SD00427	6	2290		
198	ELC 01 Satin	7383	46171598SD00428	4	1630		
199	ELC 01 Chrome	7384	46171598SD00429	4	1580		
200	ELC 02 Satin	7385	46171598SD00430	4	1600		
201	ELC 02 Chrome	7386	46171598SD00431	4	1600		
202	ELC 03 Satin	7031	46171598SD00432	4	1600		
203	ELC 04 Satin	7033	46171598SD00433	4	1610		
204	ELC 05 Satin	6647	46171598SD00420	4	1620		
205	ELC 06 Satin	6649	46171598SD00421	4	1620		
206	ELC 07 Satin	6067	46171598SD00626	4	1630		
207	ELC 08 Satin	6068	46171598SD00627	4	1630		
208	Oliver Satin	8082	46171598SD00434	4	2030		
209	Matiz Satin	8083	46171598SD00435	4	2070		
210	Victoria Satin	8084	46171598SD00436	4	2080		
211	Gloria Satin	5655	46171598SD00757	4	2090		
<b>EUROPROFILE MORTISE LOCK BODIES</b>							
212	Keyless latch for NEH Series Satin*	2797	46171598SD01627	10	600		
213	Keyless latch for NEH Series Antique Brass*	2798	46171598SD01628	10	600		
214	160 mm Euro Deadlock with Rose rings	7470	46171598SD00438	10	1240		
215	176 mm Lock body Satin	2795	46171598SD01625	10	680		
216	176 mm Lock body Antique Brass	2796	46171598SD01626	10	690		
217	240 mm Eco Lock body Satin	6700	46171598SD00632	10	900		
218	240 mm Eco Lock body Antique Brass	3110	46171598SD01518	10	920		
219	240 mm Lock Body Satin	8447	46171598SD00001	10	1340		
220	240 mm Lock Body Brass	7737	46171598SD00683	10	1500		
221	240 mm Lock Body Antique Brass	8489	46171598SD00020	10	1350		
222	240 mm Lock Body Rose Gold	6882	46171598SD00440	10	1530		
223	240 mm Lock Body Sunset Rose Gold	3174	46171598SD01542	10	1650		
224	240 mm Lock Body Matt Black Nickel	3175	46171598SD01543	10	1640		



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product	
225	240 mm 3 bolt Lock Body Brass	7738	46171598SD00042	10	1300		
226	240 mm 3 bolt Lock Body Satin	8448	46171598SD01002	10	1400		
227	240 mm Double door lock body (Right Outside / Left Inside)	7578	46171598SD01001	4	2070		
228	240 mm Double door lock body (Left Outside / Right Inside)	7368	46171598SD01137	4	2240		
229	240 mm Lock Body 60 mm BS	7576	46171598SD00033	4	1340		
230	270 mm Multi Bolt Lock Body 60 mm BS	7577	46171598SD00441	4	2000		
231	270 mm Multi Bolt Lock Body 60 mm BS Antique Brass	5927	46171598SD00684	4	2050		
232	270 mm Multi Bolt Lock Body 60 mm BS Antique Copper	5928	46171598SD00685	4	2150		
233	180 mm Euro Narrow Stile Hookbolt	6617	46171598SD00442	10	650		
234	240 mm Euro Narrow Stile Lock body	7275	46171598SD00443	10	770		
<b>EUROPROFILE MORTISE PIN CYLINDER</b>							
235	40 mm 1C half pin cylinder	7598	46171598SD00456	10	1000		
236	40 mm 1K half pin cylinder	7599	46171598SD01000	10	1010		
237	60 mm Eco Pin Cylinder 1CK Satin	5476	46171598SD01012	10	760		
238	60 mm Eco Pin Cylinder 2C Satin	5466	46171598SD01013	10	730		
239	70 mm Eco Pin Cylinder 1CK Satin	4601	46171598SD01343	10	840		
240	70 mm Eco Pin Cylinder 2C Satin	4602	46171598SD01344	10	780		
241	60 mm Pin Cylinder 1CK Satin	8449	46171598SD00219	10	1220		
242	60 mm Pin Cylinder 2C Satin	8451	46171598SD00223	10	1140		
243	60 mm Pin Cylinder 1CK Antique Brass	8491	46171598SD00253	10	1230		
244	60 mm Pin Cylinder 2C Antique Brass	8493	46171598SD00254	10	1150		
245	60 mm Pin Cylinder 1CK Brass	7743	46171598SD00458	10	1200		
246	60 mm Pin Cylinder 2C Brass	7741	46171598SD00457	10	1140		
247	60 mm Pin Cylinder 1CK Chrome	7744	46171598SD00460	10	1120		
248	60 mm Pin Cylinder Keyless Satin	3354	46171598SD01494	10	1120		
249	60 mm Pin Cylinder 1CK Rose Gold	6879	46171598SD00469	10	1290		
250	60 mm Pin Cylinder 2C Rose Gold	6880	46171598SD00468	10	1100		
251	60 mm Pin Cylinder 1CK Sunset Rose Gold	3163	46171598SD01536	10	1520		
252	60 mm Pin Cylinder 2C Sunset Rose Gold	3165	46171598SD01540	10	1310		
253	60 mm Pin Cylinder 1CK Matt Black Nickel	3172	46171598SD01537	10	1510		
254	60 mm Pin Cylinder 2C Matt Black Nickel	3173	46171598SD01541	10	1310		
255	70 mm Pin Cylinder 1CK Satin	8450	46171598SD00225	10	1310		
256	70 mm Pin Cylinder 2C Satin	8452	46171598SD00222	10	1200		
257	70 mm Pin Cylinder Keyless Satin	7324	46171598SD00422	10	1140		
258	70 mm Pin Cylinder 1CK Rose Gold	6877	46171598SD00471	10	1340		
259	70 mm Pin Cylinder 2C Rose Gold	6878	46171598SD00470	10	1120		
260	70 mm Pin Cylinder 1CK Antique Brass	5929	46171598SD00714	10	1410		
261	70 mm Pin Cylinder 2C Antique Brass	5930	46171598SD00715	10	1270		



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product	
262	70 mm Pin Cylinder 1CK Antique Copper	5931	46171598SD00712	10	1360		
263	70 mm Pin Cylinder 2C Antique Copper	5932	46171598SD00713	10	1360		
264	70 mm Pin Cylinder 1CK Sunset Rose Gold	3164	46171598SD01538	10	1630		
265	70 mm Pin Cylinder 2C Sunset Rose Gold	3171	46171598SD01539	10	1420		
266	70 mm Pin Cylinder 1CK Matt Black Nickel	3161	46171598SD01534	10	1620		
267	70 mm Pin Cylinder 2C Matt Black Nickel	3162	46171598SD01535	10	1420		
268	80 mm Pin Cylinder 1CK Satin	7988	46171598SD00285	10	1400		
269	80 mm Pin Cylinder 2C Satin	7592	46171598SD00462	10	1210		
270	80 mm Pin Cylinder Keyless Satin	7593	46171598SD00463	10	1110		
271	90 mm Pin Cylinder 1CK Satin	7989	46171598SD00262	10	1510		
272	90 mm Pin Cylinder 2C Satin	7594	46171598SD00464	10	1280		
273	100 mm Pin Cylinder 1CK Satin	7990	46171598SD00265	10	1380		
274	100 mm Pin Cylinder 2C Satin	7596	46171598SD00466	10	1310		
<b>EUROPROFILE MORTISE PIN CYLINDER WITH MASTER KEY</b>							
275	60 mm Pin Cylinder 1CK Satin with 3 Master Keys	5286	46171598SD01034	10	1320		
276	60 mm Pin Cylinder 2C Satin with 3 Master Keys	5287	46171598SD01035	10	1180		
277	70 mm Pin Cylinder 1CK Satin with 3 Master Keys	5288	46171598SD01036	10	1280		
278	70 mm Pin Cylinder 2C Satin with 3 Master Keys	5289	46171598SD01037	10	1210		
<b>ULTURO - ULTRA XL+ EURO CYLINDERS</b>							
279	60 mm Ultra XL+ 1CK Satin	4231	46171598SD01386	4	1270		
280	60 mm Ultra XL+ 2C Satin	4230	46171598SD01385	4	1180		
281	60 mm Ultra XL+ 1CK Antique Brass	4235	46171598SD01390	4	1330		
282	60 mm Ultra XL+ 2C Antique Brass	4234	46171598SD01389	4	1180		
283	70 mm Ultra XL+ 1CK Satin	4233	46171598SD01388	4	1330		
284	70 mm Ultra XL+ 2C Satin	4232	46171598SD01387	4	1300		
285	70 mm Ultra XL+ 1CK Antique Brass	4237	46171598SD01392	4	1400		
286	70 mm Ultra XL+ 2C Antique Brass	4236	46171598SD01391	4	1300		
<b>ULTURO - ULTRA XL+ EURO CYLINDERS WITH MASTER KEY</b>							
287	60 mm Ultra XL+ 1CK Satin	2791	46171598SD01621	10	1410		
288	60 mm Ultra XL+ 2C Satin	2792	46171598SD01622	10	1330		
289	70 mm Ultra XL+ 1CK Satin	2793	46171598SD01623	10	1550		
290	70 mm Ultra XL+ 2C Satin	2794	46171598SD01624	10	1510		
<b>EXS HI - SECURITY CYLINDERS</b>							
291	60 mm EXS Cylinder 2C Brass	7471	46171598SD00662	2	1710		
292	60 mm EXS Cylinder 2C Satin	7473	46171598SD00655	2	1800		
293	60 mm EXS Cylinder 1CK Brass	7472	46171598SD00658	2	1680		
294	60 mm EXS Cylinder 1CK Satin	7474	46171598SD00653	2	1860		
295	70 mm EXS Cylinder 2C Satin	7475	46171598SD00656	2	2060		



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
296	70 mm EXS Cylinder 1CK Satin	7476	46171598SD00654	2	2150	
<b>PREMIUM MORTISE SERIES</b>		HSN Code : 83014090				
<b>COMBIPACK WITH 240mm EURO MORTISE LOCK</b>						
297	SEC 01 Combi 2C Antique Brass	7524	46171598SD00444	4	6380	
298	SEC 01 Combi 2C Satin & Gold	7525	46171598SD00445	4	7470	
299	SEC 02 Combi 2C Antique Brass	7526	46171598SD00446	4	5190	
300	SEC 02 Combi 2C Gold	7527	46171598SD00447	4	6400	
301	SEC 03 Combi 2C Antique Brass	7528	46171598SD00448	4	5190	
302	Aura Combi with 2C Brass	7851	46171598SD00449	4	5040	
303	Oriental Combi with 2C Satin & Gold	7856	46171598SD00450	4	5690	
<b>EUROPROFILE BRASS HANDLE SET - 240mm</b>						
304	Imperial Handle Satin & Gold*	4564	46171598SD00336	6	4250	
305	Aura Handle Brass*	1493	46171598SD00326	6	2520	
306	Cara Handle Satin Chrome*	6900	46171598SD00451	4	3040	
307	Cara Handle Antique Brass*	6899	46171598SD00452	4	3270	
308	Cara Handle Satin & Gold*	6898	46171598SD00453	4	3650	
309	Cara Handle Brass*	6897	46171598SD00454	4	2570	
<b>POPULAR MORTISE SERIES</b>		HSN Code : 83014090				
<b>BM 01</b>						
310	175 mm Door Handle set Lock Body 1CK	4492	46171598SD01367	4	2340	
311	175 mm Door Handle set Lock Body 2C	4381	46171598SD01381	4	2270	
312	175 mm Door Handle set Lock Body 1CK Antique Brass	2852	46171598SD01593	4	2310	
313	175 mm Door Handle set Lock Body 2C Antique Brass	2856	46171598SD01597	4	2240	
<b>BM 02</b>						
314	175 mm Door Handle set Lock Body 1CK	4493	46171598SD01368	4	2340	
315	175 mm Door Handle set Lock Body 2C	4382	46171598SD01382	4	2270	
316	175 mm Door Handle set Lock Body 1CK Antique Brass	2853	46171598SD01594	4	2310	
317	175 mm Door Handle set Lock Body 2C Antique Brass	2857	46171598SD01598	4	2240	
<b>BM 04</b>						
318	170 mm Door Handle set Lock Body 1CK	4494	46171598SD01369	4	2340	
319	170 mm Door Handle set Lock Body 2C	4383	46171598SD01383	4	2280	
320	175 mm Door Handle set Lock Body 1CK Antique Brass	2854	46171598SD01595	4	2310	
321	175 mm Door Handle set Lock Body 2C Antique Brass	2858	46171598SD01599	4	2240	
<b>BM 06</b>						
322	175 mm Door Handle set Lock Body 1CK	4495	46171598SD01370	4	2340	
323	175 mm Door Handle set Lock Body 2C	4384	46171598SD01384	4	2270	
324	175 mm Door Handle set Lock Body 1CK Antique Brass	2855	46171598SD01596	4	2310	
325	175 mm Door Handle set Lock Body 2C Antique Brass	2859	46171598SD01600	4	2240	



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
<b>NEH 04</b>						
326	240 mm Door Handle set with Lock Body 2C	7558	46171598SD00489	4	4110	
327	240 mm Door Handle set with Lock Body 1CK	7559	46171598SD00490	4	4170	
328	200 mm Door Handle set with Lock Body 2C	7560	46171598SD00491	4	3640	
329	200 mm Door Handle set with Lock Body 1CK	7561	46171598SD00492	4	3700	
330	Baby Latch with Handle Set*	7562	46171598SD00493	4	2270	
331	Rosette*	7563	46171598SD00494	4	2230	
<b>NEH 05</b>						
332	240 mm Door Handle set with Lock Body 2C	7108	46171598SD00495	4	4110	
333	240 mm Door Handle set with Lock Body 1CK	7109	46171598SD00496	4	4170	
334	200 mm Door Handle set with Lock Body 2C	7110	46171598SD00497	4	3640	
335	200 mm Door Handle set with Lock Body 1CK	7111	46171598SD00498	4	3700	
336	Baby Latch with Handle Set*	7112	46171598SD00499	4	2270	
337	Rosette*	7113	46171598SD00500	4	2230	
<b>NEH 06</b>						
338	240 mm Door Handle set with Lock Body 2C	7114	46171598SD00501	4	4120	
339	240 mm Door Handle set with Lock Body 1CK	7115	46171598SD00502	4	4170	
340	200 mm Door Handle set with Lock Body 2C	7116	46171598SD00503	4	3640	
341	200 mm Door Handle set with Lock Body 1CK	7117	46171598SD00504	4	3700	
342	Baby Latch with Handle Set*	7118	46171598SD00505	4	2280	
343	Rosette*	7119	46171598SD00506	4	2230	
344	200 mm Pull handle*	5923	46171598SD00624	4	1770	
<b>NEH 07</b>						
345	240 mm Door Handle set with Lock Body 2C	6754	46171598SD00507	4	3720	
346	240 mm Door Handle set with Lock Body 1CK	6755	46171598SD00508	4	3770	
347	200 mm Door Handle set with Lock Body 2C	6756	46171598SD00509	4	3240	
348	200 mm Door Handle set with Lock Body 1CK	6757	46171598SD00510	4	3300	
349	Baby Latch with Handle Set*	6758	46171598SD00511	4	1930	
350	Rosette*	6759	46171598SD00512	4	1880	
351	200 mm Pull handle*	5924	46171598SD00625	4	1660	
<b>NEH 08</b>						
352	240 mm Door Handle set with Lock Body 2C	6760	46171598SD00513	4	3720	
353	240 mm Door Handle set with Lock Body 1CK	6761	46171598SD00514	4	3770	
354	200 mm Door Handle set with Lock Body 2C	6762	46171598SD00515	4	3240	
355	200 mm Door Handle set with Lock Body 1CK	6763	46171598SD00516	4	3300	
356	Baby Latch with Handle Set*	6764	46171598SD00517	4	1930	
357	Rosette*	6765	46171598SD00518	4	1880	



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
<b>NEH 09</b>						
358	240 mm Door Handle set with Lock Body 2C	6687	46171598SD00519	4	4110	
359	240 mm Door Handle set with Lock Body 1CK	6688	46171598SD00520	4	3950	
360	200 mm Door Handle set with Lock Body 2C	6689	46171598SD00521	4	3640	
361	200 mm Door Handle set with Lock Body 1CK	6690	46171598SD00522	4	3700	
362	Baby Latch with Handle Set*	6691	46171598SD00523	4	2270	
363	Rosette*	6692	46171598SD00524	4	2230	
<b>NEH 10</b>						
364	240 mm Door Handle set with Lock Body 2C	6693	46171598SD00525	4	4110	
365	240 mm Door Handle set with Lock Body 1CK	6694	46171598SD00526	4	4170	
366	200 mm Door Handle set with Lock Body 2C	6695	46171598SD00527	4	3640	
367	200 mm Door Handle set with Lock Body 1CK	6696	46171598SD00528	4	3700	
368	Baby Latch with Handle Set*	6697	46171598SD00529	4	2270	
369	Rosette*	6698	46171598SD00530	4	2230	
<b>NEH 11</b>						
370	240 mm Door Handle set with Lock Body 2C	6230	46171598SD00588	4	3640	
371	240 mm Door Handle set with Lock Body 1CK	6231	46171598SD00589	4	3700	
372	200 mm Door Handle set with Lock Body 2C	6232	46171598SD00590	4	3260	
373	200 mm Door Handle set with Lock Body 1CK	6233	46171598SD00591	4	3310	
374	Baby Latch with Handle Set*	6234	46171598SD00592	4	1980	
375	Rosette*	6235	46171598SD00593	4	1980	
<b>NEH 12</b>						
376	240 mm Door Handle set with Lock Body 2C	6236	46171598SD00594	4	3640	
377	240 mm Door Handle set with Lock Body 1CK	6237	46171598SD00595	4	3700	
378	200 mm Door Handle set with Lock Body 2C	6238	46171598SD00596	4	3260	
379	200 mm Door Handle set with Lock Body 1CK	6239	46171598SD00597	4	3310	
380	Baby Latch with Handle Set*	6240	46171598SD00598	4	1980	
381	Rosette*	6241	46171598SD00599	4	1980	
<b>NEH 13</b>						
382	240 mm Door Handle set with Lock Body 2C	6053	46171598SD00600	4	3640	
383	240 mm Door Handle set with Lock Body 1CK	6054	46171598SD00601	4	3700	
384	200 mm Door Handle set with Lock Body 2C	6055	46171598SD00602	4	3100	
385	200 mm Door Handle set with Lock Body 1CK	6056	46171598SD00603	4	3310	
386	Baby Latch with Handle Set*	6057	46171598SD00604	4	1980	
387	Rosette*	6058	46171598SD00605	4	1980	
<b>NEH 14</b>						
388	240 mm Door Handle set with Lock Body 2C	6059	46171598SD00606	4	3500	
389	240 mm Door Handle set with Lock Body 1CK	6060	46171598SD00607	4	3550	



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product	
390	200 mm Door Handle set with Lock Body 1CK	6062	46171598SD00609	4	3310		
<b>NEH 15 (Low Height Design)</b>							
391	240 mm Door Handle set with Lock Body 2C	5983	46171598SD01099	4	3120		
392	240 mm Door Handle set with Lock Body 1CK	5984	46171598SD00911	4	3170		
393	200 mm Door Handle set with Lock Body 2C	5985	46171598SD01100	4	2740		
394	200 mm Door Handle set with Lock Body 1CK	5986	46171598SD00821	4	2800		
395	Baby Latch with Handle Set*	5987	46171598SD01101	4	1650		
396	Rossette*	5988	46171598SD00912	4	1600		
<b>NEH 16</b>							
397	240 mm Door Handle set with Lock Body 2C	5989	46171598SD01102	4	3120		
398	240 mm Door Handle set with Lock Body 1CK	5990	46171598SD00908	4	3170		
399	200 mm Door Handle set with Lock Body 2C	5991	46171598SD01103	4	2740		
400	200 mm Door Handle set with Lock Body 1CK	5992	46171598SD00909	4	2800		
401	Baby Latch with Handle Set*	5993	46171598SD01104	4	1650		
402	Rossette*	5994	46171598SD00910	4	1600		
<b>NEH 17</b>							
403	240 mm Door Handle set with Lock Body 2C	2474	46171598SD01686	4	3120		
404	240 mm Door Handle set with Lock Body 1CK	2475	46171598SD01687	4	3170		
405	200 mm Door Handle set with Lock Body 2C	2476	46171598SD01688	4	2740		
406	200 mm Door Handle set with Lock Body 1CK	2477	46171598SD01689	4	2800		
407	Baby Latch with Handle Set*	2478	46171598SD01690	4	1650		
408	Rossette*	2479	46171598SD01691	4	1600		
<b>NEH 18</b>							
409	240 mm Door Handle set with Lock Body 2C	2480	46171598SD01692	4	3120		
410	240 mm Door Handle set with Lock Body 1CK	2481	46171598SD01693	4	3170		
411	200 mm Door Handle set with Lock Body 2C	2482	46171598SD01694	4	2740		
412	200 mm Door Handle set with Lock Body 1CK	2483	46171598SD01695	4	2800		
413	Baby Latch with Handle Set*	2484	46171598SD01696	4	1650		
414	Rossette*	2485	46171598SD01697	4	1600		
<b>TOWY (Low Height Design)</b>							
415	240 mm Door Handle set with Lock Body 2C	6095	46171598SD00618	4	4110		
416	240 mm Door Handle set with Lock Body 1CK	6096	46171598SD00619	4	4170		
417	200 mm Door Handle set with Lock Body 2C	6097	46171598SD00620	4	3640		
418	200 mm Door Handle set with Lock Body 1CK	6098	46171598SD00621	4	3700		
419	Baby Latch with Handle Set*	6099	46171598SD00622	4	2280		
420	Rossette*	6100	46171598SD00623	4	2230		





w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
<b>MATIZ</b>						
421	230 mm Door Handle set with Lock Body 2C	8427	46171598SD00081	4	4350	
422	230 mm Door Handle set with Lock Body 2C AB	7356	46171598SD00797	4	4310	
423	230 mm Door Handle set with Lock Body 1CK	8310	46171598SD00066	4	4470	
424	230 mm Door Handle set with Lock Body 1CK AB	7357	46171598SD00857	4	4180	
425	200 mm Door Handle set with Lock Body 2C	8428	46171598SD00065	4	3860	
426	200 mm Door Handle set with Lock Body 2C AB	7358	46171598SD00785	4	3810	
427	200 mm Door Handle set with Lock Body 1CK	8311	46171598SD00079	4	3910	
428	200 mm Door Handle set with Lock Body 1CK AB	7359	46171598SD01197	4	3840	
429	Baby Latch with Handle Set*	8429	46171598SD00154	4	2070	
430	Baby Latch with Handle Set AB*	7360	46171598SD00815	4	2040	
431	Rossette*	7945	46171598SD00310	4	1940	
<b>VICTORIA</b>						
432	230 mm Door Handle set with Lock Body 2C	8430	46171598SD00073	4	4370	
433	230 mm Door Handle set with Lock Body 1CK	8312	46171598SD00062	4	4250	
434	200 mm Door Handle set with Lock Body 2C	8431	46171598SD00072	4	3700	
435	200 mm Door Handle set with Lock Body 1CK	8313	46171598SD00067	4	3950	
436	Baby Latch with Handle Set*	8432	46171598SD00153	4	2060	
437	Rossette*	7946	46171598SD00318	4	1930	
<b>OLIVER</b>						
438	240 mm Door Handle set with Lock Body 2C	8838	46171598SD00069	4	4050	
439	240 mm Door Handle set with Lock Body 2C AB	7362	46171598SD00798	4	4010	
440	240 mm Door Handle set with Lock Body 1CK	8857	46171598SD00083	4	4090	
441	190 mm Door Handle set with Lock Body 2C	8837	46171598SD00078	4	3370	
442	190 mm Door Handle set with Lock Body 2C AB	7364	46171598SD00677	4	3400	
443	190 mm Door Handle set with Lock Body 1CK	8856	46171598SD00060	4	3590	
444	190 mm Door Handle set with Lock Body 1CK AB	7365	46171598SD00873	4	3360	
445	Baby Latch with Handle Set*	8840	46171598SD00160	4	2190	
446	Baby Latch with Handle Set AB*	7366	46171598SD00877	4	2160	
447	Rossette*	7947	46171598SD00312	4	2220	
<b>GLORIA</b>						
448	240 mm Door Handle set with Lock Body 2C	8166	46171598SD00103	4	4530	
449	240 mm Door Handle set with Lock Body 2C AB	7350	46171598SD00794	4	4680	
450	240 mm Door Handle set with Lock Body 1CK	8165	46171598SD00104	4	4580	
451	240 mm Door Handle set with Lock Body 1CK AB	7351	46171598SD00791	4	4740	
452	200 mm Door Handle set with Lock Body 2C	8219	46171598SD00084	4	4000	
453	200 mm Door Handle set with Lock Body 2C AB	7352	46171598SD00790	4	4160	
454	200 mm Door Handle set with Lock Body 1CK	8220	46171598SD00092	4	4070	



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
455	200 mm Door Handle set with Lock Body 1CK AB	7353	46171598SD00786	4	4210	
456	Baby Latch with Handle Set*	8221	46171598SD00166	4	2230	
457	Baby Latch with Handle Set AB*	7354	46171598SD00793	4	2280	
458	Rossette*	8222	46171598SD00301	4	2180	
459	Rossette AB*	7355	46171598SD00782	4	2230	
<b>GLORIA WITH VICTOR CYLINDER</b>						
460	240 mm Door Handle set with Lock Body 2C Satin	3124	46171598SD01526	4	4590	
461	240 mm Door Handle set with Lock Body 2C AB	3125	46171598SD01527	4	4660	
462	240 mm Door Handle set with Lock Body 1CK Satin	3126	46171598SD01528	4	4640	
463	240 mm Door Handle set with Lock Body 1CK AB	3127	46171598SD01529	4	4710	
464	200 mm Door Handle set with Lock Body 2C Satin	3128	46171598SD01530	4	4060	
465	200 mm Door Handle set with Lock Body 2C AB	3129	46171598SD01531	4	4130	
466	200 mm Door Handle set with Lock Body 1CK Satin	3130	46171598SD01532	4	4110	
467	200 mm Door Handle set with Lock Body 1CK AB	3131	46171598SD01533	4	4180	
<b>MAIN DOOR SET</b>						
468	NEH 06 Main Door Set 1CK SS LH	5660	46171598SD01003	4	4070	
469	NEH 06 Main Door Set 1CK SS RH	5661	46171598SD01004	4	4070	
470	NEH 07 Main Door Set 1CK SS LH	5662	46171598SD01005	4	4070	
<b>SS D-TYPE TUBE LEVER COMBI SET</b>						
471	SS D - Type tube Lever combi 240mm 1CK	6548	46171598SD00633	4	2680	
472	SS D - Type tube Lever combi 240mm 2C	6549	46171598SD00634	4	2540	
<b>PULL HANDLES</b>			<b>HSN Code : 83024110</b>			
473	Anoushka Pull Handle 250 mm - Brass	9135	46171598SD00325	6	1200	
474	Anoushka Pull Handle 250 mm - Satin	9136	46171598SD00324	6	1220	
475	Anoushka Mini Pull Handle 200 mm - Satin	6662	46171598SD00531	6	1120	
476	Tibo Pull Handle 300 mm Antique Brass	6667	46171598SD00635	4	2000	
477	Tibo Pull Handle 300 mm Satin	6668	46171598SD00636	4	1950	
478	Tibo Pull Handle 240 mm Antique Brass	6669	46171598SD00637	4	1820	
479	Tibo Pull Handle 240 mm Satin	6670	46171598SD00638	4	1660	
480	Carina Pull Handle 300 mm Antique Brass	6671	46171598SD00639	4	1460	
481	Carina Pull Handle 300 mm Satin	6672	46171598SD00640	4	1510	
482	Carina Pull Handle 240 mm Antique Brass	6673	46171598SD00641	4	1350	
483	Carina Pull Handle 240 mm Satin	6674	46171598SD00642	4	1300	
484	Theo Handle AB 300 mm	4908	46171598SD01208	4	1840	
485	Theo Handle SS 300 mm	4909	46171598SD01213	4	1790	
486	Theo Handle AB 240 mm	4910	46171598SD01214	4	1680	
487	Theo Handle SS 240 mm	4911	46171598SD01215	4	1620	
488	Vibe Handle AB 300 mm	4912	46171598SD01216	4	1840	














w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
489	Vibe Handle SS 300 mm	4913	46171598SD01217	4	1790	
490	Vibe Handle AB 240 mm	4914	46171598SD01218	4	1680	
491	Vibe Handle SS 240 mm	4915	46171598SD01219	4	1720	
492	Marin Main Hdl AB 240 mm	4920	46171598SD01220	4	1420	
493	Marin Main Hdl SS 240 mm	4921	46171598SD01221	4	1370	
494	Marin Mini Hdl 200 mm	4926	46171598SD01222	4	1320	
495	Marin Mini Hdl 200 mm	4925	46171598SD01223	4	1270	
496	Arc Handle AB 300 mm (New)	4773	46171598SD01349	4	1820	
497	Arc Handle SS 300 mm (New)	4796	46171598SD01350	4	1760	
498	Arc Handle AB 240 mm (New)	4797	46171598SD01351	4	1660	
499	Arc Handle SS 240 mm (New)	4798	46171598SD01352	4	1610	
500	Grace Handle AB 300 mm (New)	4799	46171598SD01353	4	1820	
501	Grace Handle SS 300 mm (New)	4519	46171598SD01354	4	1760	
502	Grace Handle AB 240 mm (New)	4526	46171598SD01355	4	1660	
503	Grace Handle SS 240 mm (New)	4609	46171598SD01356	4	1610	
504	Fawn Main Hdl AB 240 mm (New)	4610	46171598SD01357	4	1370	
505	Fawn Main Hdl SS 240 mm (New)	4611	46171598SD01358	4	1300	
506	Fawn Mini Hdl AB 200 mm (New)	4612	46171598SD01359	4	1260	
507	Fawn Mini Hdl SS 200 mm (New)	4613	46171598SD01360	4	1210	
<b>CORNER FETCH SERIES</b>		<b>HSN Code : 83024110</b>				
508	Bella Pull Handle Satin	6675	46171598SD00643	4	1670	
509	Bella Pull Handle Antique Brass	6676	46171598SD00644	4	1710	
510	Exult Pull Handle Satin	6677	46171598SD00645	4	1900	
511	Exult Pull Handle Antique Brass	6678	46171598SD00646	4	1950	
512	Elena Pull Handle Satin	6679	46171598SD00647	4	1620	
513	Elena Pull Handle Antique Brass	6680	46171598SD00648	4	1710	
<b>CYLINDRICAL LOCKS</b>		<b>HSN Code : 83014090</b>				
<b>CYLINDRICAL LOCKS - Keyed (Entrance)</b>						
514	Polished Brass	5328	46171596SD00014	10	1380	
515	Stainless Steel	5329	46171596SD00016	10	1320	
<b>CLASSIC LOCK</b>						
516	Brass	5807	46171596SD00032	10	1110	
517	Stainless Steel	5808	46171596SD00026	10	1070	
518	Wooden	5809	46171596SD00034	10	1070	
519	Antique Brass	5810	46171596SD00033	10	1130	
<b>CYLINDRICAL LOCKS - Keyless (Bathroom)</b>		<b>HSN Code : 83014090</b>				
520	Stainless Steel	9843	46171596SD00020	10	1200	



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
<b>CLASSIC LOCK</b>						
521	Brass	5804	46171596SD00029	10	990	
522	Stainless Steel	5805	46171596SD00030	10	960	
523	Antique Brass	5806	46171596SD00031	10	990	
<b>DIGITAL SERIES</b>			HSN Code : 83014090			
<b>ADVANTIS</b>						      
524	Advantis Technosecure Digital Door Lock	5259	46171599SD00069	1	41000	
525	Advantis Revolution Digital Door Back (Biometric)	4967	46171599SD00080	1	48250	
526	Advantis Revolution Digital Door Gold (Biometric)	2998	46171599SD00110	1	48250	
527	Advantis Rimtronic Digital Door Lock (Biometric)	4101	46171599SD00092	1	27000	
528	Advantis Rimtronic- RF Digital Door Lock	3000	46171599SD00105	1	13750	
529	Advantis Rimtronic Verti Digital Door Lock	2997	46171599SD00117	1	15700	
530	Advantis Digital Cabinet Lock	2999	46171599SD00106	5	8180	
531	Advantis Crystal Digital Door Lock	5000	46171599SD00084	1	26500	
532	Advantis Crystal Strike Box	4998	46171599SD00085	1	4000	
533	Advantis Series Remote	5105	46171599SD00070	1	4940	
534	Advantis Series VDP Module	5106	46171599SD00071	1	5490	
535	Technosecure & Revolution PCB	5138	46171599SD00073	1	4870	
536	Rimtronic PCB	4122	46171599SD00094	1	4680	
537	Crystal PCB	4986	46171599SD00086	1	4680	
<b>SPACETEK</b>						
538	Spacetek Digital Door Lock (Biometric)	4100	46171599SD00101	1	47250	
539	Spacetek Series Remote	3386	46171599SD00107	1	4790	
540	Spacetek Series VDP Module	3387	46171599SD00108	1	5320	
541	Spacetek Connecting PCB	3388	46171599SD00109	1	4790	
<b>DOOR FITTINGS</b>			HSN Code : 83024110			
<b>SS HINGES</b>						
542	Hinge SS 75 X 47 X 1.7 mm (3X16)	4360	31162403SD00241	360	49	
543	Hinge SS 75 X 48X 1.9 mm (3X14)	4361	31162403SD00242	360	64	
544	Hinge SS 100 X 58 X 1.9 mm (4X14)	4362	31162403SD00243	200	100	
545	Hinge SS 125 X 64 X 1.9 mm (5X14)	4363	31162403SD00244	160	132	
546	Hinge SS 75 X 50 X 2.5 mm (3X12)	4364	31162403SD00245	360	85	
547	Hinge SS 100 X 60 X 2.5 mm (4X12)	4365	31162403SD00246	200	128	
548	Hinge SS 125 X 67 X 2.5 mm (5X12)	4366	31162403SD00247	160	168	
549	Hinge SS 150 X 76 X 2.5 mm (6X12)	4367	31162403SD00248	96	225	
550	Cut Hinge SS - 75x10x15mm (3 x 3/8 x 5/8)	2560	31162403SD00334	480	53	
551	Cut Hinge SS - 75x13x19mm (3 x 1/2 x 3/4)	2561	31162403SD00335	480	57	
552	Cut Hinge SS - 75x19x19mm (3 x 3/4 x 3/4)	2562	31162403SD00336	480	58	



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product	
553	Cut Hinge SS - 100x13x19mm (4 x 1/2 x 3/4)	2563	31162403SD00337	480	70		
554	Cut Hinge SS - 100x19x19mm (4 x 3/4 x 3/4)	2564	31162403SD00338	480	93		
555	Cut Hinge SS - 75x10x27 (3 x 3/8 x 1)	2570	31162403SD00340	480	66		
556	SS304 Hinge 125x75x3mm 2 Ball Bearing (5x10)	2702	31162403SD00309	100	400		
557	SS304 Hinge 100x75x3mm 2 Ball Bearing (4x10)	2703	31162403SD00310	100	325		
558	SS304 Hinge 125x75x2.5mm 2 Ball Bearing (5x12)	2705	31162403SD00312	100	380		
559	SS304 Hinge 100x75x2.5mm 2 Ball Bearing (4x10)	2706	31162403SD00313	100	305		
560	SS304 Hinge 125x75x3mm Plain Joint (5x10)	2708	31162403SD00316	100	360		
561	SS304 Hinge 100x75x3mm Plain Joint (4x10)	2709	31162403SD00315	100	310		
562	SS304 Hinge 125x75x2.5mm Plain Joint (5x12)	2711	31162403SD00318	100	345		
563	SS304 Hinge 100x75x2.5mm Plain Joint (4x10)	2712	31162403SD00319	100	295		
<b>TOWER BOLT</b>							
564	Tower Bolt SS 10 X 100 mm (4)	3260	31161606SD00139	40	101		
565	Tower Bolt SS 10 X 150 mm (6)	3261	31161606SD00140	40	136		
566	Tower Bolt SS 10 X 200 mm (8)	3262	31161606SD00141	40	182		
567	Tower Bolt SS 10 X 250 mm (10)	3263	31161606SD00142	40	220		
568	Tower Bolt SS 10 X 300 mm (12)	3264	31161606SD00143	40	265		
569	Designer Towerbolt 100mmx10mm (4)	2730	31161606SD00148	40	149		
570	Designer Towerbolt 150mmx10mm (6)	2731	31161606SD00149	40	205		
571	Designer Towerbolt 200mmx10mm (8)	2732	31161606SD00150	40	265		
572	Designer Towerbolt 250mmx10mm (10)	2733	31161606SD00151	40	325		
573	Designer Towerbolt 300mmx10mm (12)	2734	31161606SD00152	20	390		
574	Designer Towerbolt 450mmx10mm (18)	2735	31161606SD00153	20	590		
575	Designer Towerbolt 600mmx10mm (24)	2736	31161606SD00154	20	780		
<b>DOOR CONTROLS</b>							
<b>HYDRAULIC DOOR CLOSERS</b>			<b>HSN Code : 83026000</b>				
576	New Door Closer C-071	6800	30171514SD00063	4	1720		
577	Hercules Door Closer	5959	30171514SD00052	4	1720		
578	Door Closer C071 with Pelmate arm	6808	30171514SD00056	4	2140		
579	Door Closer Single Speed C102 (60Kg)	8340	30171514SD00010	4	2060		
580	Door Closer Heavy Duty (UL rated) (68Kg)	1938	30171514SD00004	4	2860		
581	Concealed Door Closer (60Kg)	3798	30171514SD00009	1	5390		
582	T660 concealed door closer (CE certified) (60Kg)	7885	30171514SD00062	6	6160		
583	T610 parallel arm door closer (CE certified) (60Kg)	7883	30171514SD00060	8	5980		
584	Door Closer C680 (EN Rated) (40 - 80Kg)	8156	30171514SD00041	4	3570		
585	T72V door closer (CE certified) (40 - 80Kg)	7880	30171514SD00057	10	4040		
586	T620 parallel arm door closer (CE certified) (40 - 80Kg)	7884	30171514SD00061	6	9400		
587	T834 door closer (CE certified) (40 - 80Kg)	7899	30171514SD00064	6	5700		



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
588	T83H door closer (CE certified) (40 - 100Kg)	7881	30171514SD00058	6	5600	
589	T83J door closer (CE certified) (40 - 120Kg)	7882	30171514SD00059	6	9730	
590	Godrej Door Closer 80-120kgs	5750	30171514SD00170	4	4700	
591	Hold Open Arm For Hvy Dty Dc	9444	30171514SD00024	30	1230	
<b>PANIC DEVICE SERIES</b>			<b>HSN Code : 83024110</b>			
592	Single Point Panic Bar (1140 mm)	9692	31162808SD00002	1	11030	      
593	Two Point Panic Bar (1140 mm)	7846	31162808SD00003	1	16940	
594	Exit Trim (Lever)	8146	31162808SD00004	1	2890	
595	Exit Trim	3695	31162808SD00005	1	3890	
596	Panic Bar-CMP501 (CE)	5063	31162808SD00014	1	7730	
597	Panic Bar-CMP506 (CE)	5064	31162808SD00015	1	11540	
598	Panic Bar-CMPA004 (CE)	5065	31162808SD00016	1	5160	
<b>AUTOMATIC DOOR OPERATOR</b>			<b>HSN Code : 84798999</b>			
599	Safety Sensor	9009	30171510PA00002	1	4900	      
600	Upper Sensor	4079	30171510PA00022	1	7200	
601	Auto Door Clamp 1000 mm	5090	40141799SD00207	1	10170	
602	Auto Door Clamp 1500 mm	4316	40141799SD00242	1	19870	
603	Door Automatic ST25 D - 4200 mm	5089	30171510SD00009	1	107250	
604	Door Automatic ST25 D - 5200 mm	4298	30171510SD00017	1	151640	
605	Door Automatic ST25 D - 6200 mm	4135	30171510SD00018	1	171510	
<b>FURNITURE FITTINGS</b>			<b>HSN Code : 83021090</b>			
606	Slip on Hinge - Full Overlay	7213	31162403SD00094	50	98	                
607	Slip on Hinge - Half Overlay	7214	31162403SD00129	50	100	
608	Slip on Hinge - Inset	7215	31162403SD00096	50	102	
609	Slip on Hinge - Full Overlay - 4 Hole	6933	31162403SD00084	50	113	
610	Slip on Hinge - Half Overlay - 4 Hole	6934	31162403SD00085	50	118	
611	Slip on Hinge - Inset - 4 Hole	6935	31162403SD00086	50	123	
612	Clip on Soft Hinge - Full Overlay	7216	31162403SD00098	30	300	
613	Clip on Soft Hinge - Half Overlay	7217	31162403SD00099	30	310	
614	Clip on Soft Hinge - Inset	7218	31162403SD00100	30	320	
615	Clip on Soft hinge 4 hole -Full Overlay	4788	31162403SD00207	30	330	
616	Clip on Soft hinge 4 hole - Half Overlay	4789	31162403SD00208	30	340	
617	Clip on Soft hinge 4 hole - Inset	4790	31162403SD00209	30	350	
618	3D Soft Close 4H Cabinet Hinges - Full Overlay	2506	31162403SD00328	50	330	
619	3D Soft close 4H Cabinet Hinges - Half Overlay	2507	31162403SD00329	50	340	
620	3D Soft close 4H Cabinet Hinges - Inset	2508	31162403SD00330	50	350	
621	SS304 Clip on soft hinge -full overlay	5069	31162403SD00161	30	570	
622	SS304 Clip on soft hinge -half overlay	5070	31162403SD00162	30	570	



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
623	SS304 Clip on soft hinge - inset overlay	5071	31162403SD00163	30	570	
624	Clip on hinge full overlay – Regular	7098	31162403SD00091	50	151	
625	Clip on hinge half overlay – Regular	7099	31162403SD00092	50	158	
626	Clip on hinge inset – Regular	7100	31162403SD00093	50	163	
627	Thick door hinge full overlay – regular	7095	31162403SD00088	50	330	
628	Thick door hinge half overlay – regular	7096	31162403SD00089	50	335	
629	Thick door hinge inset – regular	7097	31162403SD00090	50	340	
630	Blind corner hinge – Soft	7091	31162403SD00097	50	450	
631	Blind Corner hinge – Regular	7092	31162403SD00087	50	295	
632	Cabinet Hinge Bi Fold (Pi Corner) - 2 Regular	6840	31162403SD00082	30	380	
633	Cabinet Hinge 165° (Pi Corner) - 1 Regular	6841	31162403SD00083	30	700	
634	Ball Bearing Drawer Channel 250 mm - Zn*	8173	30161808SD00005	10	435	
635	Ball Bearing Drawer Channel 300 mm - Zn*	8174	30161808SD00008	10	485	
636	Ball Bearing Drawer Channel 350 mm - Zn*	8175	30161808SD00007	10	520	
637	Ball Bearing Drawer Channel 400 mm - Zn*	8176	30161808SD00006	10	560	
638	Ball Bearing Drawer Channel 450 mm - Zn*	8177	30161808SD00002	10	610	
639	Ball Bearing Drawer Channel 500 mm - Zn*	8178	30161808SD00001	10	670	
640	Ball Bearing Drawer Channel 550 mm - Zn*	8179	30161808SD00004	10	740	
641	Ball Bearing Drawer Channel 600 mm - Zn*	8180	30161808SD00003	10	820	
642	Ball Bearing Drawer Channel 250 mm - Blk*	7831	30161808SD00016	10	435	
643	Ball Bearing Drawer Channel 300 mm - Blk*	7832	30161808SD00015	10	485	
644	Ball Bearing Drawer Channel 350 mm - Blk*	7833	30161808SD00014	10	520	
645	Ball Bearing Drawer Channel 400 mm - Blk*	7834	30161808SD00013	10	560	
646	Ball Bearing Drawer Channel 450 mm - Blk*	7835	30161808SD00012	10	610	
647	Ball Bearing Drawer Channel 500 mm - Blk*	7836	30161808SD00009	10	670	
648	Ball Bearing Drawer Channel 550 mm - Blk*	7837	30161808SD00011	10	740	
649	Ball Bearing Drawer Channel 600 mm - Blk*	7838	30161808SD00010	10	820	
650	SS 304 Ball Bearing Drawer Channel 350 mm - Zn*	2401	30161808SD00436	15	2250	
651	SS 304 Ball Bearing Drawer Channel 400 mm - Zn*	2402	30161808SD00437	15	2440	
652	SS 304 Ball Bearing Drawer Channel 450 mm - Zn*	2403	30161808SD00438	15	2600	
653	SS 304 Ball Bearing Drawer Channel 500 mm - Zn*	2404	30161808SD00439	15	2850	
654	SS 304 Ball Bearing Drawer Channel 550 mm - Zn*	2405	30161808SD00440	15	3050	
655	Soft Close Drawer Channel 300 mm*	7083	30161808SD00021	10	800	
656	Soft Close Drawer Channel 350 mm*	7084	30161808SD00022	10	870	
657	Soft Close Drawer Channel 400 mm*	7085	30161808SD00023	10	930	
658	Soft Close Drawer Channel 450 mm*	7086	30161808SD00024	10	1010	
659	Soft Close Drawer Channel 500 mm*	7087	30161808SD00025	10	1090	
660	Soft Close Drawer Channel 550 mm*	7088	30161808SD00026	10	1180	



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
661	Soft Close Drawer Channel 600 mm*	7089	30161808SD00027	10	1280	
662	Heavy Duty Drawer Slides 450 mm*	6901	30161808SD00104	5	1630	
663	Heavy Duty Drawer Slides 500 mm*	6902	30161808SD00105	5	1790	
664	Heavy Duty Drawer Slides 550 mm*	6903	30161808SD00110	5	1970	
665	Heavy Duty Drawer Slides 600 mm*	6904	30161808SD00106	5	2230	
666	Heavy Duty Drawer Slides 650 mm*	6905	30161808SD00028	5	2330	
667	Heavy Duty Drawer Slides 700 mm*	6906	30161808SD00029	5	2510	
668	Heavy Duty Drawer Slides 750 mm*	6907	30161808SD00030	5	2660	
669	Heavy Duty Drawer Slides 800 mm*	6908	30161808SD00031	5	2820	
670	Heavy Duty Drawer Slides 900 mm*	6998	30161808SD00032	5	3400	
<b>GLASS HARDWARE</b>						
<b>FLOOR SPRING</b>			<b>HSN Code : 83024110</b>			
671	D60 Floor Spring (60 Kg)	7477	30171514SD00053	2	3750	
672	D80 Floor Spring (80 Kg)	8293	30171514SD00036	2	4840	
673	B710 Floor Spring - Compact (80 Kg)	8341	30171514SD00014	2	5680	
674	D100 Floor Spring - 1100 mm Width (100 Kg)	8294	30171514SD00035	2	9200	
675	D120 Floor Spring (120 Kg)	7381	30171514SD00054	2	9500	
676	D150 Floor Spring (150 Kg)	7382	30171514SD00055	2	10070	
677	Top and Bottom Pivot for Floor Spring	6618	30171514PA00017	20	520	
678	Godrej Floor Spring DCF-80	5749	30171514SD00171	2	8870	
679	Floor spring B803 (CE-rated 80kg)	7886	30171514SD00168	2	6840	
680	Floor spring B804 (CE-rated 100kg)	7887	30171514SD00169	2	6840	
<b>FLOOR SPRING COMBO SET</b>			<b>HSN Code : 83024110</b>			
681	Floor spring combo without lock (60 Kg)	4370	30171514SD00239	2	7430	
682	Floor spring combo with lock (60 Kg)	4371	30171514SD00240	2	10360	
683	Floor spring combo without lock (80 Kg)	5745	30171514SD00150	2	8490	
684	Floor spring combo with lock (80 Kg)	5652	30171514SD00151	2	11400	
685	Floor spring combo without lock (100 Kg)	4607	30171514SD00232	2	12500	
686	Floor spring combo with lock (100 Kg)	4608	30171514SD00233	2	15400	
<b>PATCH FITTINGS</b>			<b>HSN Code : 83024110</b>			
687	Top Patch	7757	40141799SD00056	20	2040	
688	Bottom Patch	7758	40141799SD00055	20	2040	
689	Bottom Lock Patch#	7759	40141799SD00054	20	3410	
690	Top Patch with L-arm & Pivot	7760	40141799SD00053	20	3320	
691	Pivot Plate	7771	40141799SD00058	20	415	
692	Top Patch with Pivot	7762	40141799SD00062	4	2870	
693	Over Panel Patch	7761	40141799SD00063	4	3040	
694	L-connect Patch	7763	40141799SD00064	20	2850	

\* HSN Code : 83024200





w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
695	Connector Patch GCP 640	7773	40141799SD00065	40	1330	
696	Side Connector Patch	7774	40141799SD00066	20	1570	
697	Side Lock Patch#	7764	40141799SD00096	20	3260	
698	Side Lock Adapter	7765	40141799SD00097	20	1850	
699	Rectangular Connect Patch	7775	40141799SD00101	20	1580	
700	Square Connect Patch	7772	40141799SD00102	20	3020	
701	Kurve Top patch	5751	40141799SD00132	20	2020	
702	Kurve Bottom patch	5752	40141799SD00127	20	2020	
703	Kurve over panel patch with pivot	5753	40141799SD00126	20	3210	
704	Kurve L connect patch	5754	40141799SD00123	20	1770	
705	L-connect patch with stopper	5755	40141799SD00120	20	2750	
706	Kurve Bottom lock patch#	5756	40141799SD00133	20	3650	
707	Hydraulic Patch	4566	40141799SD00243	2	11990	
<b>GLASS DOOR LOCK</b>						
708	Glass to Wall Lock Round type (w/o Cut out)	7779	40141799SD00067	4	2680	
709	Glass to Glass Lock Round type (w/o Cut out)	7780	40141799SD00068	4	3260	
710	Pull handle with lock - 1CK - 1500 mm	7781	31162801SD00050	1	14280	
<b>SLIDING SYSTEM</b>			<b>HSN Code : 83024200</b>			
711	Glass sliding door system GSS144 - 60kg	5787	30171514SD00179	5	6740	
712	Glass sliding door system GSS145 - 80kg	5788	30171514SD00163	5	10390	
713	Sliding glass door track -T1 - 2000 mm	5789	30171514SD00164	5	4310	
714	Double sliding door track-T2 - 2000 mm	5790	30171514SD00165	5	5510	
715	Sliding door with fix glass-T3 - 2000 mm	5791	30171514SD00166	5	5170	
716	Wall to track connector	5606	40141799SD00140	5	930	
717	Sliding door handle - 01	5450	31162801SD00175	5	1650	
718	Sliding door handle - 02	5452	31162801SD00176	5	1780	
719	Sliding door handle - 03	5453	31162801SD00177	5	1550	
<b>GLASS DOOR PULL HANDLE</b>			<b>HSN Code : 83024110</b>			
720	SS304 Pull handle - D-Type (22 dia. X 200 mm)	2801	31162801SD00511	4	1540	
721	SS304 Pull handle - D-Type (25 dia. X 300 mm)	2802	31162801SD00512	4	2030	
722	SS304 Pull handle - D-Type (25 dia. X 350 mm)	2803	31162801SD00513	4	2240	
723	SS304 Pull handle - D-Type (25 dia. X 400 mm)	2804	31162801SD00514	4	2290	
724	SS304 Pull handle - D-Type (25 dia. X 450 mm)	2805	31162801SD00515	4	2450	
725	SS304 Pull handle - D-Type (32 dia. X 600 mm)	2806	31162801SD00516	4	3030	
726	SS304 Pull handle - H-Type (25 dia. X 300 mm)	2807	31162801SD00517	4	1830	
727	SS304 Pull handle - H-Type (25 dia. X 325 mm)	2808	31162801SD00518	4	1980	
728	SS304 Pull handle - H-Type (25 dia. X 400 mm)	2809	31162801SD00519	4	2090	
729	SS304 Pull handle - H-Type (25 dia. X 600 mm)	2810	31162801SD00520	4	2240	

\* HSN Code : 83024200  
# HSN Code : 83014090



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
730	SS304 Pull handle - H-Type (32 dia. X 457 mm)	2811	31162801SD00521	4	2400	
731	SS304 Pull handle - H-Type (32 dia. X 600 mm)	2812	31162801SD00522	4	2500	
732	SS304 Pull handle - H-Type (32 dia. X 840 mm)	2813	31162801SD00523	4	2920	
733	SS304 Pull handle - H-Type (32 dia. X 900 mm)	2814	31162801SD00524	4	3230	
734	SS Pull Handle-H-Type (25 dia. X 425 mm)	7535	31162801SD00065	40	2820	
<b>SHOWER CUBICLE HINGE</b>			<b>HSN Code : 83024200</b>			
735	Shower Cubicle Hinge - 90° - Glass to Wall	7601	40141799SD00108	20	2710	
736	Shower Cubicle Hinge - 90° - Glass to Glass	7602	40141799SD00109	20	4380	
737	Shower Cubicle Hinge - 135° - Glass to Glass	7603	40141799SD00110	20	4020	
738	Shower Cubicle Hinge - 180° - Glass to Glass	7604	40141799SD00111	20	3870	
739	Wall to Glass 90° Offset Hinge	4172	40141799SD00258	20	3410	
740	Kurve wall to glass hinge	5757	40141799SD00121	20	3520	
741	Kurve wall to glass hinge offset	5758	40141799SD00119	20	3390	
742	Kurve glass to glass hinge 180°	5759	40141799SD00118	20	5210	
743	Kurve glass to glass hinge 135°	5764	40141799SD00130	20	5570	
744	Kurve glass to glass hinge 90°	5765	40141799SD00131	20	5570	
745	Shower glass sliding kit -glossy	5792	40141799SD00210	1	10770	
746	Shower glass sliding track -2m glossy	5793	40141799SD00211	1	4310	
<b>GLASS CLIPS</b>			<b>HSN Code : 83024200</b>			
747	Glass Clip - Wall to Glass	7605	40141799SD00069	40	950	
748	Glass Clip - Wall to Glass at 90°	7606	40141799SD00070	40	1020	
749	Glass Clip - Wall to Glass at 180°	7607	40141799SD00104	40	780	
750	Glass Clip - Glass to Glass 90°	7608	40141799SD00105	40	1220	
751	Glass Clip - Glass to Glass 135°	7609	40141799SD00106	40	930	
752	Glass Clip - Glass to Glass	7610	40141799SD00107	40	1270	
753	Kurve wall to glass bracket	5766	40141799SD00117	20	3040	
754	Kurve wall to glass clip	5767	40141799SD00129	30	810	
755	Kurve glass to glass clip 135°	5768	40141799SD00128	40	1490	
756	Kurve glass to glass clip 90°	5769	40141799SD00125	40	1490	
757	Kurve wall to glass clip 90°	5770	40141799SD00124	60	1020	
758	Kurve wall to glass clip 180°	5771	40141799SD00122	80	1670	
<b>SHOWER CUBICLE HANDLE</b>			<b>HSN Code : 83024200</b>			
759	Shower Cubicle Handle - D type (Matt Finish)	3372	31162801SD00066	1	2450	
760	Cubicle Handle - D type (Glossy Finish)	3170	31162801SD00456	4	2690	
761	Shower Cubicle Handle - U type	3373	31162801SD00067	1	2340	
762	Shower Cubicle Handle - C type	3680	31162801SD00068	1	2340	
<b>SHOWER HEADER CLIP</b>			<b>HSN Code : 83024200</b>			
763	Shower Header Clip - Wall to Bar	7615	40141799SD00071	100	960	



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
764	Shower Header Bar - Centre Clip	7616	40141799SD00072	100	930	
765	Shower Header Bar - Corner Clip	7617	40141799SD00073	100	730	
766	Shower Header Two Bar Connector	7618	40141799SD00074	100	1000	
767	Top Rail	7777	40141799SD00076	1	3520	
768	Bottom Rail	7778	40141799SD00077	1	4530	
<b>SEALS</b>		<b>HSN Code : 39269099</b>				
769	Magnetic Seals 180° for 8 mm	7327	40141799SD00078	10	355	
770	Magnetic Seals 180° for 10 mm	7328	40141799SD00079	10	435	
771	Magnetic Seals 180° for 12 mm	7329	40141799SD00080	10	460	
772	Magnetic Seals 135° for 8 mm	7330	40141799SD00081	10	355	
773	Magnetic Seals 135° for 10 mm	7331	40141799SD00082	10	395	
774	Magnetic Seals 135° for 12 mm	7332	40141799SD00083	10	435	
775	Magnetic Seals 90° for 8 mm	7333	40141799SD00084	10	355	
776	Magnetic Seals 90° for 10 mm	7334	40141799SD00085	10	415	
777	Magnetic Seals 90° for 12 mm	7335	40141799SD00086	10	435	
778	One side seal (soft) for 8 mm	7336	40141799SD00087	10	240	
779	One side seal (soft) for 10 mm	7337	40141799SD00088	10	230	
780	One side seal (soft) for 12 mm	7338	40141799SD00089	10	240	
781	Central 180° Weather seal for 8 mm	7339	40141799SD00090	10	265	
782	Central 180° Weather seal for 10 mm	7340	40141799SD00091	10	265	
783	Central 180° Weather seal for 12 mm	7341	40141799SD00092	10	300	
784	Water deflector Seal for 8 mm	7342	40141799SD00093	10	265	
785	Water deflector Seal for 10 mm	7343	40141799SD00094	10	265	
786	Water deflector Seal for 12 mm	7344	40141799SD00095	10	300	
<b>RAILINGS</b>		<b>HSN Code : 83024190</b>				
787	SS Railing Steel with Wire Locator	9381	30103100SD00003	1	4580	
788	SS Railing Steel with Glass Balustrade Holder sideways	9382	30103100SD00002	1	4750	
789	SS Railing Oblong with Glass Balustrade Holder	9383	30103100SD00004	1	6730	
790	Blue Acrylic Railings with Wire Inbound Locator	9392	30103100SD00007	1	3900	
791	SS railing with 2 glass holder	3013	30103100SD00011	1	4640	
792	SS railing with 2 wire locator	9384	30103100SD00010	1	4900	
793	SS railing side mounted with 3 wire locator	8365	30103100SD00005	1	5190	
794	Wooden railing with 2 inbound wire locator	9385	30103100SD00017	1	4190	
795	Orange wooden railing with 2 inbound wire locator	9386	30103100SD00013	1	3650	
796	Black wooden railing with 3 inbound wire locator	9387	30103100SD00016	1	4330	
797	Wooden railing with 2 glass holder	9388	30103100SD00012	1	6990	
798	SS railing with 3 wire locator	8703	30103100SD00008	1	4190	



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
<b>SPIDER FITTINGS</b>			<b>HSN Code : 73089090</b>			
799	SS 316 2 way spider with fin (200 mm C to C) (matt)	5539	40141799SD00147	1	6030	
800	SS 316 1 way spider for ceiling/wall (200 mm C to C) (matt)	5540	40141799SD00148	1	2970	
801	SS 316 4 way spider with fin (200 mm C to C) (matt)	5543	40141799SD00149	1	7380	
802	SS 316 2 way spider for ceiling/wall (200 mm C to C) (matt)	5544	40141799SD00150	1	3680	
803	SS 316 4 way spider without fin (200 mm C to C) (matt)	5545	40141799SD00151	1	4410	
804	SS 316 3 way spider without fin (200 mm C to C) (matt)	5546	40141799SD00152	1	3580	
805	SS 316 2 way spider without fin 90° (200 mm C to C) (matt)	5547	40141799SD00153	1	4000	
806	SS 316 2 way spider without fin 180° (200 mm C to C) (matt)	5548	40141799SD00154	1	2350	
807	SS 316 1 way spider without fin (200 mm C to C) (matt)	5549	40141799SD00155	1	1570	
808	SS 316 2 way spider with fin (200 mm C to C) (gloss)	5550	40141799SD00156	1	6150	
809	SS 316 1 way spider for ceiling/wall (200 mm C to C) (gloss)	5551	40141799SD00157	1	3040	
810	SS 316 4 way spider with fin (200 mm C to C) (gloss)	5554	40141799SD00158	1	7180	
811	SS 316 2 way spider for ceiling/wall (200 mm C to C) (gloss)	5555	40141799SD00159	1	3530	
812	SS 316 4 way spider without fin (200 mm C to C) (gloss)	5556	40141799SD00160	1	5490	
813	SS 316 3 way spider without fin (200 mm C to C) (gloss)	5557	40141799SD00161	1	4410	
814	SS 316 2 way spider without fin 90° (200 mm C to C) (gloss)	5558	40141799SD00162	1	4900	
815	SS 316 2 way spider without fin 180° (200 mm C to C) (gloss)	5559	40141799SD00163	1	2550	
816	SS 316 1 way spider without fin (200 mm C to C) (gloss)	5560	40141799SD00164	1	2060	
817	SS 316 4 way spider without fin (220 mm C to C) (matt)	5561	40141799SD00165	1	6780	
818	SS 316 3 way spider without fin (220 mm C to C) (matt)	5562	40141799SD00166	1	5700	
819	SS 316 2 way spider without fin 90° (220 mm C to C) (matt)	5563	40141799SD00167	1	5290	
820	SS 316 2 way spider without fin 180° (220 mm C to C) (matt)	5564	40141799SD00168	1	4610	
821	SS 316 1 way spider without fin (220 mm C to C) (matt)	5565	40141799SD00169	1	3790	
822	SS 316 4 way spider without fin (220 mm C to C) (gloss)	5566	40141799SD00170	1	8520	
823	SS 316 3 way spider without fin (220 mm C to C) (gloss)	5567	40141799SD00171	1	6270	
824	SS 316 2 way spider without fin 90° (220 mm C to C) (gloss)	5568	40141799SD00172	1	5590	
825	2 way spider without fin 180° (220 mm C to C) (gloss)	5569	40141799SD00173	1	4620	
826	1 way spider without fin -(220 mm C to C) (gloss)	5570	40141799SD00174	1	3820	
827	Articulate bolt - (matt)	5571	40141799SD00175	1	2430	
828	Fixed bolt (counter sunk head)-(matt)	5572	40141799SD00176	1	1620	
829	Fixed bolt (Flat head)-(matt)	5573	40141799SD00177	1	1730	
830	Holder for w/o fin spider- (matt)	5574	40141799SD00178	1	1270	
831	Holder for w/o fin spider (SS316)- (matt)	5575	40141799SD00179	1	2350	
832	Articulate bolt - (gloss)	5576	40141799SD00180	1	2650	
833	Fixed bolt (counter sunk head)- (gloss)	5577	40141799SD00181	1	1910	
834	Fixed bolt (Flat head)- (gloss)	5578	40141799SD00182	1	1910	
835	Holder for w/o fin spider- (gloss)	5579	40141799SD00183	1	2060	



w.e.f. 01<sup>st</sup> July 2021

Sr. No.	Description	Product Code	UNSPSC Code	Std. Pkg.	UNIT MRP (Rs.)	Product
836	Holder for w/o fin spider (SS316)-(gloss)	5580	40141799SD00184	1	2790	
837	Splice plate 200 mm-(matt)	5581	40141799SD00185	1	7150	
838	Splice plate 250 mm-(matt)	5582	40141799SD00186	1	8130	
839	Splice plate 300 mm-(matt)	5583	40141799SD00187	1	9210	
840	Splice plate 350 mm-(matt)	5584	40141799SD00188	1	11270	
841	Splice plate 400 mm-(matt)	5585	40141799SD00189	1	14210	
842	Splice plate 200 mm-(gloss)	5586	40141799SD00190	1	8720	
843	Splice plate 250 mm-(gloss)	5587	40141799SD00191	1	9990	
844	Splice plate 300 mm-(gloss)	5588	40141799SD00192	1	11860	
845	Splice plate 350 mm-(gloss)	5589	40141799SD00193	1	13720	
846	Splice plate 400 mm-(gloss)	5590	40141799SD00194	1	17440	
847	Fin plate 200 mm-(matt)	5591	40141799SD00195	1	8300	
848	Fin plate 250 mm-(matt)	5592	40141799SD00196	1	9700	
849	Fin plate 300 mm-(matt)	5593	40141799SD00197	1	13570	
850	Fin plate 350 mm-(matt)	5594	40141799SD00198	1	14210	
851	Fin plate 400 mm-(matt)	5595	40141799SD00199	1	19110	
852	Fin plate 200 mm-(gloss)	5596	40141799SD00200	1	10090	
853	Fin plate 250 mm-(gloss)	5597	40141799SD00201	1	11860	
854	Fin plate 300 mm-(gloss)	5598	40141799SD00202	1	15290	
855	Fin plate 350 mm-(gloss)	5599	40141799SD00203	1	17540	
856	Fin plate 400 mm-(gloss)	5600	40141799SD00204	1	23320	



FOR A SAFER, SMARTER LIVING EXPERIENCE.

**SERVICES PROVIDED BY GODREJ LOCKS**

- Installation • Repair • Emergency Opening • Key Duplication • Lock Upgradation
- Master Key and Common Key arrangements • Annual Maintenance Contract

**MAXIMUM RECOMMENDED SERVICE CHARGES \***

PRODUCT DESCRIPTION	INSTALLATION CHARGES	EMERGENCY OPENING 9.00 - 18.59	EMERGENCY OPENING 19.00 - 8.59	Repair at Site (for within warranty case)			Repair at Service center ( within warranty case)	Repair at Site (for Warranty void cases)			Repair at Service center (for Warranty void cases)
				Visiting Charges	Repair Charges	Total		Visiting Charges	Repair Charges	Total	
7LNightLatch	320	400	700	200	Free	200	Free	200	150	350	150
Pin.CylVertibolt	320	400	700	200	Free	200	Free	200	150	350	150
Rimlock	320	400	700	200	Free	200	Free	200	150	350	150
Mortise	400	400	700	200	Free	200	Free	200	200	400	200
UltraDoorlocks	Free	400	700	200	Free	200	Free	200	170	370	170
EVVALocks	Free	400	700	200	Free	200	Free	200	170	370	170
Astro/Altrix/Aquarius	Free	400	700	200	Free	200	Free	200	170	370	170
i-SecureLocks	Free	400	700	200	Free	200	Free	200	250	450	250
Cyl./Classic/Roundlock	320	400	700	200	Free	200	Free	200	100	300	100
Doorcloser	250	NA	NA	200	Free	200	NA	200	150	350	NA
ConcealedDoorCloser	800	NA	NA	200	Free	200	NA	200	300	500	NA
AdvantisLock(Keypad+RFIDlock)	Free	400	700	200	Free	200	Free	200	500	700	500
BiometricLock	Free	400	700	200	Free	200	Free	200	500	700	500
FloorSpring	1100	NA	NA	200	Free	200	NA	200	400	600	NA

**\* Terms and Conditions apply as under:**

- 1) Visit charges shown are for within Municipal limits of the city. For outside municipal limits, visit charges will be informed by Service provider based on distance, time taken to travel and mode of transport.
- 2) Except Floor spring, mentioned charges are for wooden doors and wooden frames only.
- 3) Spares charges will be extra as applicable.
- 4) All charges mentioned above are exclusive of all taxes.
- 5) NA denotes Service not available.
- 6) Emergency opening timings mentioned above are as per the time of call registration at Helpline.
- 7) To avail services through Godrej authorised service providers and trained technicians, please call toll-free number 1800 209 4543.



## Sales and Service Network



### Service Centres in 326 Cities

Services: Installation, Repair, Emergency & Force opening Services (\* Major cities only included in map)

### Locks Maintenance Tips (Do's and Don'ts)

- Do not try to open the lock with any other parts/elements other than its own key.
- Do not close the door/drawer/cabin when the bolt of the lock is extended/locked.
- Paints and varnish should not be used over the locks as it may enter the lock parts and affect the smooth functioning of the lock.
- For cleaning/ polishing of the lock do not use any chemicals.
- Do not use any lubrication oil for smooth functioning of the lock. Only use WD-40 or kerosene for the same.
- Do not apply excessive force on key while opening the lock.
- Do not use the key as a screw driver or a can-opener as it may damage the key.
- Avoid exposure of the lock to rain.
- The aesthetic part of locks such as handles should be installed after the decoration of the door/home.
- Always get done the Installation/Repair through Helpline/Authorized service provider.

Industrial Solutions




**Locking Solutions for Airport**

**Need** | Advanced security system with non-interchangeability and customized access

**Solution** | Customized Ultra locks with interlocking arrangement

**Customer** | Singapore International Airport



**Locking Solutions for Notary Press**

**Need** | High security & availability in printing currency notes

**Solution** | Customized multipoint locks for access control and audit access

**Customer** | Bank Note Press - Dewas, Vadod



**Locking Solutions for OEMs**

**Need** | Customized Custom key / Master key systems for peripherals, furniture and parts

**Solution** | Customized Cam locks with Master Key and Common Key system

**Customer** | HCL Peripherals - Chennai, Dabur - Gwal. KPS Accounts - Pondicherry, Polaris Group - Gwal. M&E - Hyderabad, Bata - Delhi, Sanyo - Bangalore




**Locking Solutions for Defence**

**Need** | Customized special application locks for special facilities

**Solution** | Multi-Posit Biometric Steel products equipped with Master Key systems for these and Defence applications

**Customer** | Indian Army, Indian Navy




**Locking Solutions for IT/ITES**

**Need** | Restricted access and CPU protection

**Solution** | Operated with Padlocks & Combs with Custom Key-Master Key arrangement for operational convenience

**Customer** | Cognizant, Hewlett-Packard, ICL, HCL, Infosys, IBM, etc.



**Locking Solutions for Nuclear Power**

**Need** | To ensure restricted operations in the reactor premises and that prevent physical presence in radioactive zones

**Solution** | Customized Inhibit access interlocking systems with Master Key system

**Customer** | Nuclear Power Corporation Ltd, Rajasthan Atomic Power Plant, Bhabha Atomic Research Centre, National Thermal Power Corporation



**Locking Solutions for Hotel Industry**

**Need** | Flexible security management solution for high level of in-room occupancy and access

**Solution** | Packaged solution of electromechanical door locks, access controls, suite gates and Master Key systems with PMS integration facility

**Customer** | Sheraton Hotels, Dr. Ambedkar, Suite on Tower, Hotel Ananda Plaza, Hotel Le Meridien, AP Tourist Board Hotels, La Pousada Hotels, Hotel Fortune Muzo Park



**Locking Solutions for Banks**

**Need** | Complete security solutions for banking sector - main entrance, ATM, lockers and lockers for staff and customers

**Solution** | Standard and customized products with technology ranging from door to Multi-Posit Bi-Cylinder and electromechanical lockers (Intra and non-interchangeable combination) equipped with Custom Key and Master Key System

**Customer** | SBI, State Bank, Central Bank, COO, Maharashtra Bank, Bank of Baroda, etc.



**Locking Solutions for Telecom**

**Need** | Unbreakable & tamper-proof security system for global telecom stations, and ensure 100% uptime

**Solution** | Unbreakable tamper proof mechanism with Master Key arrangement in Stations (line material)

**Customer** | Reliance, Mircor, India



Industrial Solutions



**Locking Solutions for Entertainment**

**Need** : Non-interchangeable locks for ticket and season cards

**Solution** : Multi-Ring Pro-Cylinder Core locks with Master Key system for locking

**Customer** : Inaugurated - Daphn, Easement - Mumbai, Wonder La Resorts - Bangalore

www.godrejlocks.com




**Locking Solutions for Hospital**

**Need** : Locking mechanism complemented by reliable applications for doors for emergency and non-emergency doors

**Solution** : Complete locking solutions and architectural hardware of non-corrosive materials installed with Master Key system

**Customer** : Vancouver Hospital (VHS), AIMS Delhi, Anar Heart Institute, Rishi Baba Hospital, Panchsari Hospital, KIMS Hospital

www.godrejlocks.com




**Locking Solutions for Manufacturing**

**Need** : Safe work environment, Zero accident

**Solution** : Customized solution supported with open-proof, visually distinct Padlock with high non-interchangeability for safety applications

**Customer** : Tata Steel, Tata Power, ACE Cement, Capri

www.godrejlocks.com



**Locking Solutions for Real Estate**

**Need** : Contemporary, reliable, economic and aesthetic solution and architectural hardware forms

**Solution** : Wide range of Master, Non-keys or keys of security supported with Stainless Steel door windows

**Customer** : Dharma Developers, Shikhar Group, Unitech DLF, B O Shree, Purnavara Group, Cadence Jain Housing, S & T Bangal Amulsa, NAF Constructions, OTC, Shree Construction, HCL, Sahara, Sanyo Properties

www.godrejlocks.com




**Locking Solutions for Corporate**

**Need** : Complete corporate office solutions to security and access control

**Solution** : Locking system supported with access control system for various office areas like Control Room, IT Control, Facilities, etc

**Customer** : Ikon Systems - Delhi, Digital - Bangalore, Wipro - Pune, European (Iran) - Delhi, Infosys - Chennai, Executive Centre - Mumbai & Gurgaon, Yashwantrao Chavan - Pune, DLF & Haveliwal, Shree Shree Exchange, I & T KOD HD, Veda Village

www.godrejlocks.com



**Locking Solutions for Gas**

**Need** : Safety & security arrangement for gas dispensing units at the unloading points

**Solution** : Customized gauges interlocked with door's gas-free key

**Customer** : Maharashtra Gas, Maharashtra Gas

www.godrejlocks.com




**Locking Solutions for Dairy**

**Need** : Security management system for milk transportation

**Solution** : Customized Multi-Ring Pro-Cylinder with unique identification number and Master Key system

**Customer** : Haryana Doodh Milk - Jindpur Dairy, Pal Doodh (Doodh Sangh), New Milk, Anand

www.godrejlocks.com




**Locking Solutions for Petroleum**

**Need** : Remote proof security management system for fuel transportation

**Solution** : Customized gate proof, identification, lock proof three Padlocks proof accessories along with advanced key management system

**Customer** : KOL, HPCL, BPCL, SPT, MPPCL, ONGC

www.godrejlocks.com



**Locking Solutions for Vessels**

**Need** : Customized non-corrosive locking solutions

**Solution** : Locks in Stainless Steel & Nylon to meet corrosion during all climates

**Customer** : NS Kharan, NSI Shree

www.godrejlocks.com





FOR A SAFER, SMARTER LIVING EXPERIENCE.

**Godrej & Boyce Mfg. Co. Ltd.**

Locking Solutions and Systems Division, Plant 18 A,  
Pirojshanagar, Vikhroli, Mumbai - 400 079. India.

Tel : +91-22-6796 4890

Fax : +91-22-6796 1510-11

Email : locksmkt@godrej.com

Website : www.godrejlocks.com

New Delhi	: +91-11-6650 7320 / 27
Chandigarh	: +91-172-501 6644 / 503 7732
Lucknow	: +91-522-675 4951 / 53
Jaipur	: +91-141-670 1425 / 421-422
Kolkata	: +91-33-6601 3751-53 / 55 / 6601 3500 (Board No.)
Guwahati	: +91-0361-2468-281 / 283 / 284
Bhubaneshwar	: +91-674-237 4600 / 643-644 / 648
Patna	: +91-612-660 6100
Ranchi	: +91-651-251 3114 / 16 / 83
Pune	: +91-20-6625 5101-06 / 6625 5000 (Board No.)
Mumbai	: +91-22-7116 1277 / 72
Ahmedabad	: +91-79-6606 0666 / 744 / 690 / 2674 3008
Bhopal	: +91-755-276 1130-32 / 427 7240
Raipur	: +91-771-66060666 / 799
Chennai	: +91-44-6654 4412-13 / 44
Hyderabad	: +91-40-6643 1000 / 150-151
Bengaluru	: +91-80-6647 2000 / 351-352 / 484
Kochi	: +91-484-661 2751-53

---

**24 HOUR TOLL FREE HELP LINE NO.\***

**1800 209 45 43 (ALL MOBILES AND LANDLINES)**

REACHABLE FROM MORE THAN 200 CITIES ACROSS INDIA

TEL: 022-61163100 (standard charges applicable)

*\*Conditions apply*

Join us on :

 <https://www.facebook.com/GodrejLocks>

 <https://twitter.com/GodrejLocksS>

The price details / information of the products shown in this price list are subject to change and Godrej reserves the right to make such amendments without notice.

# ADVANTIS RIMTRONIC RF

Department: Locks Marketing

Date: 1<sup>st</sup> Nov 2019

- After the success of Advantis Rimtronic, we're introducing our next highly secure and the most budget friendly lock in Rimtronic series – i.e. **RIMTRONIC RF**.


Crafted by Godrej Locking Solutions & Systems, Advantis is a high tech lock that sits neatly between science and science fiction. As its name suggests, this is a **highly advanced lock**, packed with almost space-age functions that are simple to use. To put simply, Advantis brings the future of home safety on to your door.




**Lock Accessories & Parts:**



**Remote Controller**














**VDP Module**



**Connecting PCB  
(For Remote and VDP)**

## FABs:

Features	Advantage & Benefit
 <b>RFID CARD:</b>	Lock can be opened by using a RFID card for ease of access. Upto 100 RFID cards can be registered thus giving benefit of multiple user access.
 <b>ACCESS MODE:</b>	Lock can be opened by entering password (4 to 12 digits). This increases the complexity of the password thereby making it more secure. 6 unique passwords of your choice can be registered – (1 – Master password, 4 - user password , 1 – OTP)
 <b>AUTOLOCKING:</b>	When the door is closed the dead bolt automatically come out, thus eliminating the hassle of manually locking the door
 <b>ADJUSTABLE SPYCODE:</b>	Random numbers can be added before or after the password in presence of strangers, thereby maintaining secrecy. For E.g if the password is 1234 the lock can be opened by entering 1)5678 <b>1234</b> * 2) <b>1234</b> 5678*
 <b>LOW BATTERY INDICATION:</b>	In case of low battery, a beep sound will alert you will in advance thereby reminding the user to change the battery before complete drain out.
 <b>BREAK-IN DAMAGE ALARM</b>	If password is entered wrongly for 5 times or if unauthorized RFID card is shown for 5 times the alarm goes on indicating unauthorized access. The Lock will freeze for 1 min.
 <b>PRIVACY FUNCTION</b>	If the safety button is switched on, the lock cannot be opened from outside either by RFID. This feature can be used at night to restrict entry.
 <b>FIRE SENSOR</b>	If the temperature inside the house rises above 62 ( $\pm 5c$ ), the lock automatically gets unlocked avoiding the hassle during fire break out.
 <b>MULTI-LEVEL VOLUME CONTROL</b>	Adjustable volume control up to 7 levels including mute function for silent operation

 <b>EMERGENCY BATTERY:</b>	In case the battery is completely discharged an external 9V battery can be used to operate the lock.
 <b>COMPATIBILITY:</b>	The lock is compatible with Remote and Video door Phone for ease of operation.


## **Applications:**

1. Suitable for Wooden & Metal doors (Main doors / Interconnecting doors) in residential & commercial complexes.
2. Door thickness 35mm – 50mm



## Targeting:

- As such price point, anyone and everyone who is looking for a pocket friendly electronic lock for their residence.
- Not just main door, but it is highly economical for inside doors as well.
- Young aspiring people who want to lead a good lifestyle and set their own distinctive class. They are willing to go for branded products. They live in urban or sub urban locations and use internet for a wide range of purposes and are technology savvy.
- With a high disposable income, these customers are willing to spend for a high quality and aesthetically appealing product. People living in bungalows and premium flats.
- Hardware outlets : KRMs, Super KRMs, A class outlets



**Architects, Builders and Interior Decorators**



**Families who aspire for lifestyle products**

## Packing Contents:

Indoor Body	1N
Outdoor Body	1N
Striker Body	1N
Packaging Plate	3N
Screw Packet	1N
RFID Cards	2N
'AA' Alkaline batteries	4N
User Manual	1N
Installation slip and Marker	1N
Service card & Warranty card	1N



Our Product comes from the land which is the worlds No 1 producer in Digital door locks, Mobile Phones, Appliances and all electronic devices – **KOREA**

## Product Quality Test:

- **Endurance Test**

Test	Standard	Criterion
Deadbolt Strength Test	Horizontal load - 1600N / Vertical load - 2,700N	Not broken, normal operating
External Case Strength Test	Dropping 540g, Radius 50.8mm & 1.5m heights sphere on sample products	Can be broken, but normal operating
Latch bolt Vertical Pressure Test	Vertical load - 1,670N	No damage, normal operating
Door Close Shock Test	20 times of door close shocks, which is possible in windy environment & see product functions well	Normal operating
Open-Close Test	120,000 times	Normal operating
Open-Close Test (Push-pull)	120,000 times	Normal operating
Strike Pressure Test	3,000 N	Not broken
Handle Strength Test	Vertical load - 2,700N / Tensile strength - 2,700N / Torsion strength - 1,960N	Normal operating
Adhesion to Door Test	2,700N	No damage
Open-Close 10 Key Button Test	50,000 times (if the product has different ways other than pin code) / 100,000 (if only pin code)	
Open-Close RFID Card Key Test	60,000 times	
Open-Close Cell Key Test	60,000 times	
Open-Close Button Test	80,000 times	
Handle Operating Test	120,000 times (Both indoor and outdoor)	
Cover Operating Test	120,000 times	

- **Climatic Test**

Test	Standard	Criterion
Low Temperature Endurance Test	-40 degrees Celsius, 72 hrs	
High Temperature & Humidity Endurance Test	65 degrees Celsius, 95% of Humidity, 72 hrs	Normal operating in 5 mins
Low Temperature Operating Test	-30 °C/ 72 hrs	Normal operating
High Temperature & Humidity Operating Test	55 degrees Celsius, 95% of Humidity, 72 hrs	Normal operating
Temperature & Humidity Cycle Test	-30 °C/ 10 hr → 70 °C/ 95% of Humidity / 10 hrs (5 Cycles): 120hrs	Normal operating
Indoor - Outdoor Temperature Difference Test	Indoor: 30 degrees Celsius/ 60%↑ Outdoor: -30 °C / 12 hrs ~ 10 degrees Celsius/ 60%↑ / 12 hrs (4 Cycles) : 96 hrs	Normal operating
Temperature Change Test	-2 °C 60% 24 hrs -> 0 °C 60% 24 hrs -> 2 °C 60% 24 hrs (1 Cycle): 72 hrs	Normal operating
Salt Water Spray Test	5% Salty water in 35°C and 72 hrs [12hrs spray / 12hrs stay]	Not corroded
Ultraviolet Rays Test	UV 280 ~ 315nm Nanometer / 96hrs	Not discolored

- **Electric Test**

Test	Standard	Criterion
Current Change Test	6V ~ 4V(measuring quiescent current every -0.2V) / Current : 1A	Normal operating
Battery Removal Test	50 times/ 10 seconds after power connected	Normal operating
Electric Shock Test	30kV/ 10Hz/ 250 times	Door never opened
ESD Endurance Test	Contacted Discharge _ 8KV / Air Discharge _ 15KV	Normal operating

- **Fire Test**

Test	Standard	Criterion
Temperature Sensor Test	Contact 100 °C heat for 10 times	Door never opened
Door Open Test in case Fire Accident	270 °C/ See if the door opens within 10 mins	82°C ± 5°C Door should be opened
Fireproof Test	1000°C 1hrs	Fire should be out in 10 sec.

- **Disturbance Test**

Test	Standard	Criterion
Drop Test	6 Surfaces, 3 edges and 1 angle / 1m height	No damage
Vibration Test	6Hz ~ 200Hz/1.047Grms/60min	No damage

- **Additional Test**

<b>Painted or Plated products Test</b>	<p><b><u>Alcohol Robbing Test:</u></b> Die Casting: 250g pressure, 300 times Plastic: 250g pressure, 200 times (Frequently used area), 80 times (Less frequently used area)</p> <p><b><u>Adhesion Taping Test:</u></b> Taping tests on 11 sections sized of 1mm * 1mm</p> <p><b><u>Boiling Test:</u></b> Die Casting: 98°C, 1hr, 1/2 Immersion, 2hrs natural drying Plastic: 65°C, 1hr, 1/2 Immersion, 2hrs natural drying</p>	<p>Alcohol Rubbing Test: raw material never be exposed. Adhesion Taping Test: No peeling Boiling Test: Pass the Adhesion Taping Test.</p>
<b>Hardness test by pencil</b>	<p>45°C 500g rpm10</p>	<p>Frequently used area: More than 3H Less frequently used area: More than 1H</p>

**Comparison with the competitor:**



	Yale J20 RIM	Godrej Advantis Rimtronic RF
RFID Cards	Upto 40 users	Upto 100 users
Password	2 Unique passwords (6-12 digits)	6 Unique passwords (4-12 digits)
Dead Bolts	1	1
Auto Locking	Yes	Yes
Remote Control	Optional	Optional
VDP connectivity	Optional	Optional
Door Thickness	35 mm - 55 mm	35mm - 50 mm
Low battery indication	Yes	Yes
Dead bolt error alarm	Yes	Yes

<b>Break in damage alarm</b>	Yes	Yes
<b>Power supply</b>	4×AA Alkaline battery	4×AA Alkaline battery
<b>Emergency Power</b>	9V battery	9V battery
<b>Fire Sensor</b>	Yes	Yes
<b>MRP</b>	Rs. 12000	Rs. 12500
<b>Installation</b>	Free	Free

**SKUs List:**

Item Description	UNSPSC Code	Product Code	MRP	Std. Pkg.
Advantis Rimtronic RF	46171599SD00105	3000	12500	1

Please revert for clarifications, if any.

With regards,

**(Sahil Arora)**

**(Sushant Shinde)**

**CC: Shyam Motwani, M. Anand, Anurag Nema, S.M. Baria, Vijay Desai, Ujjwal Shah, Vidhyesh Hegishte**

# SPACETEK

**Department:** Locks Marketing

**Date:** 10<sup>th</sup> Nov'19

- **“Designed In INDIA, Made In INDIA”** as Godrej Locking Solutions and Systems ventures into its own manufacturing of state of art electronic mortise lock. The lock is combination of engineering, technology and applications, packed with space-age functions that are simple to use. Godrej crafted electronic mortise lock enhances security of your home to next level as compared to mechanical locks.





**Application View:**



(Image only for product reference. Actual lock available in Grey color only)

**Lock Accessories & Parts:**



**Keys**



**3 Bolts Lock Body**

**Additional Lock Accessories & Parts:**

















**VDP Module**



**Remote**

## FABs:

Features	Advantage & Benefit
 360 DEGREE FINGERPRINT RECOGNITION	<b>Fingerprint Recognition:</b> Once registered, sensor recognizes up to 100 fingerprints at any angle
 PIN CODE	Lock can be opened by entering password (4 to 12 digits). This increases the complexity of the password thereby making it more secure. 6 unique passwords of your choice can be registered (1- Master Password, 4 User Password & 1 OTP)
 AUTOLOCKING	When the door is closed the 3 locking dead bolts automatically come out, thus eliminating the hassle of manually locking the door
 ADJUSTABLE SPY CODE	Random numbers can be added before or after the password in presence of strangers, thereby maintaining secrecy. For E.g if the password is 1234 the lock can be opened by entering 1)5678 <b>1234</b> * 2) <b>1234</b> 5678*
 LOW BATTERY INDICATION	In case of low battery, a beep sound will alert you will in advance thereby reminding the user to change the battery before complete drain out.
 ALARMS	<b>Anti Hack:</b> Forceful opening from outside will generate alarm <b>Anti Prank:</b> Locks stops functioning for 1 minute after 5 failed attempts and generate series of alarms <b>Deadbolt Error:</b> Alarm activates when door is not proper closed or deadbolt is jammed.
 PRIVACY FUNCTION	If the privacy button is on, the lock cannot be opened from outside either by fingerprint or password. It can be accessed via Mechanical Key only. This feature can be used at night to restrict entry.

 <p>ONE TIME PASSWORD</p>	<p><b>One Time Password (OTP)/ Guest Pin:</b> Guest pin is for one time use for guest.</p>
 <p>SLEEK BODY</p>	<p><b>Sleek Body:</b> Outer body is of 19.2 mm only.</p>
 <p>PASSAGE MODE</p>	<p><b>Passage Mode:</b> Once switched on, Deadbolt function is disabled and only latch operates.</p>
 <p>MULTI LEVEL VOLUME CONTROL</p>	<p>Adjustable volume control up to 7 levels including mute function for silent operation</p>
 <p>EMERGENCY MICRO USB</p>	<p>In case the battery is completely discharged external <b>Power Bank</b> can be used to provide emergency power supply to operate the lock.</p>
 <p>COMPATIBILITY</p>	<p>The lock is compatible with Remote and Video Door Phone for ease of operation.</p>
 <p>MECHANICAL KEY</p>	<p>In case of an emergency the lock can be opened with <b>EXS</b> mechanical key, which is higher technology as compared to others.</p>

### Applications:

1. Suitable for Wooden doors (Main doors / Interconnecting doors) in residential & commercial complexes.
2. Also suitable for Left or Right / Inside or Outside opening door
3. Door thickness 35mm – 75mm
4. Backset – 70mm

## Targeting:

- Young aspiring people who want to lead a good lifestyle and set their own distinctive class. They are willing to go for branded products. They live in urban or sub urban locations and use internet for a wide range of purposes and are technology savvy.
- With a high disposable income, these customers are willing to spend for a high quality and aesthetically appealing product. People living in bungalows and premium flats.
- Hardware outlets : KRM's, Super KRM's, A class outlets



**Architects, Builders and Interior Decorators**




**Families who aspire for lifestyle products**

## Packing Contents:

Front Cover Plate	1N
Back Cover Plate	1N
Lock Body	1N
Striker plate housing	1N
Inner body back plate	1 N
Key	2 N
Stricker Plate	1 N
Screw packet	1 N
Anti Theft Screw	1 N
Inside Handle Latch Connector	1 N
AA Battery	4 N
User Manual	1N
Marker	1N

## STANDARD PACKING:

One Lock is packed in a 3 ply corrugated Box



## Comparison with the competitor:



	Yale YDM 4109	Spacetek
<b>Fingerprint</b>	Register up to 20 fingerprint	360° fingerprint access – register upto 100 fingerprint
<b>Password</b>	2 Unique passwords (6-12 digits)	6 Unique passwords (4-12 digits)
<b>Backset</b>	60 mm	70 mm
<b>Mechanical Key</b>	2	2
<b>Front body</b>	27(D) × 68.6(W) × 306.6(H) mm	22(D) × 71(W) × 271(H) mm
<b>Back body</b>	37(D) × 72.8(W) × 306.6(H) mm	22(D) × 71(W) × 291(H) mm
<b>Dead Bolts</b>	1	3
<b>Remote Control</b>	Optional	Optional
<b>VDP connectivity</b>	Yes	Yes
<b>Low battery indication</b>	Yes	Yes
<b>Dead bolt error alarm</b>	Yes	Yes
<b>Break in damage alarm</b>	Yes	Yes
<b>Power supply</b>	4×AA Alkaline battery	4×AA Alkaline battery
<b>Emergency Power</b>	9V battery	Power Bank
<b>Installation</b>	Free	Free



**SKUs list:**

Item Description	UNSPSC Code	Product Code	MRP (Rs.)	Std. Pkg.
SPACETEK DIGITAL LOCK	46171599SD00101	4100	43,000	1
SPACETEK REMOTE	46171599SD00102	3386	4500	1
SPACETEK VDP MODULE	46171599SD00103	3387	5000	1
SPACETEK CONNECTING PCB FOR REMOTE & VDP	46171599SD00104	3388	4500	1

With regards,

**(Sahil Arora)**

**(Sushant Shinde)**

**CC: Shyam Motwani, M. Anand, Anurag Nema, S.M. Baria, Vijay Desai, Ujjwal Shah, Vidhyesh Hegishte**

# ADVANTIS

**Department:** Locks Marketing

**Date:** 3<sup>rd</sup> July 2017

- Crafted by Godrej Locking Solutions & Systems, Advantis is a high tech lock that sits neatly between science and science fiction. As its name suggests, this is a **highly advanced lock**, packed with almost space-age functions that are simple to use. Simply put Advantis brings the future of home safety on to your door.



so **ADVANCED**,

it goes from **SCIENCE** to

**SCIENCE FICTION**

**Application View:**



**Front & Back View:**



**Front**



**Back**

**Lock Accessories & Parts:**




**Keys**



**RFID Tag**



**Remote**
















**VDP Module**



**3 Bolts Lock Body**

## FABs:

Features	Advantage & Benefit
 <b>ACCESS MODE:</b>	Lock can be opened by entering password (4 to 12 digits). This increases the complexity of the password thereby making it more secure. 4 unique passwords of your choice can be registered – for E.g 1) 1234* 2) 5678* 3) 1111* 4) 2222*
 <b>RFID CARD:</b>	Lock can also be opened by using a RFID card for ease of access. Upto 100 RFID cards can be registered thus giving benefit of multiple user access.
 <b>AUTOLOCKING:</b>	When the door is closed the 3 locking dead bolts automatically come out, thus eliminating the hassle of manually locking the door
 <b>ADJUSTABLE SPYCODE:</b>	Random numbers can be added before or after the password in presence of strangers, thereby maintaining secrecy. For E.g if the password is 1234 the lock can be opened by entering 1)5678 <b>1234</b> * 2) <b>1234</b> 5678*
 <b>LOW BATTERY INDICATION:</b>	In case of low battery, a beep sound will alert you will in advance thereby reminding the user to change the battery before complete drain out.
 <b>MULTI-TOUCH FUNCTION :</b>	An option which shows three random digits after you typed in your password, you have to press those random digits followed by * to open the lock. This will make the fingerprints on the screen unrecognizable.
 <b>BREAK-IN DAMAGE ALARM</b>	If password is entered wrongly for 5 times or if unauthorized RFID card is shown for 5 times the alarm goes on indicating unauthorized access. The Lock will freeze for 1 min.
 <b>PRIVACY FUNCTION</b>	If the safety button is switched on, the lock cannot be opened from outside either by RFID or Password it can be accessed via Mechanical Key only. This feature can be used at night to restrict entry.

 <p><b>FIRE SENSOR:</b></p>	<p>If the temperature inside the house rises above 65 (<math>\pm 5</math>c), the lock automatically gets unlocked avoiding the hassle during fire break out.</p>
 <p><b>MULTI-LEVEL VOLUME CONTROL</b></p>	<p>Adjustable volume control up to 7 levels including mute function for silent operation</p>
 <p><b>EMERGENCY BATTERY:</b></p>	<p>In case the battery is completely discharged an external 9V battery can be used to operate the lock.</p>
 <p><b>COMPATIBILITY:</b></p>	<p>The lock is compatible with Remote and Video door Phone for ease of operation.</p>
 <p><b>MECHANICAL KEY:</b></p>	<p>In case of an emergency the lock can be opened with a mechanical key</p>

### **Applications:**

1. Suitable for Wooden & Metal doors (Main doors / Interconnecting doors) in residential & commercial complexes.
2. Door thickness 40mm – 50mm
3. Backset – 70mm

## Targeting:

- Young aspiring people who want to lead a good lifestyle and set their own distinctive class. They are willing to go for branded products. They live in urban or sub urban locations and use internet for a wide range of purposes and are technology savvy.
- With a high disposable income, these customers are willing to spend for a high quality and aesthetically appealing product. People living in bungalows and premium flats.
- Hardware outlets : KRMs, Super KRMs, A class outlets



**Architects, Builders and Interior Decorators**



**Families who aspire for lifestyle products**



## Packaging:

## Packing Contents:



Front Cover Plate	1N
Back Cover Plate	1N
Lock Body	1N
Receptacle/Dust Box	1N
Screw Packet	2N
Smart Keys	2N
Mechanical Keys	2N
AA Alkaline batteries	4N
Instruction Slip	1N
User Manual	1N
Marker	1N

## STANDARD PACKING:

One Lock is packed in a 3 ply corrugated Box of size 360mm x 310mm x 70mm



Our Product comes from the land which is the worlds No 1 producer in Digital door locks, Mobile Phones, Appliances and all electronic devices – **KOREA**

## Product Quality Test:

- Endurance Test

Test	Standard	Criterion
Deadbolt Strength Test	Horizontal load - 1600N / Vertical load - 2,700N	Not broken, normal operating
External Case Strength Test	Dropping 540g, Radius 50.8mm & 1.5m heights sphere on sample products	Can be broken, but normal operating
Latch bolt Vertical Pressure Test	Vertical load - 1,670N	No damage, normal operating
Door Close Shock Test	20 times of door close shocks, which is possible in windy environment & see product functions well	Normal operating
Open-Close Test	120,000 times	Normal operating
Open-Close Test (Push-pull)	120,000 times	Normal operating
Strike Pressure Test	3,000 N	Not broken
Handle Strength Test	Vertical load - 2,700N / Tensile strength - 2,700N / Torsion strength - 1,960N	Normal operating
Adhesion to Door Test	2,700N	No damage
Thumb turn Test	120,000 times	Normal operating
Thumb turn Pressure Test	Less than 0.15N.m	
Mortise Operating Test	120,000 times / Panic handle 120,000 times	
Open-Close 10 Key Button Test	50,000 times (if the product has different ways other than pin code) / 100,000 (if only pin code)	
Open-Close RFID Card Key Test	60,000 times	
Open-Close Cell Key Test	60,000 times	
Open-Close Button Test	80,000 times	
Handle Operating Test	120,000 times (Both indoor and outdoor)	
Cover Operating Test	120,000 times	

- **Climatic Test**

Test	Standard	Criterion
Low Temperature Endurance Test	-40 degrees Celsius, 72 hrs	
High Temperature & Humidity Endurance Test	65 degrees Celsius, 95% of Humidity, 72 hrs	Normal operating in 5 mins
Low Temperature Operating Test	-30 °C/ 72 hrs	Normal operating
High Temperature & Humidity Operating Test	55 degrees Celsius, 95% of Humidity, 72 hrs	Normal operating
Temperature & Humidity Cycle Test	-30 °C/ 10 hr → 70 °C/ 95% of Humidity / 10 hrs (5 Cycles): 120hrs	Normal operating
Indoor - Outdoor Temperature Difference Test	Indoor: 30 degrees Celsius/ 60%↑ Outdoor: -30 °C / 12 hrs ~ 10 degrees Celsius/ 60%↑ / 12 hrs (4 Cycles) : 96 hrs	Normal operating
Temperature Change Test	-2 °C 60% 24 hrs -> 0 °C 60% 24 hrs -> 2 °C 60% 24 hrs (1 Cycle): 72 hrs	Normal operating
Salt Water Spray Test	5% Salty water in 35°C and 72 hrs [12hrs spray / 12hrs stay]	Not corroded
Ultraviolet Rays Test	UV 280 ~ 315nm Nanometer / 96hrs	Not discolored

- **Electric Test**

Test	Standard	Criterion
Current Change Test	6V ~ 4V(measuring quiescent current every -0.2V) / Current : 1A	Normal operating
Battery Removal Test	50 times/ 10 seconds after power connected	Normal operating
Electric Shock Test	30kV/ 10Hz/ 250 times	Door never opened
ESD Endurance Test	Contacted Discharge _ 8KV / Air Discharge _ 15KV	Normal operating

- **Fire Test**

Test	Standard	Criterion
Temperature Sensor Test	Contact 100 °C heat for 10 times	Door never opened
Door Open Test in case Fire Accident	270 °C/ See if the door opens within 10 mins	82°C ± 5°C Door should be opened
Fireproof Test	1000°C 1hrs	Fire should be out in 10 sec.




- **Disturbance Test**

Test	Standard	Criterion
Drop Test	6 Surfaces, 3 edges and 1 angle / 1m height	No damage
Vibration Test	6Hz ~ 200Hz/1.047Grms/60min	No damage

- **Additional Test**

Painted or Plated products Test	<p><b><u>Alcohol Robbing Test:</u></b> Die Casting: 250g pressure, 300 times Plastic: 250g pressure, 200 times (Frequently used area), 80 times (Less frequently used area)</p> <p><b><u>Adhesion Taping Test:</u></b> Taping tests on 11 sections sized of 1mm * 1mm</p> <p><b><u>Boiling Test:</u></b> Die Casting: 98°C, 1hr, 1/2 Immersion, 2hrs natural drying Plastic: 65°C, 1hr, 1/2 Immersion, 2hrs natural drying</p>	Alcohol Rubbing Test: raw material never be exposed. Adhesion Taping Test: No peeling Boiling Test: Pass the Adhesion Taping Test.
	Hardness test by pencil	45°C 500g rpm10

# Line Diagrams (Advantis):



## Comparison with the competitor:



	Yale YDM 3109	Godrej Advantis
Password	2 Unique passwords (6-12 digits)	4 Unique passwords (4-12 digits)
RFID Card	4 (Max 40 cards can be registered)	2 (Max 100 cards can be registered)
Backset	60 mm	70 mm
Mechanical Key	2	2
Front body	27(D) × 68.6(W) × 306.6(H) mm	25(D) × 80(W) × 300(H) mm
Back body	37(D) × 72.8(W) × 306.6(H) mm	25(D) × 80(W) × 306(H) mm
Dead Bolts	1	3
Remote Control	Optional	Optional
VDP connectivity	Yes	Yes
Low battery indication	Yes	Yes
Dead bolt error alarm	Yes	Yes
Break in damage alarm	Yes	Yes
Power supply	4×AA Alkaline battery	4×AA Alkaline battery Option of 4 backup batteries
Emergency Power	9V battery	9V battery
Fire Sensor	No	Yes
Installation	Rs 1000	Free

**SKUs list:**

Item Description	UNSPSC Code	Product Code	MRP	Std. Pkg.
Advantis	46171599SD00069	5259	38000	1
Remote Control	46171599SD00070	5105	4500	1
VDP Module	46171599SD00071	5106	5000	1
Connecting PCB for Remote & VDP	46171599SD00073	5138	4500	1

# ADVANTIS RIMTRONIC

Department: Locks Marketing

Date: 24<sup>th</sup> Dec 2018

- Crafted by Godrej Locking Solutions & Systems, Advantis is a high tech lock that sits neatly between science and science fiction. As its name suggests, this is a **highly advanced lock**, packed with almost space-age functions that are simple to use. Simply put Advantis brings the future of home safety on to your door.







**Lock Accessories & Parts:**



**Remote**














**VDP Module**



**Connecting PCB for Remote and  
VDP**

## FABs:

Features	Advantage & Benefit
	360° fingerprint access – Register up to 100 fingerprints
 <p><b>ACCESS MODE:</b></p>	<p>Lock can be opened by entering password (4 to 12 digits). This increases the complexity of the password thereby making it more secure.</p> <p>6 unique passwords of your choice can be registered – (1 – Master password, 4 - user password , 1 – OTP)</p>
 <p><b>AUTOLOCKING:</b></p>	When the door is closed the dead bolt automatically come out, thus eliminating the hassle of manually locking the door
 <p><b>ADJUSTABLE SPYCODE:</b></p>	<p>Random numbers can be added before or after the password in presence of strangers, thereby maintaining secrecy.</p> <p>For E.g if the password is 1234 the lock can be opened by entering</p> <p>1)5678<b>1234</b>*</p> <p>2)<b>1234</b>5678*</p>
 <p><b>LOW BATTERY INDICATION:</b></p>	In case of low battery, a beep sound will alert you will in advance thereby reminding the user to change the battery before complete drain out.
 <p><b>BREAK-IN DAMAGE ALARM</b></p>	If password is entered wrongly for 5 times or if unauthorized RFID card is shown for 5 times the alarm goes on indicating unauthorized access. The Lock will freeze for 1 min.
 <p><b>PRIVACY FUNCTION</b></p>	If the safety button is switched on, the lock cannot be opened from outside either by RFID or Password. This feature can be used at night to restrict entry.
 <p><b>FIRE SENSOR:</b></p>	If the temperature inside the house rises above 65 ( $\pm 5^{\circ}\text{C}$ ), the lock automatically gets unlocked avoiding the hassle during fire break out.
 <p><b>MULTI-LEVEL VOLUME CONTROL</b></p>	Adjustable volume control up to 7 levels including mute function for silent operation

 <b>EMERGENCY BATTERY:</b>	In case the battery is completely discharged an external 9V battery can be used to operate the lock.
 <b>COMPATIBILITY:</b>	The lock is compatible with Remote and Video door Phone for ease of operation.

## **Applications:**

1. Suitable for Wooden & Metal doors (Main doors / Interconnecting doors) in residential & commercial complexes.
2. Door thickness 40mm – 65mm

## **Targeting:**

- Young aspiring people who want to lead a good lifestyle and set their own distinctive class. They are willing to go for branded products. They live in urban or

sub urban locations and use internet for a wide range of purposes and are technology savvy.

- With a high disposable income, these customers are willing to spend for a high quality and aesthetically appealing product. People living in bungalows and premium flats.
- Hardware outlets : KRM, Super KRM, A class outlets



**Architects, Builders and Interior Decorators**



**Families who aspire for lifestyle products**

## **Packing Contents:**

Front Panel	1N
-------------	----

Back Panel	1N
Receptacle	1N
Screw Packet	1N
AA Alkaline batteries	4N
Instruction Slip	1N
User Manual	1N
Marker	1N



Our Product comes from the land which is the worlds No 1 producer in Digital door locks, Mobile Phones, Appliances and all electronic devices – **KOREA**

### **Product Quality Test:**

- **Endurance Test**

Test	Standard	Criterion
Deadbolt Strength Test	Horizontal load - 1600N / Vertical load - 2,700N	Not broken, normal operating
External Case Strength Test	Dropping 540g, Radius 50.8mm & 1.5m heights sphere on sample products	Can be broken, but normal operating
Latch bolt Vertical Pressure Test	Vertical load - 1,670N	No damage, normal operating
Door Close Shock Test	20 times of door close shocks, which is possible in windy environment & see product functions well	Normal operating
Open-Close Test	120,000 times	Normal operating
Open-Close Test (Push-pull)	120,000 times	Normal operating
Strike Pressure Test	3,000 N	Not broken
Handle Strength Test	Vertical load - 2,700N / Tensile strength - 2,700N / Torsion strength - 1,960N	Normal operating
Adhesion to Door Test	2,700N	No damage
Thumb turn Test	120,000 times	Normal operating
Thumb turn Pressure Test	Less than 0.15N.m	
Mortise Operating Test	120,000 times / Panic handle 120,000 times	
Open-Close 10 Key Button Test	50,000 times (if the product has different ways other than pin code) / 100,000 (if only pin code)	
Open-Close RFID Card Key Test	60,000 times	
Open-Close Cell Key Test	60,000 times	
Open-Close Button Test	80,000 times	
Handle Operating Test	120,000 times (Both indoor and outdoor)	
Cover Operating Test	120,000 times	

- **Climatic Test**

Test	Standard	Criterion
------	----------	-----------

<b>Low Temperature Endurance Test</b>	-40 degrees Celsius, 72 hrs	
<b>High Temperature &amp; Humidity Endurance Test</b>	65 degrees Celsius, 95% of Humidity, 72 hrs	Normal operating in 5 mins
<b>Low Temperature Operating Test</b>	-30 °C/ 72 hrs	Normal operating
<b>High Temperature &amp; Humidity Operating Test</b>	55 degrees Celsius, 95% of Humidity, 72 hrs	Normal operating
<b>Temperature &amp; Humidity Cycle Test</b>	-30 °C/ 10 hr → 70 °C/ 95% of Humidity / 10 hrs (5 Cycles): 120hrs	Normal operating
<b>Indoor - Outdoor Temperature Difference Test</b>	Indoor: 30 degrees Celsius/ 60%↑ Outdoor: -30 °C / 12 hrs ~ 10 degrees Celsius/ 60%↑ / 12 hrs (4 Cycles) : 96 hrs	Normal operating
<b>Temperature Change Test</b>	-2 °C 60% 24 hrs -> 0 °C 60% 24 hrs -> 2 °C 60% 24 hrs (1 Cycle): 72 hrs	Normal operating
<b>Salt Water Spray Test</b>	5% Salty water in 35°C and 72 hrs [12hrs spray / 12hrs stay]	Not corroded
<b>Ultraviolet Rays Test</b>	UV 280 ~ 315nm Nanometer / 96hrs	Not discolored

- **Electric Test**

<b>Test</b>	<b>Standard</b>	<b>Criterion</b>
<b>Current Change Test</b>	6V ~ 4V(measuring quiescent current every -0.2V) / Current : 1A	Normal operating
<b>Battery Removal Test</b>	50 times/ 10 seconds after power connected	Normal operating
<b>Electric Shock Test</b>	30kV/ 10Hz/ 250 times	Door never opened
<b>ESD Endurance Test</b>	Contacted Discharge _ 8KV / Air Discharge _ 15KV	Normal operating

- **Fire Test**

Test	Standard	Criterion
Temperature Sensor Test	Contact 100 °C heat for 10 times	Door never opened
Door Open Test in case Fire Accident	270 °C/ See if the door opens within 10 mins	82°C ± 5°C Door should be opened
Fireproof Test	1000°C 1hrs	Fire should be out in 10 sec.

- **Disturbance Test**

Test	Standard	Criterion
Drop Test	6 Surfaces, 3 edges and 1 angle / 1m height	No damage
Vibration Test	6Hz ~ 200Hz/1.047Grms/60min	No damage

- **Additional Test**

Painted or Plated products Test	<p><b><u>Alcohol Robbing Test:</u></b> Die Casting: 250g pressure, 300 times Plastic: 250g pressure, 200 times (Frequently used area), 80 times (Less frequently used area)</p> <p><b><u>Adhesion Taping Test:</u></b> Taping tests on 11 sections sized of 1mm * 1mm</p> <p><b><u>Boiling Test:</u></b> Die Casting: 98°C, 1hr, 1/2 Immersion, 2hrs natural drying Plastic: 65°C, 1hr, 1/2 Immersion, 2hrs natural drying</p>	Alcohol Rubbing Test: raw material never be exposed. Adhesion Taping Test: No peeling Boiling Test: Pass the Adhesion Taping Test.
	Hardness test by pencil	

**Comparison with**

**the competitor:**





	Yale YDR 4110	Godrej Advantis Rimtronic
Fingerprint	Register up to 20 fingerprint	360° fingerprint access – register upto 100 fingerprint
Password	2 Unique passwords (6-12 digits)	6 Unique passwords (4-12 digits)
Dead Bolts	1	1
Remote Control	Optional	Optional
VDP connectivity	Yes	Yes
Low battery indication	Yes	Yes
Dead bolt error alarm	Yes	Yes
Break in damage alarm	Yes	Yes
Power supply	4×AA Alkaline battery	4×AA Alkaline battery
Emergency Power	9V battery	9V battery
Fire Sensor	Yes	Yes
MRP	Rs 25999	Rs 25000
Installation	Rs 800	Free

**SKUs list:**

Item Description	UNSPSC Code	Product Code	MRP	Std. Pkg.
------------------	-------------	--------------	-----	-----------

Advantis Rimtronic	46171599SD00092	4101	25000	1
Remote Control	46171599SD00070	5105	4500	1
VDP Module	46171599SD00071	5106	5000	1
Connecting PCB for Rimtronic	46171599SD00094	4122	4500	1

Please revert for clarifications, if any.

With regards,

**(Vidhyesh Hegishte)**

**(Sushant Shinde)**

**CC: Shyam Motwani, M. Anand, Anurag Nema, S.M. Baria, Vijay Desai, Ujjwal Shah**

# ADVANTIS DIGITAL CABINET LOCK








Department: Locks Marketing

Date: 01<sup>th</sup> Oct 2019

- Crafted by Godrej Locks and Architectural Fitting & Systems, Advantis is a high tech lock that sits neatly between science and science fiction. Providing completely keyless security lock solution to your ***Cabinets and Cupboards***.



## FABs:

Features	Advantage & Benefit
 ACCESS MODE	a) 4-9 digit password for enhanced password strength b) Registers up to 14 unique passwords.
 AUTO MANUAL	<b>Auto and Manual Locking mechanism:</b> The bolt can be engaged through either automatic setting or by type in your password.
 LOW BATTERY INDICATION	In case of low battery, a beep sound will alert you in advance thereby reminding the user to change the battery before it gets completely drained out.
 BREAK IN DAMAGE ALARM	An alarm goes off if there is an attempt of tampering with the latch bolt.
 OTP PASSWORD	One time access can be provided to guests in your absence, without revealing your usual password.
 EMERGENCY BATTERY	In case the batteries run out completely, a 9V external power battery-case can be used to open the lock using the emergency power cable (cable available as spares).
 SECURE MODE	An alarm goes off in case the password is entered incorrectly 3 times in a row to alert the owner from unauthorized access.

## Applications:

1. Suitable for hinged wooden cabinets and cupboards.
2. Suitable thickness 12-22mm.

## Targeting:

- Young aspiring people who want to lead a good lifestyle and set their own distinctive class. They are willing to go for branded products. They live in urban or sub urban locations and use internet for a wide range of purposes and are technology savvy.
- With a high disposable income, these customers are willing to spend for a high quality and aesthetically appealing product. People living in bungalows, premium flats and mid range flats.
- Hardware outlets : KRM's, Super KRM's, A class outlets



**Architects, Builders and Interior Decorators**



**Families who aspire for lifestyle products**

## **Packing Contents:**

Outer body	1N
Inner Body	1N
Striker plate	1N
Screw Packet	1N
User Manual	1N
Installation Slip + Marker	1N
Service Card	1N
Warranty Card	1N

## **FAQs:**

**1. Are batteries included in the packaging?**

No. Batteries are to be bought separately. Only AA alkaline batteries are recommended.

**2. What to do in case the battery completely drains off?**

Emergency power supply can be provided to the unlock using an emergency power cable (available as spare) with a 9V battery.

**3. What to do when alarm doesn't stop beeping?**

Please put in your master password, followed by “#” to stop the alarm.

**4. Where can I find the emergency power supply cable?**

Emergency cable can be bought separately from the service team.

**5. Can the lock be fitted to sliding cupboard door?**

No. The lock is to be used only with Hinged cupboard doors/cabinets.

**6. What is the installation fee and warranty period for the lock?**

The installation is free with the lock and the warranty is 1 year from the date of purchase.

**Comparison with the competitor:**



	Yale ML8- APV	Godrej Advantis Cabinet Lock
Password	(4-6 digits) 6 unique password	(4-9 digits) 14 unique passwords
OTP Password	NA	Yes
Remote Control	NA	NA
VDP connectivity	NA	NA
Low battery indication	Yes	Yes
Dead bolt error alarm	Yes	Yes
Break in damage alarm	No	Yes
Power supply	4 AA batteries	4×AA Alkaline battery
Emergency Power	9V battery (Additional power supply adapter required)	9V battery (Additional power supply cable required)
MRP	Rs. 8150/-	Rs 7000/-
Installation	Free	Free

**SKUs list:**

Item Description	UNSPSC Code	Product Code	MRP	Std. Pkg.
Advantis Digital Cabinet Lock	46171599SD00106	2999	7000	5

Please revert for clarifications, if any.

With regards,

**(Sahil Arora)**

**(Sushant Shinde)**

**CC: Shyam Motwani, M. Anand, Vidhyesh Hegishte, Anurag Nema, S.M. Baria, Vijay Desai, Ujjwal Shah**



# ADVANTIS CRYSTAL

Department: Locks Marketing

Date: 8<sup>th</sup> June 2018

- Crafted by Godrej Locking Solutions & Systems, Advantis Crystal is a high tech lock that sits neatly between science and science fiction. As its name suggests, this is a **highly advanced lock**, packed with almost space-age functions that are simple to use.



**Front & Back View:**



**Front**



**Back**


**Lock Accessories & Parts:**



**RFID Tag**



**Remote**














**VDP Module**



**Strike Box**

## FABs:

Features	Advantage & Benefit
 <p><b>ACCESS MODE:</b></p>	<p>Lock can be opened by entering password (4 to 12 digits). This increases the complexity of the password thereby making it more secure.</p> <p>4 unique passwords of your choice can be registered –            for E.g 1) 1234*                      2) 5678*                      3) 1111*                      4) 2222*</p>
 <p><b>RFID CARD:</b></p>	<p>Lock can also be opened by using a RFID card for ease of access. Upto 100 RFID cards can be registered thus giving benefit of multiple user access.</p>
 <p><b>AUTOLOCKING:</b></p>	<p>When the door is closed the 2 locking dead bolts automatically come out, thus eliminating the hassle of manually locking the door</p>
 <p><b>ADJUSTABLE SPYCODE:</b></p>	<p>Random numbers can be added before or after the password in presence of strangers, thereby maintaining secrecy.</p> <p>For E.g if the password is 1234 the lock can be opened by entering            1)5678<b>1234</b>*            2)<b>1234</b>5678*</p>
 <p><b>LOW BATTERY INDICATION:</b></p>	<p>In case of low battery, a beep sound will alert you will in advance thereby reminding the user to change the battery before complete drain out.</p>
 <p><b>BREAK-IN DAMAGE ALARM</b></p>	<p>If password is entered wrongly for 5 times or if unauthorized RFID card is shown for 5 times the alarm goes on indicating unauthorized access. The Lock will freeze for 1 min.</p>
 <p><b>PRIVACY FUNCTION</b></p>	<p>If the safety button is switched on, the lock cannot be opened from outside either by RFID or Password it can be accessed via Mechanical Key only. This feature can be used at night to restrict entry.</p>
 <p><b>FIRE SENSOR:</b></p>	<p>If the temperature inside the house rises above 65 (±5c), the lock automatically gets unlocked avoiding the hassle during fire break out.</p>

 <p><b>MULTI-LEVEL VOLUME CONTROL</b></p>	<p>Adjustable volume control up to 7 levels including mute function for silent operation</p>
 <p><b>EMERGENCY BATTERY:</b></p>	<p>In case the battery is completely discharged an external 9V battery can be used to operate the lock.</p>
 <p><b>COMPATIBILITY:</b></p>	<p>The lock is compatible with Remote and Video door Phone for ease of operation.</p>

### **Applications:**

1. Suitable for Glass Door Lock in residential & commercial complexes.
2. Door thickness 12mm

## Targeting:

- Young aspiring people who want to lead a good lifestyle and set their own distinctive class. They are willing to go for branded products. They live in urban or sub urban locations and use internet for a wide range of purposes and are technology savvy.
- With a high disposable income, these customers are willing to spend for a high quality and aesthetically appealing product. People living in bungalows and premium flats.
- Hardware outlets : KRM's, Super KRM's, A class outlets



**Architects, Builders and Interior Decorators**



**Families who aspire for lifestyle products**

## Packaging:



## Packing Contents:

Glass Door Lock	1N
Smart Keys	2N
Screw packet	1N
Magnet	1N
AA Alkaline batteries	4N
Instruction Slip	1N
User Manual	1N
Marker	1N



Our Product comes from the land which is the worlds No 1 producer in Digital door locks, Mobile Phones, Appliances and all electronic devices – **KOREA**

## Product Quality Test:

- Endurance Test

Test	Standard	Criterion
Deadbolt Strength Test	Horizontal load - 1600N / Vertical load - 2,700N	Not broken, normal operating
External Case Strength Test	Dropping 540g, Radius 50.8mm & 1.5m heights sphere on sample products	Can be broken, but normal operating
Latch bolt Vertical Pressure Test	Vertical load - 1,670N	No damage, normal operating
Door Close Shock Test	20 times of door close shocks, which is possible in windy environment & see product functions well	Normal operating
Open-Close Test	120,000 times	Normal operating
Open-Close Test (Push-pull)	120,000 times	Normal operating
Strike Pressure Test	3,000 N	Not broken
Handle Strength Test	Vertical load - 2,700N / Tensile strength - 2,700N / Torsion strength - 1,960N	Normal operating
Adhesion to Door Test	2,700N	No damage
Thumb turn Test	120,000 times	Normal operating
Thumb turn Pressure Test	Less than 0.15N.m	
Mortise Operating Test	120,000 times / Panic handle 120,000 times	
Open-Close 10 Key Button Test	50,000 times (if the product has different ways other than pin code) / 100,000 (if only pin code)	
Open-Close RFID Card Key Test	60,000 times	
Open-Close Cell Key Test	60,000 times	
Open-Close Button Test	80,000 times	
Handle Operating Test	120,000 times (Both indoor and outdoor)	
Cover Operating Test	120,000 times	



- **Climatic Test**

Test	Standard	Criterion
Low Temperature Endurance Test	-40 degrees Celsius, 72 hrs	
High Temperature & Humidity Endurance Test	65 degrees Celsius, 95% of Humidity, 72 hrs	Normal operating in 5 mins
Low Temperature Operating Test	-30 °C/ 72 hrs	Normal operating
High Temperature & Humidity Operating Test	55 degrees Celsius, 95% of Humidity, 72 hrs	Normal operating
Temperature & Humidity Cycle Test	-30 °C/ 10 hr → 70 °C/ 95% of Humidity / 10 hrs (5 Cycles): 120hrs	Normal operating
Indoor - Outdoor Temperature Difference Test	Indoor: 30 degrees Celsius/ 60%↑ Outdoor: -30 °C / 12 hrs ~ 10 degrees Celsius/ 60%↑ / 12 hrs (4 Cycles) : 96 hrs	Normal operating
Temperature Change Test	-2 °C 60% 24 hrs -> 0 °C 60% 24 hrs -> 2 °C 60% 24 hrs (1 Cycle): 72 hrs	Normal operating
Salt Water Spray Test	5% Salty water in 35°C and 72 hrs [12hrs spray / 12hrs stay]	Not corroded
Ultraviolet Rays Test	UV 280 ~ 315nm Nanometer / 96hrs	Not discolored

- **Electric Test**

Test	Standard	Criterion
Current Change Test	6V ~ 4V(measuring quiescent current every -0.2V) / Current : 1A	Normal operating
Battery Removal Test	50 times/ 10 seconds after power connected	Normal operating
Electric Shock Test	30kV/ 10Hz/ 250 times	Door never opened
ESD Endurance Test	Contacted Discharge _ 8KV / Air Discharge _ 15KV	Normal operating

- **Fire Test**

Test	Standard	Criterion
Temperature Sensor Test	Contact 100 °C heat for 10 times	Door never opened
Door Open Test in case Fire Accident	270 °C/ See if the door opens within 10 mins	82°C ± 5°C Door should be opened
Fireproof Test	1000°C 1hrs	Fire should be out in 10 sec.

- **Disturbance Test**

Test	Standard	Criterion
Drop Test	6 Surfaces, 3 edges and 1 angle / 1m height	No damage
Vibration Test	6Hz ~ 200Hz/1.047Grms/60min	No damage

- **Additional Test**

Painted or Plated products Test	<p><b><u>Alcohol Robbing Test:</u></b> Die Casting: 250g pressure, 300 times Plastic: 250g pressure, 200 times (Frequently used area), 80 times (Less frequently used area)</p> <p><b><u>Adhesion Taping Test:</u></b> Taping tests on 11 sections sized of 1mm * 1mm</p> <p><b><u>Boiling Test:</u></b> Die Casting: 98°C, 1hr, 1/2 Immersion, 2hrs natural drying Plastic: 65°C, 1hr, 1/2 Immersion, 2hrs natural drying</p>	Alcohol Rubbing Test: raw material never be exposed. Adhesion Taping Test: No peeling Boiling Test: Pass the Adhesion Taping Test.
	Hardness test by pencil	45°C 500g rpm10

## Comparison with the competitor:



	Yale YDG 313	Godrej Advantis Crystal
Password	2 Unique passwords (6-12 digits)	4 Unique passwords (4-12 digits)
RFID Card	4 (Max 40 cards can be registered)	2 (Max 100 cards can be registered)
One Time Mute	No	Yes
Volume Control	3 levels including mute	Up to 7 levels including mute
Dead Bolts	2	2
Remote Control	Optional	Optional
VDP connectivity	Yes	Yes
Low battery indication	Yes	Yes
Dead bolt error alarm	Yes	Yes
Break in damage alarm	Yes	Yes
Power supply	4×AA Alkaline battery	4×AA Alkaline battery
Emergency Power	9V battery	9V battery
Fire Sensor	No	Yes
Installation	Rs 500 – 800	Free

**SKUs list:**

Item Description	UNSPSC Code	Product Code	MRP	Std. Pkg.	Discount on MRP
Advantis Crystal	46171599SD00084	5000	25000	1	38%
Strike Box	46171599SD00085	4998	4000	1	38%
VDP Module	46171599SD00071	5106	5000	1	56%
Connecting PCB for Remote & VDP(Glass Door lock)	46171599SD00086	4986	4500	1	56%
Remote Control	46171599SD00070	5105	4500	1	56%

Please revert for clarifications, if any.

With regards,

**(Akash Bhatt)**

**(Sushant Shine)**

**CC: Shyam Motwani, M. Anand, Anurag Nema, S.M. Baria, Vijay Desai, Ujjwal Shah**

# NEW PRODUCT LAUNCH

---

## ADVANTIS RIMTRONIC VERTI

NEW  
ADVANTIS  
RIMTRONIC VERTI



# RIMTRONIC VERTI | FEATURES



## RFID CARD:

Once Registered, the lock card operate using 100 RFID cards.



## Pin Code

The lock can be opened by entering the 4 to 12 digit passcode; this complex passcode makes it more secure.



## Fire Sensor

If the temperature inside the house rises above 65 ( $\pm 5$ c), the lock automatically gets unlocked avoiding the hassle during fire break out.



## Multi-level Volume Control

The adjustable volume control has 7 levels, including a mute function for silent operation.



## Adjustable Spycode

In the presence of strangers, random numbers can be added before or after the passcode, thereby maintaining secrecy.



## Low Battery Indication

In case of low battery, a beep sound will alert you in advance, reminding you to change the battery.



## Autolocking

When the door is shut, the locking dead bolt automatically comes out, thus eliminating manual locking hassle



## Break-In Alarm

An alarm goes off if the passcode is entered incorrectly 5 times in a row.



## Privacy Function

If the privacy button is on, the lock can't be opened from outside by RFID or passcode.



## Emergency Battery

In case the battery is completely discharged an external 9V battery can be used to operate the lock.

## RIMTRONIC VERTI | APPLICATIONS

- Suitable for Wooden doors (Main doors / Interconnecting doors) in residential & commercial complexes.
- Suitable for Double/Single doors, Sliding doors
- Suitable for Left/right opening or Inside/Outside opening doors.
- Door thickness 35mm – 65mm





# RIMTRONIC VERTI | COMPETITOR BENCHMARKING



	Yale G-SLIDE	Godrej Advantis Rimtronic Verti
RFID Cards	Upto 40 users	Upto 100 users
Password	30 user passwords	6 Unique passwords (4-12 digits)
One Time/Guest password	Yes	Yes
Auto Locking	Yes	Yes
Remote Control	Optional	No
VDP connectivity	Optional	No
Door Thickness	35 mm - 55 mm	35mm - 65 mm
Low battery indication	Yes	Yes
Dead bolt error alarm	Yes	Yes
Break in/damage alarm	Yes	Yes
Power supply	4×AA Alkaline battery	4×AA Alkaline battery
Emergency Power	9V battery	9V battery
Fire Sensor	Yes	Yes
MRP	Rs. 17999	Rs. 13500
Installation	Free	Free



# RIMTRONIC VERTI | PACKAGING CONTENTS

PARTICULARS	QUANTITY
Front Panel	1N
Back Panel	1N
Receptacle	1N
Screw Packet	1N
AA Alkaline batteries	4N
Instruction Slip	1N
User Manual	1N
Marker	1N
RFID Card	2N

One Lock is packed in a 3 ply corrugated Box

RIMTRONIC VERTI | PRODUCT PRICING

Item Description	UNSPSC Code	Product Code	MRP	Std. Pkg.
Advantis Rimtronic Verti	46171599SD00117	2997	13500	1

Gadmei






# AMANDO

Fall in Love with it, daily.

By *gdmj*



An international range  
of premium door handles  
for every home.

*In Italian, there's a word for  
'something you fall in love with'.*

## Amando.

The perfect name for a new range of premium mortise handles.

Exquisitely crafted and meticulously engineered, Amando brings a heightened aesthetic experience to your doors.

Very contemporary and a design breed by itself, Amando is a treat you give your senses, daily.

## THE AUTUMN WINTER COLLECTION

03 - 09

## THE SPRING SUMMER COLLECTION

10 - 18

## ALL-TIME FAVOURITES

19 - 24

## THE ARCHITECTS' CHOICE

25 - 35

## GRANDEUR SERIES

36 - 39



## EXQUISITE COLLECTION

40 - 42



# The Autumn Winter Collection

Created in tune with the most contemporary aesthetics, the Autumn Winter Collection brings forth a new season of immaculately crafted door handles. Innovative and made of the highest quality, the Collection is a fresh point of view on the dynamics of door handle design.



**MADE FROM BRASS**



AERO | Satin Steel | 2827

Std Pack : 2

MRP : 6600.00 INR

UNSPSC Code : 46171598SD01568



AERO | Antique Brass | 2828

Std Pack : 2

MRP : 6700.00 INR

UNSPSC Code : 46171598SD01569



AERO | Sunset Rose Gold | 2829

Std Pack : 2

MRP : 6800.00 INR

UNSPSC Code : 46171598SD01570

**AERO**

**MADE FROM BRASS**



QUELL | Satin Steel | 2830

Std Pack : 2

MRP : 6600.00 INR

UNSPSC Code : 46171598SD01571



QUELL | Antique Brass | 2831

Std Pack : 2

MRP : 6700.00 INR

UNSPSC Code : 46171598SD01572



QUELL | Sunset Rose Gold | 2832

Std Pack : 2

MRP : 6850.00 INR

UNSPSC Code : 46171598SD01573

**QUELL**

**MADE FROM BRASS**




OBLIQUE | Satin Steel | 2833

Std Pack : 2

MRP : 6600.00 INR

UNSPSC Code : 46171598SD01574




OBLIQUE | Antique Brass | 2834

Std Pack : 2

MRP : 6700.00 INR

UNSPSC Code : 46171598SD01575



OBLIQUE | Sunset Rose Gold | 2835

Std Pack : 2

MRP : 6850.00 INR

UNSPSC Code : 46171598SD01576

**OBLIQUE**



LUNA | Satin Steel | 2836

Std Pack : 2

MRP : 3710.00 INR

UNSPSC Code : 46171598SD01577



LUNA | Antique Brass | 2837

Std Pack : 2

MRP : 3810.00 INR

UNSPSC Code : 46171598SD01578



LUNA | Sunset Rose Gold | 2838

Std Pack : 2

MRP : 3960.00 INR

UNSPSC Code : 46171598SD01579



LUNA | MBN | 2839

Std Pack : 2

MRP : 3960.00 INR

UNSPSC Code : 46171598SD01580

# LUNA




DRIFT | Satin Steel | 2840

Std Pack : 2

MRP : 3710.00 INR

UNSPSC Code : 46171598SD01581




DRIFT | Antique Brass | 2841

Std Pack : 2

MRP : 3810.00 INR

UNSPSC Code : 46171598SD01582




DRIFT | Sunset Rose Gold | 2842

Std Pack : 2

MRP : 3960.00 INR

UNSPSC Code : 46171598SD01583



DRIFT | MBN | 2843

Std Pack : 2

MRP : 3960.00 INR

UNSPSC Code : 46171598SD01584

# DRIFT




SURF | Satin Steel | 2844  
Std Pack : 2  
MRP : 3710.00 INR  
UNSPSC Code : 46171598SD01585



SURF | Antique Brass | 2845  
Std Pack : 2  
MRP : 3810.00 INR  
UNSPSC Code : 46171598SD01586



SURF | Sunset Rose Gold | 2846  
Std Pack : 2  
MRP : 3960.00 INR  
UNSPSC Code : 46171598SD01587




SURF | MBN | 2847  
Std Pack : 2  
MRP : 3960.00 INR  
UNSPSC Code : 46171598SD01588

# SURF

# The Spring Summer Collection

Spring is the season of new beginnings. The Spring Summer Collection sports fresh new perspectives on handle design. Inspired by an Italian aesthetic, this collection brings new expressions to the summer and beyond.








ORSO | Satin Steel | 4085

Std Pack : 2

MRP : 4050.00 INR

UNSPSC Code : 46171598SD01440




ORSO | Antique Brass | 4086

Std Pack : 2

MRP : 4150.00 INR

UNSPSC Code : 46171598SD01441



ORSO | Sunset Rose Gold | 4087

Std Pack : 2

MRP : 4300.00 INR

UNSPSC Code : 46171598SD01442



ORSO | Rose Handle MBN | 3073

Std Pack : 2

MRP : 4300.00 INR

UNSPSC Code : 46171598SD01544

# ORSO




ROCCO | Satin Steel | 4088

Std Pack : 2

MRP : 3820.00 INR

UNSPSC Code : 46171598SD01443




ROCCO | Antique Brass | 4089

Std Pack : 2

MRP : 3920.00 INR

UNSPSC Code : 46171598SD01444



ROCCO | Sunset Rose Gold | 4090

Std Pack : 2

MRP : 4070.00 INR

UNSPSC Code : 46171598SD01445



ROCCO | Rose Handle MBN | 3074

Std Pack : 2

MRP : 4070.00 INR

UNSPSC Code : 46171598SD01545

# ROCCO



ELIGIO | Satin Steel | 4096

Std Pack : 2

MRP : 3820.00 INR

UNSPSC Code : 46171598SD01449



ELIGIO | Antique Brass | 4097

Std Pack : 2

MRP : 3920.00 INR

UNSPSC Code : 46171598SD01450



ELIGIO | Sunset Rose Gold | 4098

Std Pack : 2

MRP : 4070.00 INR

UNSPSC Code : 46171598SD01451



ELIGIO | Rose Handle MBN | 3076

Std Pack : 2

MRP : 4070.00 INR

UNSPSC Code : 46171598SD01547

# ELIGIO



REMO | Satin Steel | 3903

Std Pack : 2

MRP : 3820.00 INR

UNSPSC Code : 46171598SD01452



REMO | Antique Brass | 3904

Std Pack : 2

MRP : 3920.00 INR

UNSPSC Code : 46171598SD01453



REMO | Sunset Rose Gold | 3905

Std Pack : 2

MRP : 4070.00 INR

UNSPSC Code : 46171598SD01454



REMO | Rose Handle MBN | 3077

Std Pack : 2

MRP : 4070.00 INR

UNSPSC Code : 46171598SD01548

# REMO




CAMEO | Satin Steel | 4093

Std Pack : 2

MRP : 4050.00 INR

UNSPSC Code : 46171598SD01446




CAMEO | Antique Brass | 4094

Std Pack : 2

MRP : 4150.00 INR

UNSPSC Code : 46171598SD01447



CAMEO | Sunset Rose Gold | 4095

Std Pack : 2

MRP : 4300.00 INR

UNSPSC Code : 46171598SD01448



CAMEO | Rose Handle MBN | 3075

Std Pack : 2

MRP : 4300.00 INR

UNSPSC Code : 46171598SD01546

# CAMEO



CAMEO | Satin Steel | 3910  
Std Pack : 2  
MRP : 4250.00 INR  
UNSPSC Code : 46171598SD01458



CAMEO | Sunset Rose Gold | 3913  
Std Pack : 2  
MRP : 4500.00 INR  
UNSPSC Code : 46171598SD01460



CAMEO | Antique Brass | 3912  
Std Pack : 2  
MRP : 4350.00 INR  
UNSPSC Code : 46171598SD01459


CAMEO



UGO | Satin Steel | 3906  
Std Pack : 2  
MRP : 4050.00 INR  
UNSPSC Code : 46171598SD01455



UGO | Antique Brass | 3907  
Std Pack : 2  
MRP : 4150.00 INR  
UNSPSC Code : 46171598SD01456



UGO | Sunset Rose Gold | 3908  
Std Pack : 2  
MRP : 4300.00 INR  
UNSPSC Code : 46171598SD01457



UGO | Rose Handle MBN | 3070  
Std Pack : 2  
MRP : 4300.00 INR  
UNSPSC Code : 46171598SD01561

UGO



UGO | Satin Steel | 3914  
Std Pack : 2  
MRP : 4250.00 INR  
UNSPSC Code : 46171598SD01461



UGO | Sunset Rose Gold | 3916  
Std Pack : 2  
MRP : 4500.00 INR  
UNSPSC Code : 46171598SD01463



UGO | Antique Brass | 3915  
Std Pack : 2  
MRP : 4350.00 INR  
UNSPSC Code : 46171598SD01462

UGO



# All-time Favourites

This is a collection devoted to the evergreen design hits. Here are mortise handle designs that have stood the test of time and are classics that resonate as strongly today as ever.





ALPINE | Satin Steel | 7720

Std Pack : 2

MRP : 3060.00 INR

UNSPSC Code : 46171598SD00322



ALPINE | Chrome | 7719

Std Pack : 2

MRP : 3060.00 INR

UNSPSC Code : 46171598SD00321




ALPINE | Antique Brass | 7721

Std Pack : 2

MRP : 3160.00 INR

UNSPSC Code : 46171598SD00323

# ALPINE



CASCADE | Satin Steel | 7723

Std Pack : 2

MRP : 3000.00 INR

UNSPSC Code : 46171598SD00327




CASCADE | Chrome | 7722

Std Pack : 2

MRP : 3000.00 INR

UNSPSC Code : 46171598SD00329



CASCADE | Antique Brass | 7724

Std Pack : 2

MRP : 3100.00 INR

UNSPSC Code : 46171598SD00328

# CASCADE



ECSTACY | Satin Steel | 7587

Std Pack : 2

MRP : 3570.00 INR

UNSPSC Code : 46171598SD00537



ECSTACY | Antique Brass | 7588

Std Pack : 2

MRP : 3670.00 INR

UNSPSC Code : 46171598SD00538



ECSTACY | Sunset Rose Gold | 3086

Std Pack : 2

MRP : 3820.00 INR

UNSPSC Code : 46171598SD01557



ECSTACY | Rose Handle MBN | 3087

Std Pack : 2

MRP : 3879.00 INR

UNSPSC Code : 46171598SD01558

# ECSTACY



CALLA | Satin Steel | 7585

Std Pack : 2

MRP : 3550.00 INR

UNSPSC Code : 46171598SD00535



CALLA | Chrome | 7586

Std Pack : 2

MRP : 3550.00 INR

UNSPSC Code : 46171598SD00536



CALLA | Sunset Rose Gold | 3084

Std Pack : 2

MRP : 3800.00 INR

UNSPSC Code : 46171598SD01555



CALLA | Rose Handle MBN | 3085

Std Pack : 2

MRP : 3800.00 INR

UNSPSC Code : 46171598SD01556

# CALLA




SMOOTH | Satin Steel | 7589  
Std Pack : 2  
MRP : 3820.00 INR  
UNSPSC Code : 46171598SD00539



SMOOTH | Chrome | 7590  
Std Pack : 2  
MRP : 3820.00 INR  
UNSPSC Code : 46171598SD00540



SMOOTH | Antique Brass | 7591  
Std Pack : 2  
MRP : 3920.00 INR  
UNSPSC Code : 46171598SD00541



SMOOTH | Sunset Rose Gold | 3082  
Std Pack : 2  
MRP : 4070.00 INR  
UNSPSC Code : 46171598SD01553



SMOOTH | Rose Handle MBN | 3083  
Std Pack : 2  
MRP : 4070.00 INR  
UNSPSC Code : 46171598SD01554

# SMOOTH

# The Architects' Choice

Handpicked by India's finest architects, this collection of elegant mortise handles is composed of designs that add style to the most sophisticated home environments.






TWIST | Satin Steel | 7101

Std Pack : 2

MRP : 4230.00 INR

UNSPSC Code : 46171598SD00549



TWIST | Chrome | 7102

Std Pack : 2

MRP : 4230.00 INR

UNSPSC Code : 46171598SD00550



TWIST | Antique Brass | 7103

Std Pack : 2

MRP : 4330.00 INR

UNSPSC Code : 46171598SD00551



TWIST | Sunset Rose Gold | 3080

Std Pack : 2

MRP : 4480.00 INR

UNSPSC Code : 46171598SD01551



TWIST | Rose Handle MBN | 3081

Std Pack : 2

MRP : 4480.00 INR

UNSPSC Code : 46171598SD01552

# TWIST





EVOLVE | Satin Steel | 7321

Std Pack : 2

MRP : 3830.00 INR

UNSPSC Code : 46171598SD00555



EVOLVE | Chrome | 7320

Std Pack : 2

MRP : 3830.00 INR

UNSPSC Code : 46171598SD00554



EVOLVE | Antique Brass | 7389

Std Pack : 2

MRP : 3930.00 INR

UNSPSC Code : 46171598SD00556

# EVOLVE



BLADE | Satin Steel 2 tone | 7584

Std Pack : 2

MRP : 4170.00 INR

UNSPSC Code : 46171598SD00533



BLADE | Black 2 tone | 7583

Std Pack : 2

MRP : 4170.00 INR

UNSPSC Code : 46171598SD00532

BLADE



CARESS | Satin Steel | 6637

Std Pack : 2

MRP : 3820.00 INR

UNSPSC Code : 46171598SD00567



CARESS | Antique Brass | 6638

Std Pack : 2


MRP : 3920.00 INR

UNSPSC Code : 46171598SD00568

CARESS



NOTION | Satin Steel | 7323  
Std Pack : 2  
MRP : 3820.00 INR  
UNSPSC Code : 46171598SD00558



NOTION | Chrome | 7322  
Std Pack : 2  
MRP : 3820.00 INR  
UNSPSC Code : 46171598SD00557



NOTION | Antique Brass | 7390  
Std Pack : 2  
MRP : 3920.00 INR  
UNSPSC Code : 46171598SD00953

NOTION



AVE | Satin Steel | 6103

Std Pack : 2

MRP : 2760.00 INR

UNSPSC Code : 46171598SD00941



AVE | Antique Brass | 6104

Std Pack : 2

MRP : 2860.00 INR

UNSPSC Code : 46171598SD00939

AVE



VENTRE | Satin Steel | 6105

Std Pack : 2

MRP : 2990.00 INR

UNSPSC Code : 46171598SD00944



VENTRE | Antique Brass | 6106

Std Pack : 2

MRP : 3190.00 INR

UNSPSC Code : 46171598SD00943

VENTRE



CELVA | Satin Steel | 6639

Std Pack : 2

MRP : 3800.00 INR

UNSPSC Code : 46171598SD00569



CELVA | Antique Brass | 6640

Std Pack : 2

MRP : 3900.00 INR

UNSPSC Code : 46171598SD00570

# CELVA



CHRIS | Satin Steel | 5967

Std Pack : 2

MRP : 3030.00 INR

UNSPSC Code : 46171598SD00956



CHRIS | Antique Brass | 5968

Std Pack : 2

MRP : 3130.00 INR

UNSPSC Code : 46171598SD00961

CHRIS





HEW | Satin Steel | 5969  
Std Pack : 2  
MRP : 3350.00 INR  
UNSPSC Code : 46171598SD00946



HEW | Antique Brass | 5970  
Std Pack : 2  
MRP : 3450.00 INR  
UNSPSC Code : 46171598SD00945

HEW

# Grandeur Series

Designs that aspire to immortality. The mortise handles in the Grandeur Series are long-lasting, courtesy the special PVD finish. Found usually on the most high-end watches and surgical equipment, this finish gives extreme durability to the good looks. Little wonder that these handles come with a stunning 15-year warranty.





SULTRY | PVD Chrome | 7236  
Std Pack : 2  
MRP : 5900.00 INR  
UNSPSC Code : 46171598SD00575



SULTRY | PVD Gold | 7237  
Std Pack : 2  
MRP : 5900.00 INR  
UNSPSC Code : 46171598SD00576

SULTRY



CAPSULE | PVD Chrome | 7008

Std Pack : 2

MRP : 5920.00 INR

UNSPSC Code : 46171598SD00583



CAPSULE | PVD Gold | 7007

Std Pack : 2

MRP : 5920.00 INR

UNSPSC Code : 46171598SD00582

CAPSULE



WAVE | PVD Chrome | 7234

Std Pack : 2

MRP : 5900.00 INR

UNSPSC Code : 46171598SD00573



WAVE | PVD Gold | 7235

Std Pack : 2

MRP : 5900.00 INR

UNSPSC Code : 46171598SD00574

WAVE

# Exquisite Collection

An homage to the rich design heritage of Indian art, architecture and culture, the Exquisite Collection boasts unique ornamental designs, drawn from intricate Indian motifs and themes.





SEH01 | Gold | 7529  
Std Pack : 4  
MRP : 3800.00 INR  
UNSPSC Code : 46171598SD00935



SEH02 | Gold 2 tone | 7530  
Std Pack : 4  
MRP : 3650.00 INR  
UNSPSC Code : 46171598SD00933



SEH03 | Antique Brass | 7531  
Std Pack : 4  
MRP : 3800.00 INR  
UNSPSC Code : 46171598SD00934

# SEH

## Available Finishes



Antique Brass



Sunset Rose Gold



Satin Steel



Chrome



PVD Chrome



PVD Gold



\*Slate Blue



\*Matte Black Nickel

\*These finishes can be made available on "Make to Order" basis and delivered within 10 weeks. Minimum order quantity : 100 nos.



**24 HOUR TOLL FREE HELP LINE NO.**

**1800 209 45 43** (ALL MOBILES AND LANDLINE)  
REACHABLE FROM MORE THAN 200 CITIES ACROSS INDIA  
TEL: 022-61163100 (standard charges applicable)

**SERVICES\***

INSTALLATION . REPAIR . EMERGENCY OPENING . KEY DUPLICATION  
*\*conditions apply*

Godrej & Boyce Mfg. Co. Ltd.

Locking Solutions and Systems Division, Plant 18 A, Pirojshahnagar, Vikhroli, Mumbai - 400 079. India.

Tel : +91 -22-6796 4890 Fax : +91 -22-7116 1277/ 72 Email: locksmkt@godrej.com  log on to [www.godrejlocks.com](http://www.godrejlocks.com)

 Godrej Locks  GodrejLocksS  godrejlocks

Disclaimer: The Visuals/Specifications of the products shown and other information in this catalogue are subject to change and Godrej reserves the right to make such amendments without notice. All designs are protected under the Indian copyright law.

DESIGNED  
IN INDIA  
DESIGNED  
FOR INDIA

**Godrej** | KITCHEN FITTINGS  
AND SYSTEMS

SMART CONVENIENCE FOR THE INDIAN KITCHEN.

# PRICELIST



**SKIDO**  
Smart Kitchen Drawers & Organisers



# PRICELIST - 2019

SR. NO	DESCRIPTION	PRODUCT CODE	UNSPSC CODE	STD. PKG.	MRP
<b>SLIM ERGO DRAWER SYSTEM</b>					
1	SLIM ERGO DRAWER SYSTEM 89X400MM ANTHRACITE	4181	30162311SDOO198	4	2405
2	SLIM ERGO DRAWER SYSTEM 89X450MM ANTHRACITE	4338	30162311SDOO178	4	2625
3	SLIM ERGO DRAWER SYSTEM 89X500MM ANTHRACITE	4339	30162311SDOO179	4	2830
4	SLIM ERGO DRAWER SYSTEM 89X550MM ANTHRACITE	4340	30162311SDOO180	4	3035
5	SLIM ERGO DRAWER SYSTEM 89X400MM WHITE	4182	30162311SDOO199	4	2405
6	SLIM ERGO DRAWER SYSTEM 89X450MM WHITE	4341	30162311SDOO181	4	2625
7	SLIM ERGO DRAWER SYSTEM 89X500MM WHITE	4342	30162311SDOO182	4	2830
8	SLIM ERGO DRAWER SYSTEM 89X550MM WHITE	4343	30162311SDOO183	4	3035
9	SLIM ERGO DRAWER SYSTEM 121X450MM ANTHRACITE	4045	30162311SDOO202	4	3175
10	SLIM ERGO DRAWER SYSTEM 121X500MM ANTHRACITE	4046	30162311SDOO203	4	3380
11	SLIM ERGO DRAWER SYSTEM 121X550MM ANTHRACITE	4047	30162311SDOO204	4	3585
12	SLIM ERGO DRAWER SYSTEM 121X450MM WHITE	4048	30162311SDOO205	4	3175
13	SLIM ERGO DRAWER SYSTEM 121X500MM WHITE	4049	30162311SDOO206	4	3380
14	SLIM ERGO DRAWER SYSTEM 121X550MM WHITE	4050	30162311SDOO207	4	3585
15	SLIM ERGO DRAWER SYSTEM 189X450MM ANTHRACITE	4051	30162311SDOO208	4	3735
16	SLIM ERGO DRAWER SYSTEM 189X500MM ANTHRACITE	4052	30162311SDOO209	4	3940
17	SLIM ERGO DRAWER SYSTEM 189X550MM ANTHRACITE	4053	30162311SDOO210	4	4145
18	SLIM ERGO DRAWER SYSTEM 189X450MM WHITE	4054	30162311SDOO211	4	3735
19	SLIM ERGO DRAWER SYSTEM 189X500MM WHITE	4061	30162311SDOO212	4	3940
20	SLIM ERGO DRAWER SYSTEM 189X550MM WHITE	4062	30162311SDOO213	4	4145
<b>SLIM ERGO SQUARE RAIL</b>					
21	SLIM ERGO SQUARE RAIL 400MM ANTHRACITE	4183	30162311SDOO200	25	315
22	SLIM ERGO SQUARE RAIL 450MM ANTHRACITE	4344	30162311SDOO185	25	340
23	SLIM ERGO SQUARE RAIL 500MM ANTHRACITE	4345	30162311SDOO186	25	360



## PRODUCT



# PRICELIST - 2019

SR. NO	DESCRIPTION	PRODUCT CODE	UNSPSC CODE	STD. PKG.	MRP
24	SLIM ERGO SQUARE RAIL 550MM ANTHRACITE	4346	30162311SDOO187	25	385
25	SLIM ERGO SQUARE RAIL 400MM WHITE	4184	30162311SDOO201	25	315
26	SLIM ERGO SQUARE RAIL 450MM WHITE	4347	30162311SDOO188	25	340
27	SLIM ERGO SQUARE RAIL 500MM WHITE	4348	30162311SDOO189	25	360
28	SLIM ERGO SQUARE RAIL 550MM WHITE	4349	30162311SDOO190	25	385
<b>UNIVERSAL CUTLERY ORGANISER</b>					
29	UNIVERSAL CUTLERY ORGANISER 380 X 506 MM	4267	30162311SDOO214	1	1400
30	UNIVERSAL CUTLERY ORGANISER 430 X 506 MM	4268	30162311SDOO215	1	1600
31	UNIVERSAL CUTLERY ORGANISER 100 X 506 MM	4269	30162311SDOO216	1	500
<b>UNIVERSAL CUP AND SAUCER ORGANISER</b>					
32	UNIVERSAL CUP & SAUCER ORGANISER 506 MM	3151	30162311SDOO246	1	2000
<b>UNIVERSAL JARS AND BOTTLES ORGANISER</b>					
33	UNIVERSAL JARS & BOTTLES ORGANISER 380 MM	3152	30162311SDOO247	1	2200
34	UNIVERSAL JARS & BOTTLES ORGANISER 430 MM	3153	30162311SDOO248	1	2600
35	UNIVERSAL JARS & BOTTLES ORGANISER 480 MM	3154	30162311SDOO249	1	3000
<b>UNIVERSAL THALI ORGANISER</b>					
36	UNIVERSAL THALI ORGANISER 380 - 430 MM	3155	30162311SDOO250	1	2500
37	UNIVERSAL THALI ORGANISER 480 - 530 MM	3156	30162311SDOO251	1	3000
<b>UNIVERSAL FRY PAN ORGANISER</b>					
38	UNIVERSAL FRY PAN ORGANISER 380 MM	3157	30162311SDOO252	1	1800
39	UNIVERSAL FRY PAN ORGANISER 480 MM	3158	30162311SDOO253	1	2000
<b>UNIVERSAL WOK / KADHAI ORGANISER</b>					
40	UNIVERSAL WOK / KADHAI ORGANISER	3159	30162311SDOO254	2	1300
<b>UNIVERSAL CONTAINER ORGANISER</b>					
41	UNIVERSAL CONTAINER ORGANISER	3160	30162311SDOO255	1	2500

## PRODUCT





SMART CONVENIENCE FOR THE INDIAN KITCHEN.

Godrej & Boyce Mfg. Co. Ltd.  
Pirojshanagar, Vikhroli, Mumbai - 400 079,  
Maharashtra, India.  
Website : [www.godrejkitchensystems.com](http://www.godrejkitchensystems.com)

Copyright © 2019 Godrej  
Designs registered and applied for patent by Godrej

UNPSC : 55101521SD01712

---

**24 HOUR\* TOLL FREE HELP LINE NO.**

**1800 209 45 43** (ALL MOBILES AND LANDLINE)  
REACHABLE FROM MORE THAN 200 CITIES ACROSS INDIA  
**TEL: 022-61163100** (standard charges applicable)

*\*conditions apply*

---



**KITCHEN FITTINGS  
AND SYSTEMS**

SMART CONVENIENCE FOR THE INDIAN KITCHEN.

## **KITCHEN SYSTEMS FOR EVOLVED HOMES**



**PRICE LIST**

W.E.F 1<sup>st</sup> JULY 2021

Sr. No.	Product Description	Prod. Code	UNSPSC Code	Std. Pkg.	MRP.
---------	---------------------	------------	-------------	-----------	------

### Slim Ergo Drawer Systems

HSN Code: 83024200

1	Slim Ergo Drawer System 89 X 400 mm Anthracite	4181	30162311SD00198	4	2,900
2	Slim Ergo Drawer System 89 X 450 mm Anthracite	4338	30162311SD00178	4	3,160
3	Slim Ergo Drawer System 89 X 500 mm Anthracite	4339	30162311SD00179	4	3,330
4	Slim Ergo Drawer System 89 X 550 mm Anthracite	4340	30162311SD00180	4	3,520
5	Slim Ergo Drawer System 89 X 400 mm White	4182	30162311SD00199	4	2,900
6	Slim Ergo Drawer System 89 X 450 mm White	4341	30162311SD00181	4	3,160
7	Slim Ergo Drawer System 89 X 500 mm White	4342	30162311SD00182	4	3,330
8	Slim Ergo Drawer System 89 X 550 mm White	4343	30162311SD00183	4	3,520
9	Slim Ergo Drawer System 121 X 450 mm Anthracite	4045	30162311SD00202	4	3,810
10	Slim Ergo Drawer System 121 X 500 mm Anthracite	4046	30162311SD00203	4	4,080
11	Slim Ergo Drawer System 121 X 550 mm Anthracite	4047	30162311SD00204	4	4,350
12	Slim Ergo Drawer System 121 X 450 mm White	4048	30162311SD00205	4	3,810
13	Slim Ergo Drawer System 121 X 500 mm White	4049	30162311SD00206	4	4,080
14	Slim Ergo Drawer System 121 X 550 mm White	4050	30162311SD00207	4	4,350
15	Slim Ergo Drawer System 189 X 450 mm Anthracite	4051	30162311SD00208	4	4,500
16	Slim Ergo Drawer System 189 X 500 mm Anthracite	4052	30162311SD00209	4	4,770
17	Slim Ergo Drawer System 189 X 550 mm Anthracite	4053	30162311SD00210	4	5,030
18	Slim Ergo Drawer System 189 X 450 mm White	4054	30162311SD00211	4	4,500
19	Slim Ergo Drawer System 189 X 500 mm White	4061	30162311SD00212	4	4,770
20	Slim Ergo Drawer System 189 X 550 mm White	4062	30162311SD00213	4	5,030
21	Slim Ergo Square Rail 400 mm Anthracite	4183	30162311SD00200	25	370
22	Slim Ergo Square Rail 450 mm Anthracite	4344	30162311SD00185	25	400
23	Slim Ergo Square Rail 500 mm Anthracite	4345	30162311SD00186	25	425
24	Slim Ergo Square Rail 550 mm Anthracite	4346	30162311SD00187	25	450
25	Slim Ergo Square Rail 400 mm White	4184	30162311SD00201	25	370
26	Slim Ergo Square Rail 450 mm White	4347	30162311SD00188	25	400
27	Slim Ergo Square Rail 500 mm White	4348	30162311SD00189	25	425
28	Slim Ergo Square Rail 550 mm White	4349	30162311SD00190	25	450



### Corner Solutions

HSN Code: 73239490

29	Swing Tray Left*	6486	30162301SD00010	1	26,200
30	Swing Tray Right*	6487	30162301SD00011	1	26,200
31	Magic Corner Left*	6488	30162301SD00008	1	31,600
32	Magic Corner Right*	6489	30162301SD00009	1	31,600
33	Carrousel SS-600 mm Dia	5818	30162301SD00012	1	7,710
34	Carrousel SS304-600 mm Dia	5819	30162301SD00020	1	9,380
35	Carrousel SS-650 mm Dia	6176	30162301SD00018	1	8,160
36	Carrousel SS-750 mm Dia	6177	30162301SD00019	1	8,660
37	Carrousel SS 304-650 mm Dia	6178	30162301SD00014	1	9,640



\*Dimensions are in WDXH

Sr. No.	Product Description	Prod. Code	UNSPSC Code	Std. Pkg.	MRP.
---------	---------------------	------------	-------------	-----------	------

38	Carrousel SS 304-750 mm Dia	6179	30162301SD00013	1	10,730
39	D Tray SS-650 mm Dia	6181	30162301SD00015	1	4,480
40	D Tray SS-Tray 750 mm Dia	6182	30162301SD00017	1	5,390

### Soft Pro Spring

HSN Code: 84798999

41	Soft Pro Top System Left	6417	30171514SD00174	4	2,350
42	Soft Pro Top System Right	6418	30171514SD00175	4	2,350
43	Soft Pro Top System Heavy Left	6419	30171514SD00176	4	2,460
44	Soft Pro Top System Heavy Right	6420	30171514SD00177	4	2,460



### Regular Gas Spring

HSN Code: 84798999

45	Regular Gas Spring 60 N	4960	31161999SD00037	10	360
46	Regular Gas Spring 80 N	4961	31161999SD00038	10	360
47	Regular Gas Spring 100 N	4963	31161999SD00039	10	380
48	Regular Gas Spring 120 N	4965	31161999SD00040	10	400
49	Regular Gas Spring 150 N	3494	31161999SD00093	10	440
50	Regular Gas Spring 200 N	3495	31161999SD00094	10	440
51	Regular Gas Spring 250 N	3496	31161999SD00095	10	460



### Slip On Cabinet Hinge

HSN Code: 83021090

52	Slip on Cabinet Hinge-Full Overlay - 2 Holes	7213	31162403SD00065	50	98
53	Slip on Cabinet Hinge-Full Overlay - 4 Holes	6933	31162403SD00084	50	113
54	Slip on Cabinet Hinge-Half Overlay - 2 Holes	7214	31162403SD00066	50	100
55	Slip on Cabinet Hinge-Half Overlay - 4 Holes	6934	31162403SD00085	50	118
56	Slip on Cabinet Hinge-Inset - 2 Holes	7215	31162403SD00096	50	102
57	Slip on Cabinet Hinge-Inset - 4 Holes	6935	31162403SD00086	50	123



### Clip On Soft Cabinet Hinge

HSN Code: 83021090

58	Clip on Soft Cabinet Hinge 2 Hole - Full Overlay	7216	31162403SD00098	30	300
59	Clip on Soft Cabinet Hinge 4 Hole - Full Overlay	4788	31162403SD00207	30	330
60	Clip on Soft Cabinet Hinge 2 Hole - Half Overlay	7217	31162403SD00099	30	310
61	Clip on Soft Cabinet Hinge 4 Hole - Half Overlay	4789	31162403SD00208	30	340
62	Clip on Soft Cabinet Hinge 2 Hole - Inset	7218	31162403SD00100	30	320
63	Clip on Soft Cabinet Hinge 4 Hole - Inset	4790	31162403SD00209	30	350
64	SS 304 Clip on Soft Cabinet Hinge - Full overlay	5069	31162403SD00161	30	570
65	SS 304 Clip on Soft Hinge - Half overlay	5070	31162403SD00162	30	570
66	SS 304 Clip on Soft Hinge - Inset overlay	5071	31162403SD00163	30	570



\*Dimensions are in WDXH



Sr. No.	Product Description	Prod. Code	UNSPSC Code	Std. Pkg.	MRP.
---------	---------------------	------------	-------------	-----------	------

**Clip On Cabinet Hinge - Regular**

HSN Code: 83021090

67	Clip on Cabinet Hinge - Regular - Full Overlay	7098	31162403SD00091	50	151
68	Clip on Cabinet Hinge - Regular - Half Overlay	7099	31162403SD00092	50	158
69	Clip on Cabinet Hinge - Regular - Inset	7100	31162403SD00093	50	163



**Thick Door Cabinet Hinge**

HSN Code: 83021090

70	Thick Door Cabinet Hinge - Regular - Full Overlay	7095	31162403SD00088	50	330
71	Thick Door Cabinet Hinge - Regular - Half Overlay	7096	31162403SD00089	50	335
72	Thick Door Cabinet Hinge - Regular - Inset	7097	31162403SD00090	50	340



**Blind Corner Cabinet Hinge**

HSN Code: 83021090

73	Blind Corner Cabinet Hinge - Soft	7091	31162403SD00097	30	450
74	Blind Corner Cabinet Hinge - Regular	7092	31162403SD00087	30	295



**Pi Corner Cabinet Hinge**

HSN Code: 83021090

75	Cabinet Hinge 165° - Regular	6841	31162403SD00083	30	700
76	Cabinet Hinge Bi-fold - Regular	6840	31162403SD00082	30	380



**Plain Basket - SS\***

HSN Code: 73239490

77	Plain Basket SS	370 X 485 X 100 mm	6120	24112005SD00112	1	1,600
78	Plain Basket SS	370 X 485 X 150 mm	6121	24112005SD00065	1	2,150
79	Plain Basket SS	370 X 485 X 200 mm	6122	24112005SD00066	1	2,540
80	Plain Basket SS	420 X 485 X 100 mm	6123	24112005SD00114	1	1,670
81	Plain Basket SS	420 X 485 X 150 mm	6124	24112005SD00109	1	2,180
82	Plain Basket SS	420 X 485 X 200 mm	6125	24112005SD00113	1	2,710
83	Plain Basket SS	470 X 485 X 100 mm	5902	24112005SD00007	1	2,080
84	Plain Basket SS	470 X 485 X 150 mm	5903	24112005SD00008	1	2,530
85	Plain Basket SS	470 X 485 X 200 mm	5904	24112005SD00009	1	3,010
86	Plain Basket SS	520 X 485 X 100 mm	6126	24112005SD00126	1	2,220
87	Plain Basket SS	520 X 485 X 150 mm	6127	24112005SD00127	1	2,690
88	Plain Basket SS	520 X 485 X 200 mm	6128	24112005SD00128	1	3,150



89	Plain Basket SS	370 X 535 X 100 mm	5850	24112005SD00095	1	2,360
90	Plain Basket SS	370 X 535 X 150 mm	5851	24112005SD00093	1	2,850
91	Plain Basket SS	370 X 535 X 200 mm	5852	24112005SD00096	1	3,120
92	Plain Basket SS	420 X 535 X 100 mm	5853	24112005SD00137	1	2,570
93	Plain Basket SS	420 X 535 X 150 mm	5854	24112005SD00138	1	2,910
94	Plain Basket SS	420 X 535 X 200 mm	5855	24112005SD00101	1	3,450
95	Plain Basket SS	470 X 535 X 100 mm	5856	24112005SD00139	1	2,690
96	Plain Basket SS	470 X 535 X 150 mm	5857	24112005SD00140	1	3,260

\*Dimensions are in WDXH

Sr. No.	Product Description	Prod. Code	UNSPSC Code	Std. Pkg.	MRP.
---------	---------------------	------------	-------------	-----------	------

97	Plain Basket SS	470 X 535 X 200 mm	5858	24112005SD00100	1	3,730
98	Plain Basket SS	520 X 535 X 100 mm	5859	24112005SD00099	1	3,150
99	Plain Basket SS	520 X 535 X 150 mm	5860	24112005SD00141	1	3,910
100	Plain Basket SS	520 X 535 X 200 mm	5861	24112005SD00098	1	4,560
101	Plain Basket SS	370 X 585 X 100 mm	5708	24112005SD00107	1	2,460
102	Plain Basket SS	370 X 585 X 150 mm	5709	24112005SD00146	1	2,940
103	Plain Basket SS	370 X 585 X 200 mm	5710	24112005SD00152	1	3,400
104	Plain Basket SS	420 X 585 X 100 mm	5711	24112005SD00106	1	2,910
105	Plain Basket SS	420 X 585 X 150 mm	5712	24112005SD00153	1	3,090

106	Plain Basket SS	420 X 585 X 200 mm	5713	24112005SD00072	1	3,820
107	Plain Basket SS	470 X 585 X 100 mm	5714	24112005SD00154	1	2,930
108	Plain Basket SS	470 X 585 X 150 mm	5715	24112005SD00155	1	3,190
109	Plain Basket SS	470 X 585 X 200 mm	5716	24112005SD00156	1	4,020
110	Plain Basket SS	520 X 585 X 100 mm	5717	24112005SD00157	1	3,340
111	Plain Basket SS	520 X 585 X 150 mm	5718	24112005SD00158	1	4,040
112	Plain Basket SS	520 X 585 X 200 mm	5719	24112005SD00105	1	4,630



#### Plain Basket - SS 304\*

HSN Code: 73239490

113	Plain Basket SS 304	370 X 485 X 100 mm	6148	24112005SD00075	1	2,440
114	Plain Basket SS 304	370 X 485 X 150 mm	6149	24112005SD00074	1	2,620
115	Plain Basket SS 304	370 X 485 X 200 mm	6150	24112005SD00073	1	3,310
116	Plain Basket SS 304	420 X 485 X 100 mm	6151	24112005SD00076	1	2,630
117	Plain Basket SS 304	420 X 485 X 150 mm	6152	24112005SD00069	1	2,920
118	Plain Basket SS 304	420 X 485 X 200 mm	6153	24112005SD00070	1	3,600
119	Plain Basket SS 304	470 X 485 X 100 mm	5910	24112005SD00019	1	2,960
120	Plain Basket SS 304	470 X 485 X 150 mm	5911	24112005SD00020	1	3,280
121	Plain Basket SS 304	470 X 485 X 200 mm	5912	24112005SD00021	1	4,080
122	Plain Basket SS 304	520 X 485 X 100 mm	6154	24112005SD00164	1	3,090
123	Plain Basket SS 304	520 X 485 X 150 mm	6155	24112005SD00123	1	3,300
124	Plain Basket SS 304	520 X 485 X 200 mm	6156	24112005SD00161	1	4,090



#### Cup & Saucer Basket - SS\*

HSN Code: 73239490

125	Cup & Saucer Basket SS	370 X 485 X 100 mm	6129	24112005SD00064	1	1,920
126	Cup & Saucer Basket SS	420 X 485 X 100 mm	6130	24112005SD00108	1	2,120
127	Cup & Saucer Basket SS	470 X 485 X 100 mm	5905	24112005SD00027	1	2,400
128	Cup & Saucer Basket SS	520 X 485 X 100 mm	6131	24112005SD00118	1	2,480
129	Cup & Saucer Basket SS	370 X 535 X 100 mm	5864	24112005SD00142	1	3,050



\*Dimensions are in WDXH

Sr. No.	Product Description	Prod. Code	UNSPSC Code	Std. Pkg.	MRP.
---------	---------------------	------------	-------------	-----------	------

130	Cup & Saucer Basket SS	420 X 535 X 100 mm	5865	24112005SD00097	1	3,180
131	Cup & Saucer Basket SS	470 X 535 X 100 mm	5866	24112005SD00143	1	3,400
132	Cup & Saucer Basket SS	520 X 535 X 100 mm	5867	24112005SD00144	1	3,630
133	Cup & Saucer Basket SS	370 X 585 X 100 mm	5720	24112005SD00159	1	3,300
134	Cup & Saucer Basket SS	420 X 585 X 100 mm	5721	24112005SD00071	1	3,290
135	Cup & Saucer Basket SS	470 X 585 X 100 mm	5722	24112005SD00160	1	3,830
136	Cup & Saucer Basket SS	520 X 585 X 100 mm	5723	24112005SD00104	1	3,940

#### Cup & Saucer Basket - SS 304\*

HSN Code: 73239490

137	Cup & Saucer Basket SS 304	370 X 485 X 100 mm	6157	24112005SD00163	1	2,730
138	Cup & Saucer Basket SS 304	420 X 485 X 100 mm	6158	24112005SD00122	1	2,970
139	Cup & Saucer Basket SS 304	470 X 485 X 100 mm	5913	24112005SD00031	1	3,330
140	Cup & Saucer Basket SS 304	520 X 485 X 100 mm	6159	24112005SD00068	1	3,350



#### Perforated Cutlery Basket - SS\*

HSN Code: 73239490

141	Perforated Cutlery Basket SS	370 X 485 X 100 mm	6132	24112005SD00111	1	3,550
142	Perforated Cutlery Basket SS	420 X 485 X 100 mm	6133	24112005SD00081	1	3,900
143	Perforated Cutlery Basket SS	470 X 485 X 100 mm	5906	24112005SD00058	1	4,340

144	Perforated Cutlery Basket SS	520 X 485 X 100 mm	6134	24112005SD00119	1	4,550
-----	------------------------------	--------------------	------	-----------------	---	-------

145	Perforated Cutlery Basket SS	370 X 535 X 100 mm	5868	24112005SD00087	1	4,920
146	Perforated Cutlery Basket SS	420 X 535 X 100 mm	5869	24112005SD00085	1	5,300
147	Perforated Cutlery Basket SS	470 X 535 X 100 mm	5870	24112005SD00086	1	6,210
148	Perforated Cutlery Basket SS	520 X 535 X 100 mm	5871	24112005SD00088	1	6,600



149	Perforated Cutlery Basket SS	370 X 585 X 100 mm	5724	24112005SD00090	1	6,320
150	Perforated Cutlery Basket SS	420 X 585 X 100 mm	5725	24112005SD00089	1	6,850
151	Perforated Cutlery Basket SS	470 X 585 X 100 mm	5726	24112005SD00092	1	8,340
152	Perforated Cutlery Basket SS	520 X 585 X 100 mm	5727	24112005SD00091	1	8,420

#### Perforated Cutlery Basket - SS 304\*

HSN Code: 73239490

153	Perforated Cutlery Basket SS 304	370 X 485 X 100 mm	6160	24112005SD00084	1	4,250
154	Perforated Cutlery Basket SS 304	420 X 485 X 100 mm	6161	24112005SD00079	1	4,510
155	Perforated Cutlery Basket SS 304	470 X 485 X 100 mm	5914	24112005SD00062	1	4,920
156	Perforated Cutlery Basket SS 304	520 X 485 X 100 mm	6162	24112005SD00080	1	5,150



#### Thali - Plate Basket - SS\*

HSN Code: 73239490

157	Thali - Plate Basket SS	370 X 485 X 150 mm	6135	24112005SD00067	1	2,210
-----	-------------------------	--------------------	------	-----------------	---	-------

Sr. No.	Product Description	Prod. Code	UNSPSC Code	Std. Pkg.	MRP.
---------	---------------------	------------	-------------	-----------	------

158	Thali - Plate Basket SS	370 X 485 X 200 mm	6136	24112005SD00110	1	2,780
159	Thali - Plate Basket SS	420 X 485 X 150 mm	6137	24112005SD00083	1	2,420
160	Thali - Plate Basket SS	420 X 485 X 200 mm	6138	24112005SD00082	1	2,900
161	Thali - Plate Basket SS	470 X 485 X 150 mm	5907	24112005SD00045	1	2,570
162	Thali - Plate Basket SS	470 X 485 X 200 mm	5908	24112005SD00046	1	3,130
163	Thali - Plate Basket SS	520 X 485 X 150 mm	6139	24112005SD00129	1	2,660
164	Thali - Plate Basket SS	520 X 485 X 200 mm	6140	24112005SD00115	1	3,190
165	Thali - Plate Basket SS	370 X 535 X 150 mm	5872	24112005SD00130	1	3,030
166	Thali - Plate Basket SS	370 X 535 X 200 mm	5873	24112005SD00131	1	3,540
167	Thali - Plate Basket SS	420 X 535 X 150 mm	5874	24112005SD00132	1	3,340
168	Thali - Plate Basket SS	420 X 535 X 200 mm	5875	24112005SD00094	1	3,530
169	Thali - Plate Basket SS	470 X 535 X 150 mm	5876	24112005SD00133	1	3,520
170	Thali - Plate Basket SS	470 X 535 X 200 mm	5877	24112005SD00134	1	3,810
171	Thali - Plate Basket SS	520 X 535 X 150 mm	5878	24112005SD00135	1	4,010
172	Thali - Plate Basket SS	520 X 535 X 200 mm	5879	24112005SD00136	1	4,670
173	Thali - Plate Basket SS	370 X 585 X 150 mm	5728	24112005SD00145	1	3,350
174	Thali - Plate Basket SS	370 X 585 X 200 mm	5729	24112005SD00147	1	3,920
175	Thali - Plate Basket SS	420 X 585 X 150 mm	5730	24112005SD00148	1	3,650
176	Thali - Plate Basket SS	420 X 585 X 200 mm	5731	24112005SD00102	1	3,990
177	Thali - Plate Basket SS	470 X 585 X 150 mm	5732	24112005SD00149	1	3,670
178	Thali - Plate Basket SS	470 X 585 X 200 mm	5733	24112005SD00150	1	4,510
179	Thali - Plate Basket SS	520 X 585 X 150 mm	5734	24112005SD00151	1	4,190
180	Thali - Plate Basket SS	520 X 585 X 200 mm	5735	24112005SD00103	1	4,750



### Thali - Plate Basket - SS 304\*

HSN Code: 73239490

181	Thali - Plate Basket SS 304	370 X 485 X 150 mm	6163	24112005SD00165	1	2,670
182	Thali - Plate Basket SS 304	370 X 485 X 200 mm	6164	24112005SD00166	1	2,950
183	Thali - Plate Basket SS 304	420 X 485 X 150 mm	6165	24112005SD00167	1	2,530
184	Thali - Plate Basket SS 304	420 X 485 X 200 mm	6166	24112005SD00121	1	2,920
185	Thali - Plate Basket SS 304	470 X 485 X 150 mm	5915	24112005SD00052	1	2,980
186	Thali - Plate Basket SS 304	470 X 485 X 200 mm	5916	24112005SD00053	1	3,320
187	Thali - Plate Basket SS 304	520 X 485 X 150 mm	6167	24112005SD00077	1	2,870
188	Thali - Plate Basket SS 304	520 X 485 X 200 mm	6168	24112005SD00162	1	3,380



### Two Shelf Pull Out - SS\*

HSN Code: 73239490

189	Two Shelf Pull Out SS	150 X 485 X 430 mm	6141	30162311SD00093	1	3,860
190	Two Shelf Pull Out SS	200 X 485 X 430 mm	6142	30162311SD00028	1	3,920

\*Dimensions are in WDXH

Sr. No.	Product Description	Prod. Code	UNSPSC Code	Std. Pkg.	MRP.
---------	---------------------	------------	-------------	-----------	------

**Two Shelf Pull Out - SS 304\***

HSN Code: 73239490

191	Two Shelf Pull Out SS 304	150 X 485 X 430 mm	6169	30162311SD00101	1	3,950
192	Two Shelf Pull Out SS 304	200 X 485 X 430 mm	6170	30162311SD00102	1	4,240



**Three Shelf Pull Out - SS \***

HSN Code: 73239490

193	Three Shelf Pull Out SS	150 X 485 X 530 mm	6143	30162311SD00029	1	4,680
194	Three Shelf Pull Out SS	200 X 485 X 530 mm	6144	30162311SD00032	1	5,070



**Three Shelf Pull Out - SS 304\***

HSN Code: 73239490

195	Three Shelf Pull Out SS 304	150 X 485 X 530 mm	6171	30162311SD00036	1	4,930
196	Three Shelf Pull Out SS 304	200 X 485 X 530 mm	6172	30162311SD00103	1	5,760

**Pantry Unit**

197	Pantry Unit Acrylic 6		4334	30162311SD00191	1	13,670
198	BASKETS 6+6 Pantry Unit		4336	30162311SD00193	1	23,670
199	Pantry Unit Acrylic 4		4335	30162311SD00192	1	10,570
200	BASKETS 4+4 Pantry Unit		4337	30162311SD00194	1	19,010



**Grain Trolley - SS\***

HSN Code: 73239490

201	Grain Trolley SS	375 X 485 X 350 mm	6145	24112005SD00125	1	4,600
202	Grain Trolley SS	425 X 485 X 350 mm	6146	24112005SD00124	1	5,760
203	Grain Trolley SS	470 X 485 X 350 mm	5909	24112005SD00035	1	5,980
204	Grain Trolley SS	525 X 485 X 350 mm	6147	24112005SD00116	1	6,090



**Grain Trolley - SS 304\***

HSN Code: 73239490

205	Grain Trolley SS 304	375 X 485 X 350 mm	6173	24112005SD00120	1	8,680
206	Grain Trolley SS 304	425 X 485 X 350 mm	6174	24112005SD00078	1	9,070
207	Grain Trolley SS 304	470 X 485 X 350 mm	5917	24112005SD00039	1	9,220
208	Grain Trolley SS 304	525 X 485 X 350 mm	6175	24112005SD00117	1	9,920

**Midway**

HSN Code: 73239490

209	Hanging Spice Rack		4970	30162311SD00153	1	2,630
210	Hanging paper & foil holder with cutter		4971	30162311SD00154	1	2,710
211	Hanging Multipurpose Double Rack		4974	30162311SD00155	1	3,390
212	Hanging Corner Rack		4981	30162311SD00156	1	2,440
213	Tube Holder Kit		4982	30162311SD00157	1	990
214	Tube - 2		4983	30162311SD00158	1	610
215	Tube - 3		4984	30162311SD00159	1	860
216	Tube - 4		4985	30162311SD00160	1	910
217	Hanging Multipurpose Single Rack		4803	30162311SD00161	1	2,550



\*Dimensions are in WDXH

Sr. No.	Product Description	Prod. Code	UNSPSC Code	Std. Pkg.	MRP.
---------	---------------------	------------	-------------	-----------	------

**SS Tall Unit**

HSN Code: 73239490

218	SS Tall Unit - Full Extension	6439	30162311SD00025	1	34,330
-----	-------------------------------	------	-----------------	---	--------

**Movino Drawer Channel For Baskets**

HSN Code: 83024200

219	Movino Channel for Baskets - 500 mm	5919	30162311SD00080	6	2,410
-----	-------------------------------------	------	-----------------	---	-------

**Movino Drawer Channel**

HSN Code: 83024200

220	Movino Drawer Channel 300 mm	6579	30161808SD00077	6	2,010
221	Movino Drawer Channel 350 mm	6580	30161808SD00078	6	2,060
222	Movino Drawer Channel 400 mm	6581	30161808SD00079	6	2,120
223	Movino Drawer Channel 450 mm	6582	30161808SD00075	6	2,220
224	Movino Drawer Channel 500 mm	6583	30161808SD00076	6	2,340

**Ball Bearing Drawer Channel - Zinc Finish**

HSN Code: 83024200

225	Ball Bearing Drawer Channel 250 mm	8173	30161808SD00005	10	435
226	Ball Bearing Drawer Channel 300 mm	8174	30161808SD00008	10	485
227	Ball Bearing Drawer Channel 350 mm	8175	30161808SD00007	10	520
228	Ball Bearing Drawer Channel 400 mm	8176	30161808SD00006	10	560
229	Ball Bearing Drawer Channel 450 mm	8177	30161808SD00002	10	610
230	Ball Bearing Drawer Channel 500 mm	8178	30161808SD00001	10	670
231	Ball Bearing Drawer Channel 550 mm	8179	30161808SD00004	10	740
232	Ball Bearing Drawer Channel 600 mm	8180	30161808SD00003	10	820

**Ball Bearing Drawer Channel - Black Powder Coated**

HSN Code: 83024200

233	Ball Bearing Drawer Channel 250 mm	7831	30161808SD00016	10	435
234	Ball Bearing Drawer Channel 300 mm	7832	30161808SD00015	10	485
235	Ball Bearing Drawer Channel 350 mm	7833	30161808SD00014	10	520
236	Ball Bearing Drawer Channel 400 mm	7834	30161808SD00013	10	560
237	Ball Bearing Drawer Channel 450 mm	7835	30161808SD00012	10	610
238	Ball Bearing Drawer Channel 500 mm	7836	30161808SD00009	10	670
239	Ball Bearing Drawer Channel 550 mm	7837	30161808SD00011	10	740
240	Ball Bearing Drawer Channel 600 mm	7838	30161808SD00010	10	820

**Soft Closing Drawer Channel**

HSN Code: 83024200

241	Soft Closing Drawer Channel 300 mm	7083	30161808SD00021	10	800
242	Soft Closing Drawer Channel 350 mm	7084	30161808SD00022	10	870
243	Soft Closing Drawer Channel 400 mm	7085	30161808SD00023	10	930
244	Soft Closing Drawer Channel 450 mm	7086	30161808SD00024	10	1,010
245	Soft Closing Drawer Channel 500 mm	7087	30161808SD00025	10	1,090
246	Soft Closing Drawer Channel 550 mm	7088	30161808SD00026	10	1,180
247	Soft Closing Drawer Channel 600 mm	7089	30161808SD00027	10	1,280



\*Dimensions are in WDXH

Sr. No.	Product Description	Prod. Code	UNSPSC Code	Std. Pkg.	MRP.
---------	---------------------	------------	-------------	-----------	------

### Heavy Duty Drawer Channel

HSN Code: 83024200

248	Heavy Duty Drawer Channel 450 mm	6901	30161808SD00104	5	1,630
249	Heavy Duty Drawer Channel 500 mm	6902	30161808SD00105	5	1,790
250	Heavy Duty Drawer Channel 550 mm	6903	30161808SD00110	5	1,970
251	Heavy Duty Drawer Channel 600 mm	6904	30161808SD00106	5	2,230
252	Heavy Duty Drawer Channel 650 mm	6905	30161808SD00028	5	2,330
253	Heavy Duty Drawer Channel 700 mm	6906	30161808SD00029	5	2,510
254	Heavy Duty Drawer Channel 750 mm	6907	30161808SD00030	5	2,660
255	Heavy Duty Drawer Channel 800 mm	6908	30161808SD00031	5	2,820
256	Heavy Duty Drawer Channel 900 mm	6998	30161808SD00032	5	3,400



### Cylinder Trolley\*

HSN Code: 73239490

257	Cylinder Trolley SS	5800	24112005SD00177	1	1,750
-----	---------------------	------	-----------------	---	-------



### Glass Tray Plate Tray

HSN Code: 73239490

258	Glass Tray Plate Tray 535 mm	5795	52152019SD00015	1	5,710
259	Glass Tray Plate Tray 610 mm	5796	52152019SD00008	1	6,250



### Skid Free Mat

HSN Code: 39209919

260	Skid Free Mat - 470 X 5000 mm Grey	6584	52152019SD00071	10	1,870
261	Skid Free Mat - 520 X 5000 mm Grey	6585	52152019SD00023	10	2,140

### Waste Bin

HSN Code: 39209919

262	Waste Bin 14 L Black SS	6495	30162311SD00027	4	3,290
-----	-------------------------	------	-----------------	---	-------



### Waste Bin Holder

HSN Code: 39209919

263	Waste Bin Holder SS	5798	30162311SD00104	1	1,250
264	Waste Bin Shutter SS	5799	30162311SD00045	1	2,360

\*Dimensions are in WDXH







SMART CONVENIENCE FOR THE INDIAN KITCHEN.

**Godrej & Boyce Mfg. Co. Ltd.**


Kitchen Fittings and Systems Division, Plant 18 A,  
Pirojshnagar, Vikhroli, Mumbai - 400 079. India.

Tel : +91-22-6796 4890

Fax : +91-22-6796 1510-11

Email : [locksmkt@godrej.com](mailto:locksmkt@godrej.com)

Website : [www.godrej.com](http://www.godrej.com)

 Toll Free No. 1800 209 4543

Disclaimer : The price details / information of the products shown in the price list are subject to change and Godrej reserves the right to make such amendments without notice.

© All copyright reserved by Godrej & Boyce 2021

UNSPSC : 51101521SD02066

July 2021