

MRP w.e.f 15th June`21

CompleteArchitectural Hardware Solutions Edition #12



Download Ozone India App





🌒 Android

los



Ozone continues with the concept of "Total Vision" to create transparent & elegant commercial spaces. Every fitting in our architectural glass hardware range is designed to meet the concept of "Total Vision".

Ozone, a leading name in architectural hardware domain, offers high quality architectural hardware & safety solutions worldwide. It has achieved many accolades internationally for its innovative and technologically advanced products and solutions. Its manufacturing capability enables it to offer turnkey projects of all sizes. The design team includes architects, product designers & structural engineers who innovate and support the customers and project managers. Offering more than 3000 products from its portfolio intelligently divided into 09 broad categories based on application. Ozone has been continuously innovating to offer best solutions complying with international norms of safety & quality.

Manufacturing Capability

Our state-of-the-art manufacturing units located in India and overseas enable us to provide Standard and Customized Architectural Hardware & Infrastructural Solutions in Stainless Steel.

Our strengths are:

- Over 20 years extensive experience of operating in Architectural Hardware Industry and Digital Safes
- Dedicated 20 years technically experienced team
- Advanced automated machines & tools
- Ability to undertake OEM & ODM projects
- In-house R & D set-up for offering right mix of design, cost, quality and delivery
- Project support & customer service team





AUTOMATED STATE-OF-THE-ART Manufacturing Facility

Our manufacturing units are equipped with the latest and technologically advanced machines. These comprise CNC laser cutting machine, CNC water jet cutting machine, CNC shearing machine, robotic welding & automatic polishing machines that enable us to manufacture all types of hardware fittings in stainless steel material and finish, standard as well as customized, as per international safety & quality norms.



VMC (Vetical Machine Center)



Polishing Machine



Scan QR Code for Manufacturing Facility

Location: Kala Amb Himachal Pradesh India




CNC Punching Machine



Welding Centre

Ozone Product SBUs

Our product portfolio offers more than 3000 SKUs, intelligently divided into 09 broad categories. We constantly endeavour to innovate products for offering better solutions that deliver enhanced value to our discerning customers world over such as architects, builders, contractors, fabricators, specifiers, consultants and home owners.



OZONE METALSCAPES



OZONE SECUTECH



INDEX...

GLASSAGE	
Glass Door Patch Fittings & Locks & Pivot Hinge	1-7
Hydraulic Hinges For Glass Doors	8
The Original Self-closing Patch Fitting	9-11
Glass Door Handles With & Without Lock	13-15
Shower Cubicle Fittings & Door Systems	16-24
Sliding Door Systems	25-29
Sliding Glass Door Locks	30-31
Sliding Folding System for Glass Panels	32-34
Movable Glass Portioning Systems	35-36
Glass Facade Spider Fittings	37-42
Xozo motion	
Automatic Sliding Door Systems	44-53
Motion Sensors	54-55
Automatic Swing Door Systems	57-58
Revolving Doors	59-60
Hermetically Sealed & X-Ray Shielding Doors	61
Movable Acoustic Wall Partition Systems	62-63
Hotel RFID Locks & Digital Glass Door Locks	64-65
DOORCONTROL	
Door Handles	67-70
Mortise Lock Body	71-72
Night Latch & Cylindrical Knob Locks	73
Door Accessories	75-76
Fire Rated Panic Door Hardware & Accessories	77-78
The Original Self-closing Patch Fitting	79
Floor Springs, Transom Closers & Accessories	80-83
Door Closers & Accessories	84-88
Sliding Door Systems	89-91
Sliding Folding System for Framed/Wooden Doors	92-93
BLACK MATT FITTINGS	
Door Hardware & Glass Door Fittings	95-96
Shower Cubicle Fittings	97
Glass Door Locks	98

GLASSAGE

Ozone offers an extensive collection of Glass Door Hardware to create different door configurations using combination of various fittings & accessories. A wide range of patch fittings is presented here from this collection. Available in different finishes and designs, these patch fittings meet the functional as well as aesthetic need of a space. Every hardware fitting undergoes stringent tests for quality, stability & safety as per international standards in testing parameters. FIN CLYV



Finish : SSS

STANDARD PATCH FITTINGS





OPF-1 STD SSS ₹ 3,520 Over Panel Side Panel Connecting Patch with Pivot



OPF-2 STD SSS ₹ 2,145 Top Patch



OPF-3 STD SSS ₹ 2,145 Bottom Patch



OPF-4 STD SSS ₹ 3,245 Wall Mounted Over Panel Patch with Pivot



OPF-610 STD SSS ₹ 3,025 Over Panel Side Panel Connector



OPF-610 R/L STD SSS ₹ 4,125 Triple Glass Connector with Fin (Right / Left)



OPF-610 ST STD SSS ₹ 2,750 Over Panel Side Panel Connector with Stopper (One Side Opening Door)



OPF-640 STD SSS ₹ 1,375 Wall to Glass Clamping Patch



OPF-660 STD SSS ₹ 1,760 Double Glass Connector



OPF-620 STD SSS ₹ 3,355 Quadruple Connector



OPF-640E STD SSS ₹ 1,122 Wall to Glass Clamping Patch

Over Panel Side Panel

Connector with Fin

(Right / Left)



OPF-620 F STD SSS ₹ 4,180 Quadruple Connector with Fin



OPF-650 AA STD SSS ₹ 1,265 Wall to Glass Clamping Patch



OPF-41 R/L STD SSS ₹ 5,555 OPF-51 STD SSS ₹ 8,360 Over Panel Connector for Back to Back Doors



OPF-630 F STD SSS ₹ 4,015 Double Glass Connector with Fin Fitting Inside



OPF-650 STD SSS ₹ 1,650 Glass to Glass Connecting Patch to Wall/Ceiling



OFS-ACC-GDP SSS ₹ 440 OFS-ACC-GDP PSS ₹ 446 Top Pivot for Patch/Point Fitting Doors



STAINLESS STEEL PATCH FITTINGS

Solid Stainless Steel Patch Fittings in SS 304 grade





OPF-610S STD SSS ₹ 3,740 Over Panel Side Panel Connector



OPL-1S STD SSS ₹ 4,180 Corner Patch Lock with Strike Plate



OFS-ACC-GDP-S STD SSS ₹ 506 Top Pivot

PATCH FITTINGS

Finish : SSS

ESeries

GLASSAGE





OPF-2 STD BM ₹ 2,467 Top Patch



OPF-3 STD BM ₹ 2,467 Bottom Patch



OPL-1 STD BM₹ 3,858Corner Patch Lock with
Strike Plate



OFS-ACC-GDP STD BM ₹ 506 Top Pivot for Patch Fitting Doors



₹ 14,030

DESIGNER SERIES

Finish : SSS



OSSPL-ML-111 STD SSS* Glass Door Lock With Latch Bolt, Dead Bolt & Strike Plate

Above locks are for single side door opening and not recommended to be used with floor spring



OSSPL-ML-111-G STD SSS* Glass Door Lock With Latch Bolt, Dead Bolt & Strike Box



OSSPL-SDL-111-G STD SSS* Sliding Door Lock With Claw Type Dead Bolt & Strike Box



₹ 7,946 OSSPL-DL-111 STD SSS* Glass Door Lock With Dead Bolt & Strike Plate



OSSPL-DL-111-G STD SSS Glass Door Lock With Dead Bolt & Strike Box

*Available in Cylinder Options:

K2K-C (Key to Key Computerised Cylinder) for OMC-11 K2N-C (Key to Knob Computerised Cylinder) for OMC-11 K2N-N (Key to Knob Normal Cylinder) for OMC-22 K2K-N (Key to Key Normal Cylinder) for OMC-22

MAGNETIC STRIKE LOCKS FOR FRAMELESS GLASS DOORS



Finish : SSS



OZ-MGL-33S Series

Rectangular Glass Door Lock With Magnetic Strike Plate



Finish: SSS

For Product Code and MRP refer table on next page*





OZ-MGL-33S-SB2-A STD SSS ₹ 10,235 OZ-MGL-33S-SB2-B STD SSS ₹ 9,790 Strike Box for Glass to Glass Application



OZ-MGL-33S-SP2 STD SSS ₹ 1,540 Strike Plate for Magnetic Rectangular Glass Door Lock for Glass to Wall Application



*How to order OZ-MGL-33S

Product Code	Description	Pic Reference-DIN Outside View	Compatible Strike Box
<mark>₹ 10,235</mark>	Inward-key to knob for	Right Hand inward (DIN)	OZ-MGL-33S-SB2-A
OZ-MGL-33S-SB2-R Std	RH opening		STD SSS
<mark>₹ 10,235</mark>	Outward-key to knob for	Right Hand Outward (DIN)	OZ-MGL-33S-SB2-B
OZ-MGL-33S-SB2-R Std	RH opening		STD SSS
<mark>₹ 9,790</mark>	Inward-key to knob for	Left Hand inward (DIN)	OZ-MGL-33S-SB2-B
OZ-MGL-33S-SB2-L Std	LH opening		STD SSS
<mark>₹ 9,790</mark>	Outward-key to knob for	Left Hand outward (DIN)	OZ-MGL-33S-SB2-A
OZ-MGL-33S-SB2-L Std	LH opening		STD SSS
<mark>₹ 10,235</mark>	Inward-key to knob for	Right Hand inward (DIN)	OZ-MGL-33S-SB2-A
OZ-MGL-33S-SB2-R Std	RH opening		STD SSS
<mark>₹ 10,235</mark>	Outward-key to knob for	Right Hand outward (DIN)	OZ-MGL-33S-SB2-B
OZ-MGL-33S-SB2-R Std	RH opening		STD SSS
₹ 9,790	Inward-key to knob for	Left Hand inward (DIN)	OZ-MGL-33S-SB2-B
OZ-MGL-33S-SB2-L Std SSS	LH opening		STD SSS
<mark>₹ 9,790</mark>	Outward-key to knob for	Left Hand inward (DIN)	OZ-MGL-33S-SB2-A
OZ-MGL-33S-SB2-L Std SSS	LH opening		STD SSS




For Product Code and MRP refer

For Product Code and MRP refer

table on next page*

MAGNETIC STRIKE LOCKS







FOR FRAMELESS GLASS DOORS

OZ-MGL-11S Series

Square Glass door Lock with Magnetic Strike Plate





Finish: SSS

₹ 7,260

FOR BATHROOM FRAMELESS GLASS DOORS

OZ-MGL-22S Series Square Bathroom Glass Door Lock with Magnetic Strike Plate (With WC Indicator)



Finish: SSS

₹ 8,965

Finish: Black Matt ₹ 10,310

Finish: Black Matt

₹ 8,349

Optional accessories for OZ-MGL-11S Series and OZ-MGL-22S Series



OZ-MGL-11/22 S-SB1 STD SSS Strike Box for Glass to Glass Application Finish: SSS



C Indicato

₹ 1.265 OZ-MGL-11/22 S-SP1 STD SSS Strike Plate for Glass to Wall Application Finish: SSS



₹ 4,681 OZ-MGL-11/22 S-SB1 STD BM Strike Box for Glass to Glass Application Finish: Black Matt



OZ-MGL-11/22 S-SP1 STD BM Strike Plate for Glass to Wall Application Finish: Black Matt

₹ 1.455



*How to order OZ-MGL-22S / OZ-MGL-11S

Product Code	Description	PLC Reference-D	IN Outside View
OZ-MGL-22S-I STD SSS OZ-MGL-22S-I ST <u>D BM</u> SSS ₹ 9,680 BM ₹ 11,132	Inward-One side knob other side Coin Slot for RH/LH opening	Left Hand Inward (DIN)	Right Hand Inward (DIN)
OZ-MGL-11S-I-K2N Std SSS OZ-MGL-11S-I-K2N Std BM SSS ₹ 10,340 BM ₹ 11,891	Inward-One side knob other side Coin Slot for RH/LH opening		
OZ-MGL-22S-O STD SSS OZ-MGL-22S-O STD BM SSS ₹ 9,680 BM ₹ 11,132	Outward-One side knob other side Coin Slot for RH/LH opening	Left Hand Outward (DIN)	Right Hand Outward (DIN)
OZ-MGL-11S-O-K2N Std SSS OZ-MGL-11S-O-K2N Std BM SSS ₹ 10,340 BM ₹ 11,891	Outward-One side knob other side Coin Slot for RH/LH opening		8
OZ-MGL-11S-K2K Std SSS OZ-MGL-11S-K2K Std BM SSS ₹ 10,340 BM ₹ 11,891		Universal	
PIVOT HINGES FOR S	SWING GLASS DOOF	RS New	Finish : SSS Premium Collection of Architectural Hardware
		Features: • Easy installation • Horizontal adjustment • Vertical adjustment: 8 • Non-handed design	:: -/+3mm -16mm
		Specifications: • For single/double swi • SS 304 grade materia • Push open at any pos	I



÷ ⋺

Glass Thickness 08-10mm

→

Door Width

60Kg

Weight Carrying Capacity



Y

FOR A SAFER WORLD

HYDRAULIC DOOR HINGES

HYDRAULIC HINGES FOR GLASS DOORS

Finish : SSS



Suitable for Interior Application High Quality Spring | Smooth & Soft Closing Function | Elegant Design



Features:

- Spring loaded hydraulic hinges
- 90° hold open and no hold open options available
- Adjustable opening & closing speed

Specifications

- Double action door hinge
- Suitable for door size: 1000 x 2200mm
- Maximum glass thickness: 8 12mm
- Maximum door weight: 100 Kg (220Lbs) Each Pair
- Maximum closing force: 4-8Nm
- Opening angle: 90° (Double Action)
- Material: SS 304



Adjustment Valve



OZ-DH-H1 STD SSS ₹ 22,540 Wall to Glass Hydraulic Hinges

OZ-DH-H2 STD SSS ₹ 26,620 Glass To Glass Hydraulic Hinges

PARTITION DOOR HINGES



OGC-DH-SC-1 STD SSS ₹ 12,650 Wall To Glass Hinge 90° Spring Loaded (supplied in pair)



For 10mm Glass

OGC-DH-SC-2 STD SSS ₹ 15,950 Glass To Glass Hinge 180°

Glass To Glass Hinge 180° Spring Loaded (supplied in pair)



OGC-DH-SC-4 STD SSS ₹ 14,190 Glass To Glass Hinge 90° Spring Loaded (supplied in pair)

Finish : SSS

SS-304



THE ORIGINAL SELF CLOSING PATCH FITTING Finish : SSS & BLACK MATT

- Ambient temperature: -20°C to +50°C
- Quick and easy installation
- Door Weight Capacity: Upto 100kg
- Finish: SSS



OCFH-100 STD SSS ₹ 14,410

- Max door width: 950mm
- Suitable door thickness: 8~12mm
- Tested as per: EN1154
- Ideal for Internal Doors (Also available in gold matt)





	MET ADVANT
	Rectinger Controlled alors stating deriver Pressborrents and and collecte
Nagari Aghanna In Santai Ig gann ani Agenteny Agenteel Ig (tana ani Agentee) Calu of Anal	
Terlerit.	 Tatal lasti super l'Escapati estating March 101 / Januari Apprech 24 (and protectations - 1 page Apprech 24 (and protectations - 1 page)
Testing Laboration, London	room hadry become fraction of Complex State
	Not 5, No.1 4 Young Boy, Scheres Assess Test, Capit: Real Schereging Systematics, 10, 10 Film Scangeron, Store
Some kaaloo	Dans as allow
Application of the second	INDER WARRANT PATLOR
Atten	19-48 (batropic Step State) - 11075- Inde
Not specification	
Service .	the type mission control loose
	THE DE LOS HETA
THE INC.	- should have been the second of the second
Number 1 Hold	Desc 2008-0
	Conversion that raying the pairs area
Tota Man	statues.
Retract las motors	DOTA BEED DOTA NE
Bendalow	- Rengals to be faith for the second
Adright	() + + - + ()
Names of Contrast	where a maximum instantial astronomy maximum of the

OCFH-100 STD BM ₹ 16,570

- Max door width: 950mm
- Suitable door thickness: 8~12mm
- Tested as per: EN1154
- Ideal for Internal Doors

For External Doors



OCFH-105 STD SSS ₹ 18,150

- Max door width: 1250mm
- Suitable door thickness: 10~15mm
- Tested as per: EN1154
- Ideal for External Doors



OCFH-135 STD SSS ₹ 19,690

- Max door width: 1250mm
- Suitable door thickness: 10~15mm
- Ideal for Internal & External Doors

Power Adjustable



OCFH-135 STD BM ₹ 22,640

- Max door width: 1250mm
- Suitable door thickness: 10~15mm
- Ideal for Internal & External Doors



OPF-1 PLUS STD SSS ₹ 3,960 Top Patch with Big Cover (Same Size of OCFH-100)



OPF-2 PLUS STD SSS ₹ 3,190 Top Patch with Big Cover (Same Size of OCFH-100) (Also available in gold matt)



OPF-2 PLUS BM₹ 3,669Top Patch with Big Cover(Same Size of OCFH-100)

Power Adjustable



THE ORIGINAL SELF CLOSING PATCH FITTING

THE ORIGINAL SELF CLOSING PATCH FITTING

with enhanced finish & superior quality





Specification:

- ${\scriptstyle \bullet}$ Quick and easy installation with just 4 fasteners
- EN-3 for interior & exterior applications
- Suitable door weight: Max 100kg.
- Suitable door width: 750~1000mm
- Suitable door thickness: 8~12mm
- Maximum opening 150° and controlled 135°
- Durability-500,000 Cycles tested
- Ambient temperature: -20°C to +50°C

Features:

- Cover & base plate in high grade Stainless Steel 316
- Corrosion resistant
- 3 years warranty
- Compliant with EN 1154 standard



OCFH-100S STD SSS ₹ 15,950 Finish: SSS

TOP PATCH FOR OCFH-100S



OCFH-100S STD BM ₹ 18,340 Finish: Black Matt







Finish : SSS & Black Matt

Specifications

- 1mm thick cover plate in high grade Stainless Steel 316
- Corrosion resistant
- Compatible with Ozone OFS-ACC-GDP-S and OPF-1 PLUS



OPF-2S PLUS STD SSS ₹ 3,960 Finish: SSS



OPF-2S PLUS STD BM ₹4,555 Finish: Black Matt

TOP PIVOT FOR OCFH-100S

Finish : SSS & Black Matt

Specifications

- Top pivot with 15mm diameter pin
- Wear-resistant SS 316 pivot pin
- Pivot held in overhead structure
- High grade SS 316 Patch fitting
- Finish: SSS



OFS-ACC-GDP-S STD SSS ₹ 506 Finish: SSS




OFS-ACC-GDP-S STD BM ₹ 506 Top Pivot for Patch Fitting Doors



Nev

THE ORIGINAL SELF CLOSING PATCH FITTING GLASS DOOR SET

Finish : SSS





Note:-Same Cutout as Standard OCFH-100



Finish : SSS & AN

GLASS WEDGE SYSTEM

Wall Connecting Profiles for Fixed Glasses




Available with shoe moulding style.

OZONE GLASS WEDGE SYSTEM is a dry mount system which provides the installer with a cleaner, simpler method of setting tempered glass panels.

Features:

- Can be applied on ceiling, floor & wall
- Available in lengths of 2 meter or 3 meter
- Do not require any glass cutout
- End cap for better aesthetics









OGL-PR-22-EC STD STD End Cap

How to order OGL-PR-22

Kindly order equal length of OZ-EP-DM-44 & the other EPDM Black as per your glass thickness

OGL-PR-22 EPDM GASKET							
Product Code	Glass Thk	Image	Product Code	Image			
OZ-EP-DM-11 Black ₹53	8 mm	A A A A A A A A A A A A A A A A A A A					
OZ-EP-DM-22 Black ₹ 52	10 mm	והר	OZ-EP-DM-44 STD Black	a			
OZ-EP-DM-33 Black <mark>₹ 29</mark>	12 mm	T					



GLASS DOOR HANDLES WITH & WITHOUT LOCK





GLASS DOOR HANDLES



D Type Handle Available in SSS Finish						
Sizes MRP CTC Hole Dia						
25mm x 325mm	₹2,475	300mm	12mm			
25mm x 450mm	₹2,695	425mm	12mm			
32mm x 600mm	₹3,355	568mm	12mm			

	÷	001-11						
		D Type Handle Available in PSS/SSS Finish						
	1	Available	e in PSS	/555 Fin	ISN			
а	1	Sizes MRP CTC Hole Dia						
1	-	25mm x 325mm	₹2,475	300mm	12mm			
1		25mm x 450mm	₹2,695	425mm	12mm			
1		32mm x 600mm	₹3,355	568mm	12mm			

OGH-11S							
D Type Handle Available in SSS Finish							
Sizes MRP CTC Hole Dia							
25mm x 325mm	₹3,025	300mm	12mm				
25mm x 450mm			12mm				
32mm x 600mm	32mm x 600mm ₹ 4,070 568mm 12mm						



OGH-55			OGH-55			C	GH-5	5			OGH-55	is		
H T	ype Hand	lle	F	І Туре	Handle		Н Ту	ре На	ndle		H Type Handle			
Availab	le in BM	Finish	Avail	able in	SSS Fin	ish	Available ii	n PSS/	'SSS Fin	ish	Availat	ole in SS	SS Finish	
Size	СТС	Hole Dia	Sizes	MRP	СТС	Hole Dia	Sizes	MRP	СТС	Hole Dia	Sizes	MRP	СТС	Hole Dia
32x457	305mm	12mm	25x325mm	₹ 2,200	240mm	12mm	25mmx325mm	₹2,255	240mm	12mm	32mm x 457mm	₹ 3,105	305mm	12mm
mm			25x350mm	₹2,420	240mm	12mm	25mm x 600mm	₹2,695	455mm	12mm	32mm x 600mm	₹ 3,393	480mm	12mm
₹3,795			25x450mm	₹ 2,530	308mm	12mm	32mm x 457mm	₹2,750	305mm	12mm				
			25x600mm	₹2,640	455mm	12mm	32mm x 600mm	₹2,860	480mm	12mm				
			25x1100mm	₹4,840	900mm	12mm	Grac	le: SS	202					
			32x457mm	₹2,640	305mm	12mm								
			32x600mm	₹ 2,750	480mm	12mm	OGH-55-E		Ese					
			32x900mm	₹ 3,520	700mm	12mm	Sizes	MR	P CTC	Hole	Dia			
							19mm x 305mm	<mark>า</mark> ₹1,76	0 212m	m 12mm	า			
							32mm x 457mn	n ₹1,815	5 305m	m 12mm	ו			





GLASS DOOR HANDLES IN STAINLESS STEEL AND WOOD FINISH COMBINATION



Material: Stainless Steel

Finish : SSS

Specifications:

Nev

- Glass hole dia 12mm
 Gaskets to prevent the contact between glass and metal
- Grub screws kept out of sight
- Material -SS304 grade

Features:

- Wood design aestheticsSSS with wooden finish
- combination
- Durable material
- Design variants available



OGH-11W 25x325MM WSS							
Sizes MRP CTC Hole Dia							
25mm x325mm	₹ 3,168	300mm	12mm				



	OGH-88 32x480MM WSS							
	Sizes MRP CTC Hole Dia							
32mm x480mm ₹ 4,543 450mm 12mn								



OGH-55 32x457MM WSS						
Sizes MRP CTC Hole Dia						
32mm x457mm	₹ 3,300	305mm	12mm			

DOUBLE ACTION 3-WAY 'T' SHOWER HINGES

Specification:

- Maximum Glass Thickness: 8 & 10mm
- Maximum door width: 700mm
- Opening: inward (recommended) and outward
- Self-closing function activates once door reaches 30°
- Material: SS 304
- Finish: PSS



OSSH-22T-ED PSS ₹ 7,755 Double Action 3-Way 'T' Shower Hinges

Wall to Glass Bracket (Fixed Glass)



Glass to Glass Hinge 90°



Finish : PSS



Finish : PSS







Glass to Glass Hinge 135°




SHOWER HINGES

Finish: CP, SN, SSS & PSS





SHOWER CUBICLE FITTINGS









PSS ₹ 1,254

OGC-222-ED STD PSS

Glass to Glass

Connector 135

Glass Connector for Wall / Floor Mounting

SSS ₹ 880

PSS ₹ 880

OGC-111-ED STD SSS

OGC-111-ED STD PSS

Wall / Floor to

Glass Connector

OGC-1E STD PSS ₹ 374 OGC-2E STD PSS ₹ 512 Glass to Glass Connector 135°

OGC-3E STD PSS ₹ 534 Glass to Glass Connector 90°

OGC-333-ED STD SSS

OGC-333-ED STD PSS

Glass to Glass

Connector 90

PSS ₹ 1,144



Wall to Glass Connector 90°

OGC-444-ED STD SSS

OGC-444-ED STD PSS

Wall to Glass

Connector 90

SSS ₹ 913

PSS ₹ 913



Series

OGC-4E STD PSS ₹ 490 OGC-5E STD PSS ₹ 512 Glass to Glass Connector 180°



PSS ₹ 1,254 OGC-555-ED STD PSS Glass to Glass Connector 180°









SHOWER CUBICLE FITTINGS







www.ozone-india.com

Finish : PSS, SSS & Black Matt



SLIDING SHOWER SCREEN

Wall to Wall System

ESeries

- Maximum Door Weight: 50kg
- Maximum Door Width:750mm
- Maximum Door Height: 2000mm
- Maximum Glass Thickness:8, 10mm



COMPONENT DETAILS



OSSL.SYS.90.1E 1.65mx2 CP ₹ 19,895

Corner Entry System

	SLIDING SHOWER SCREEN ACCESSORIES	Wall to Wall System	Corner Entry System
	Ø35 Stainless Steel Knob Clamp Roller Finish: Polished or Satin Stainless Steel *Suits 8-10mm Glass Thickness	2 pcs.	4 pcs.
	Aluminium Top Track Finish: Polished or Satin Aluminium	2 meters Length	1.65 meter - 2 Length
	Stainless Steel Mounting Bracket (LH/RH) Finish: Polished or Satin Stainless Steel	1 Set (1 LH and 1 RH)	1 Set (1 LH and 1 RH)
\bigcirc	Nylon End Stopper with Catch Device	2 pcs.	4 pcs.
	Single-U Nylon Floor Guide	1 pc.	2 pcs.
Ď	Track Corner Joint Finish: Polished or Satin Chrome (for Corner Entry System)	N.A.	1 pc.

OPTIONAL ACCESSORIES





SLIDING DOOR SYSTEM - OSL-ED-SYS-11: for shower cubicles & internal doors



		How to Order (Available in kits only)		
Product Code (Only for Individual Product Order)	Product Image	OSL-ED-SYS-11 1.65 mtr Kit includes ₹ 15,950	OSL-ED-SYS-11 2 mtr Kit includes ₹ 17.050	
SL-ED-11-A1 STD PSS Sliding Door Roller	Ψ.	02 Sets	O2 Sets	
SL-ED-11-A2 STD PSS Track to Glass Holder	es e	02 pcs	02 pcs	
SL-ED-11-A3 STD PSS Stopper		02 pcs	02 pcs	
SL-ED-11-A4 STD PSS Floor Guide	W.	01 pc	01 pc	
OSSKH-1-ED STD PSS Wall to Track Connector	Ê	02 pcs	02 pcs	
OSSKH-ACC-25T-ED 1.65Mtr PSS OSSKH-ACC-25T-ED 1.65Mtr BM Connector Track		01 рс	-	
OSSKH-ACC-25T-ED 2Mtr PSS OSSKH-ACC-25T-ED 2Mtr BM Connector Track (Please note that 2mt Track does not have Pre-drilled Holes for A2)		-	01 pc	

Optional Fitting for 90° Application




SL-ED-11-A6 STD PSS ₹ 1,892 Track to Glass Holder Optional for 90° Application



SHOWER KNIGHT HEAD FITTINGS

Finish : PSS & SSS



EDGE LINE KNIGHT HEAD FITTINGS

Design Regd.



OSSKH-1-ED STD PSS ₹ 594

Design Regd. PSS ₹ 655

OSSKH-2-ED STD PSS Track to Glass Connector

Design Regd.



OSSKH-3-ED STD PSS Glass to Track end Connector Track to Track 90° Connector



Finish : PSS, Black Matt & Rose Gold

OSSKH-ACC-25T-ED 1.65mtr PSS OSSKH-ACC-25T-ED 2mtr PSS Connector Track

Black Matt Finish

Wall to Track Connector



BM ₹ 683 OSSKH-1-ED STD BM Wall to Track Connector

Knob



BM ₹ 750 OSSKH-2-ED STD BM Track to Glass Connector



OSSKH-3-ED STD BM Glass to Track end Connector Track to Track 90° Connector



2mtr BM ₹ 3,087 OSSKH-ACC-25T-ED 1.65mtr. BM OSSKH-ACC-25T-ED 2mtr. BM Connector Track



ODK-1 STD PSS ₹853 Glass Door Knob



ODK-2 STD PSS ₹858 Glass Door Knob











OPS-1 STD ₹ 270 Wall Seal



OPS-4 STD ₹ 270 Central 180° Weather Seal




OPS-6 STD ₹270 Water Dispersal Seal




OPS-9 STD ₹270 Offset Lip Seal





OPS-11 STD ₹ 270 Offset Lip Seal



BM

RG

CS

Finishes:

OPS-2 STD ₹ 270 Central Seal



OPS-4 10mm BM ₹ 311 Central 1800 Weather Seal





180º Magnetic Seal










OZOM-SL-BR-22N-10ft 12m STD ₹ 832 Brush Seal (Sliding Doors)



Available for 8, 10 & 12mm Glass Standard Length - 2.2mt



Central 180° Weather Seal



OPS-5 STD ₹ 270 Soft Nose Seal



OPS-8 STD (Hard) ₹ 270 Central 180° Weather Seal



135º Magnetic Seal



OPS-M3 10mm BM ₹ 1,192 900 Magnetic Sea





SLIDING SYSTEM FOR FRAMELESS GLASS DOORS

Finish: SSS Glass Thickness: 8-10mm



OZ-ESL-GL-11-60 STD STD₹ 1,461Sliding System Set W/O Track for SingleFrameless Door of 60 Kg



OZ-ESL-GL-11-80 STD STD ₹ 2,299 Sliding System Set W/O Track for Single Frameless Door of **80 Kg**



OZ-ESL-GL-11-100 STD STD ₹ 3,058 Sliding System Set W/O Track for Single Frameless Door of **100 Kg**



OZ-ESL-GL-11-150 STD STD₹ 5,589Sliding System Set W/O Track forSingle Frameless Door of 150 Kg








OZ-ESL-TRACK-E2 2mtr STD ₹ 2,050OZ-ESL-TRACK-E2 4mtr STD ₹ 4,090Top Track Suitable for ESL GL-11-120 & 200(Available in 2mt & 4mt)



SLIDING DOOR SYSTEM - 44

Finish: SSS Glass Thickness: 10-12mm



Product Code	Product Image	SL-44-A1 KIT STD SSS (Kit Includes) ₹7,645	Product Code	Product Image	SL-44-A2 KIT STD SSS (Kit Includes) <mark>₹ 10,670</mark>
OZ-SL-44-A1 STD SSS Roller for Glass Door (40 Kg Wt)	P	01 Set	OZ-SL-44-A2 STD SSS Roller for Glass Door (80 Kg Wt)	Č	01 Set
OZ-SL-44-A3 STD White Stopper	P	02 Pcs	OZ-SL-44-A3 STD White Stopper	T	02 Pcs
OSL-33-G Floor Guide		O1 Pc	OSL-33-G Floor Guide		01 Pc

OTHER ACCESSORIES



OZ-SL-44-A4 STD BM Cover Plate forTrack B1



OZ-SL-44-A5 STD SSS Wall to Track Fixer



₹ 616 OZ-SL-44-A6 STD SSS Glass to Track Fixer with Counter Sunk



₹ 512


OZ-SL-44-A7 L/R STD STD Curved Track Cover End Piece (L/R)




Wall to track connector



SL-44-A9 STD STD ₹ 319 SL-44-A8 ₹ 314 90 degree track connector



OZ-SL-44-B1 Track 2mtr STD AN OZ-SL-44-B1 Track 4mtr STD AN Aluminium Anodized Track for Sliding Door Panels



OZ-SL-44-B2 Track 2mtr STD AN OZ-SL-44-B2 Track 4mtr STD AN Aluminium Anodized Track for Double Sliding Door Panels



OZ-SL-44-B3 Track 4mtr STD AN Aluminium Anodized Track for Sliding & Fixed Glass Door Panels

As per Site requirement


www.ozone-india.com





Finish: SSS

PREMIUM MANUAL SLIDING SYSTEMS



OZSL-G-S-Track 2mtr SSS

Key Features:

• Soft closing single sliding glass door for internal applications

₹ 16,500

- El ant and slim design can be mounted on glass, wall and ceiling
- Tested for 100,000 cycles, as per EN1527 standards
- Hydraulic soft closing bumper-Tested for 2,00,000 impact cycle

Specifications:

- Aluminium anodised top slim Track Size: 54x58mm
- Max. door weight: 40-80kgs/ 2 carriages
- Max. Glass Thickness: 10mm or 12mm
- Finish: SS or brushed clear
- Length: 2mtr (Standard) and 4mtr (Against order)

Optional Fittings:


- Glass Clamp-OZ-GV-A6 for mounting track on glass (06 pcs set)
- Side profile OZ-SL-ST for side fixed panel



₹ 16,500







OZ-SL-ST 1.3mtr SSS ₹ 3,839 OZ-GV-A6 STD SSS ₹ 7,205

(06 pcs set)

Note: Heavy duty 80-150 kgs. also available



SLIDING DOOR SYSTEMS

Finish : SSS & AN

Glass Thickness: 10-12mm

TELESCOPIC GLASS SLIDING SYSTEMS





Ozone introduces the Glass Synchronized Manual Telescopic Sliding Door System to achieve maximum clear door opening space. Its door panels can be stacked on one side in-line with top track and require minimum parking space.


Its ideal applications are in residential and commercial interior spaces as internal partitioning system. For more details, send an enquiry at support@ozone-india.com

Specifications:


- Maximum Width of Panels-1000mm
- Maximum Weight of Panels-90Kg
- Maximum Thickness of Glass-10/12mm
- Available Track length-3mtr & 4mtr
- Finish: Aluminum Anodized



3 PANEL DOOR SLIDING SET:



4 PANEL DOOR SLIDING SET:



www.ozone-india.com



TOP TRACK & ACCESSORIES 3mtr AN ₹ 31,700/set 4mtr AN ₹ 42,900/set

OSL-TG-Track-ACC-3mtr AN 3mtr Track with other Accessories OSL-TG-Track-ACC-4mtr AN 4mtr Track with other Accessories











Top U Channel-1Pc.

Top Track-2Pcs.

Bottom U Channel-1Pc.

Pelmet Cover-2Pcs.

SS Rope, 2mtr-1Pc.

Additional Accessories Required For OSL-TG-04 R/L (Four Panels) Item Code for 3mtr. track (If clear opening at site is upto 3mtr) OSL-TGW-Track-3mtr AN (1pc) ₹ 7,450 OSL-TGW-Rope-2mtr SS (1pc) ₹ 661





SLIDING GLASS DOOR LOCK

SLIDING GLASS DOOR LOCK WITH HANDLE FOR CONVENIENT ACCESS

Finish: SSS Glass Thickness: 08-12mm

S Series Premium Collection of Architectural Hardware



Specifications:

- Sliding glass door lock with handle
- Overall dimensions 170 (L) X 70 (H) mm
- Lock with European cylinder
- Material stainless steel
- Finish brushed nickel plated

Features:

- Interchangable for right & left hand
- Prevents direct contact of glass edge to the wall
- Door can be locked if fixed glass & sliding door panels are on inline*
- Lock can be adjusted for variable gap between fixed glass and sliding door with the help of spacer**




Sliding Glass Door Lock:



OSDL-11L-K2N Std SSS₹ 8,682OSDL-11R-K2N Std SSS₹ 8,682Key to Knob for door opening to left

Accessories:



OSDL-11-SB1 STD SSS ₹ 2,640 Strike Box for Offset Wall/ Frame to Glass




OSDL-11-SB STD SSS^{*} ₹ 3,190 Strike Box for Inline Glass to Glass Application







OSDL-11-K2K Std SSS ₹8,682 Both side key option for universal door opening



OSDL-11-SB2 STD SSS₹ 2,760Strike Box for Offset Glassto Glass Application



OSDL-11ACC-SPC 5mm SSS^{**} ₹ 583 OSDL-11ACC-SPC 10mm SSS ₹ 583 5/10mm Spacer for Strike Box

SLIDING DOOR HANDLES FOR FRAMELESS GLASS DOORS



Finish: SSS Glass Thickness: 08-10mm





Specifications:

- Base material aluminium
- BRUSHED stainless steel finish

Features:

- Easy installation
- Easy access from inside & outside
- Increased opening space
- Universal





Front



OZ-SL-HN-70 Std SSS ₹ 3,703 Sliding Door Handle

SLIDING DOOR HANDLES FOR GLASS DOORS








SL-HN-60 STD SSS ₹ 1,760 Sliding Door Handle





CENTER GLASS SLIDING FOLDING SYSTEM WITHOUT BOTTOM TRACK

Finish: SSS Glass Thickness: 10-12mm



Specifications:

- · Sliding panel secured with integrated drop bolt
- End panel secured with bottom lock with key mechanism
- · Central stacking that occupy min space in passage or lobby
- Two systems can be installed at both end to give wider opening passage
- System can be installed in various configurations
- Material SS 304 grade

Folding Door Roller

SL-444-B10 ₹ 7,172

Corner Patch Lock

SL-444-B-CL ₹ 6,325

• Finish satin stainleass steel


Applications:

Interior & Exterior application in :

• Commercial Buildings, Residences, Hotels, Offices

Features:

- Nylon wheels with integrated bearings for quite & smooth running
- · Panel height adjustable with roller
 - · Panels are connected with hinge
 - Cover plate of hardware secrured with grub screw









Glass to Glass Hinges

SL-444-B6 ₹ 6,050

Fittings can be selected based on number of panels :

Glass Door Bolt SL-444-B-DB ₹ 4,950





Lower Fixing Clip SL-444-B17 ₹ 4,334



Aluminium Finish SL-444-TT 3mtr ₹ 12,300 SL-444-TT 4mtr ₹ 16,100



Bolt Sieeve SL-444-B-SLV ₹ 726



Strike Plate SL-444-B-SP ₹ 473 SL-444-A-6

SL-444-A-10

SL-444-A-6

SL-444-A-11



SLIDING DOOR SYSTEM - 444

SL-444-A-16

Finish : SSS & AN Glass Thickness: 10-12mm

SL-444-A-9

Lock Strike box 0 Sliding Non Sliding Sliding Sliding folding panel Swing door folding panel folding panel folding panel SL-444-A-13 SL-444-A-17 SL-444-A-12 SL-444-A-13 SL-444-A-14 SL-444-A-9 **Plan View** SL-444-BT 3mtr SSS ₹ 7,720 SL-444-TT 3mtr AN ₹ 12,300 SL-444-TT-C 3mtr SSS ₹ 8,290 SL-444-A6 STD SSS ₹ 5,940 SL-444-BT 4mtr SSS ₹ 10,100 SL-444-TT 4mtr AN ₹ 16,100 SS Cover for Track SL-444-TT Glass to Glass Top Track Interconnecting Hinge Bottom Track SL-444-A10 STD SSS ₹ 7,029

Glass to Glass Connector With Roller



Fitting with Roller

SL-444-A12 STD SSS ₹ 6,677 Glass to Glass Connecting ⁱ Hinge with Guide Locator

SL-444-A13-L/R STD SSS ₹ 8,305 Glass to Glass Connecting Hinge with Floor Lock



SLIDING DOOR SYSTEM - 444

Finish : SSS Glass Thickness: 10-12mm



SL-444-A9 STD SSS ₹ 3,718 Glass to Wall Hinge for Single Action Doors



SL-444-A14 STD SSS ₹ 3,344 End Sliding Folding Panel Fitting with Guide Locator



End Panel Fitting with Top Pivot



SL-444-A16 STD SSS ₹ 4,367 SL-444-A17 STD SSS ₹ 4,246 End Panel Fitting with Bottom Pivot



End Panel Fitting with Bottom Pivot (for odd panels)



SL-444-A18-L STD SSS ₹ 4,499 SL-444-A18-R STD SSS ₹ 4,499 SDL-14A STD SS ₹ 12,535 End Panel Fitting with Bottom Pivot (for odd panels)



Sliding Door Lock with Knob



SDL-14B STD SS ₹ 9,281 Sliding Door Strike Box with Knob



Note: Internal Application for Office and Home Partitions



GLASS PARTITION SYSTEM B

Product Code and MRP available as per project requirement

Finish : SSS Glass Thickness: 10-12mm Max Feasible Height: 3mtr





Plan View





OMPS B-1 Lower door strip (single latch)



OMPS B-5 Lower door strip (side bolt+jack)



OMPS C-2 Track



OMPS B-2 Upper door strip/shaft sleeve



OMPS B-6 Lower door strip (surface bolt + jack)



OMPS C-5 Rail (T - piece)



OMPS B-3 Upper door strip/roller



OMPS B-7 Lower door strip (side bolt+latch)



OMPS C-6 Rail (Elbow)



OMPS B-4 Lower door strip (double pins)



OMPS B-8 Lower door strip (surface bolt+side bolt)



GLASS PARTITION SYSTEM W

Product Code and MRP available as per project requirement

Finish : SSS Glass Thickness: 10-12mm Max Feasible Height: 3mtr





Top View



OMPS W-2 Upper door strip (one-slide roller) Upper fixing door strip





Upper & lower door strips

Lock

GLASS PARTITION SYSTEM Z



OMPS W-3 Lower door strip (column)






Lower fixing door strip (surface bolt+lower shaft)



Finish : SSS Glass Thickness: 10-12mm Max Feasible Height: 3mtr

Product Code and MRP available as per project requirement

Top View





OMPS Z-1 Upper fixed door leaf (1/2 door leaf+63mm)



OMPS Z-5 Upper end door leaf (1/2door leaf+63mm)



(1/2 door leaf+63mm)

OMPS Z-6

Lower end door leaf

(1/2door leaf+63mm)



OMPS W-6 Lock



Upper door strip (hinge + roller)



OMPS C-2 Track



(hinge + surface bolt)



Track



TWISTED SPIDER FITTINGS WITH FIN



SS-316

Finish: PSS



Key Features:

- Curvilinear design reduces stress concentration at transition points
- Twisted arm design gives higher strength
- No dome nut visible on fin side glass
- Compatible with all Ozone routels
- CTC 200mm



OSP-T-4D STD PSS ₹ 6,380 4 Way Spider with Fin



OSP-T-2D STD PSS ₹ 4,510 2 Way Spider with Fin



OSP-T-44D STD PSS ₹ 3,355 2 Way Spider for Ceiling/ Wall



OSP-T-22D STD PSS ₹ 2,379 1 Way Spider for Ceiling/ Wall

FACADE SPIDER FITTINGS WITHOUT FIN



<u>SS-316</u> Finish: PSS



Key Features:

- Sleek casted arm design for higher strength
- Tapered arm design provide lateral stiffness against wind-load
- Compatible with all existing OZONE routels
- CTC 200mm



4 Way Spider



OSP-B-204 STD PSS ₹ 5,170 OSP-B-202 STD PSS ₹ 3,355 2 Way Spider (180°)



OSP-B-202A STD PSS ₹ 3,740 OSP-B-201 STD PSS ₹ 2,420 2 Way Spider (90°) 1 Way Spider



GLASS CLAMP GLAZING SYSTEM (Rhombus Spider)

SS-316

Finish: PSS & SSS (on order)

Tested as per International Standard





Side View

OSP-RB-F4K PSS ₹ 13,200 Two/Four Way Spider with Fin

SPIDER FITTINGS WITH FIN (Standard Series - 200mm Arm Distance)





SPIDER FITTINGS WITHOUT FIN (Standard Series - 220mm Arm Distance) SS-316

Finish: PSS & SSS





SPIDER FITTINGS WITH FIN (200mm Arm Distance)

SS-316 Finish: PSS



OSP-A2-316E STD SSS ₹ 4,950 2 Way Spider with Fin



OSP-A44-316E STD SSS ₹ 2,915 2 Way Spider for Ceiling/ Wall



OSP-A4-316E STD SSS ₹ 5,600 4 Way Spider with Fin



same as of standard series 'OSP-A'

Product Dimension & Glass cutout details are

OSP-A22-316E STD SSS ₹ 2,530 1 Way Spider for Ceiling/ Wall



SPIDER FITTINGS WITHOUT FIN (220mm Arm Distance)

SS-316 Finish: PSS

Product Dimension & Glass cutout details are same as of standard series 'OSP-B'



OSP-B-221-316E STD SSS ₹ 3,234 1 Way Spider without Fin



OSP-B-223-316E STD SSS₹ 5,3903 Way Spider without Fin



OSP-B-222-316E STD SSS ₹ 3,905 2 Way Spider without Fin 180°



OSP-B-222A-316E STD SSS ₹ 4,565 2 Way Spider without Fin 90°



OSP-B-224-316E STD SSS₹ 5,8854 Way Spider without Fin



SPIDER FITTINGS WITH FIN (200mm Arm Distance)





OSP-A2-304 STD SSS 2 Way Spider with Fin SSS ₹ 5,390 PSS ₹ 5,995

FIN PLATES

(Also Available in 450mm, 500mm & 600mm)

SSS ₹ 6,325

PSS ₹ 6,325

Finish: PSS & SSS



OSP-FP-150 SSS₹ 7,040Fin Plate 150mm



 OSP-FP-300 SSS
 ₹ 9,680

 OSP-FP-300 PSS
 ₹ 10,450

 Fin Plate 300mm

OSP-SP-300 PSS ₹ 9,460

Splice Plate 300mm



OSP-A4-304 STD SSS

4 Way Spider with Fin

 OSP-FP-350 SSS
 ₹ 11,110

 OSP-FP-350 PSS
 ₹ 11,880

 Fin Plate 350mm

 OSP-SP-350 SSS
 ₹ 10,890

 OSP-SP-350 PSS
 ₹ 11,330

Splice Plate 350mm



 OSP-FP-400 SSS
 ₹ 12,210

 OSP-FP-400 PSS
 ₹ 12,815

 Fin Plate 400mm
 ₹

SPLICE PALTES

Splice Plate 170mm

OSP-SP-170 Price on request OSP-SP-300 SSS ₹ 8,855

Finish: SSS & PSS



OSP-SP-VS-400 Std PSS ₹ 12,760

Splice Plate for Holding Two Fins

GLASS FACADE SPIDER ACCESSORIES



ROUTELS

SS-316

Finish: SSS & PSS SSS 2.222 PSS ₹ 2.662
 OSP-FB-FL STD SSS
 ₹ 1,221
 OSP-FB-CS STD SSS
 ₹ 1,221

 OSP-FB-FL STD PSS
 ₹ 1,540
 OSP-FB-CS STD PSS
 ₹ 1,375
 OSP-AFB-36-CS STD SSS ₹ 1,859 OSP-AFB-36-FL STD SSS Articulate Bolt (Counter Sunk Head) OSP-AFB-36-FL STD PSS Finish: SSS / PSS Fixed Bolt (Flat Head) Fixed Bolt (Counter Sunk Head) Articulate Bolt (Flat head) Finish: SSS / PSS Finish: SSS / PSS Finish: SSS / PSS SS 304 MS Base OSP-AFB-36FL-DGU ₹ 3,135 OSP-AFB-40-FL-DGU ₹ 3,520 OSP-B-AR-12(8+12+12) ₹ 748 OSP-SH-01 Std. SS ₹ 1,529 Articulated routel for DGU, Articulated Routel for 40mm Aluminium Ring for Insulated Glass To Hold Without Fin DGU Glass for holding inner glass only Finish: Aluminium Spiders to Structure Finish: SSS / PSS Finish: SSS / PSS Series ESeries SS-304 Series ₹ 1,056 SSS ₹ 1,271 SSS ₹ 2,035 ₹ 1,925 OSP-AFB-36-FL-316E Std SSS OSP-AFB-36-FL 304 OSP-FB-FL-316E Std SSS OSP-FB-FL 304 Articulate Bolt (Flat head) Fixed Bolt (Flat Head) Fixed Bolt (Flat Head) Articulate Bolt (Flat head) Finish: SSS Finish: SSS Finish: SSS Finish: SSS



FRAMELESS GLASS CANOPY SYSTEMS

Finish: SSS



OCF-22-TR ₹ 31,350

Trio shaped Wall mounted Canopy Fitting with Glass on Top.

- Stainless Steel 304 Grade
- Max. Glass Size (using 2 fittings) 1800mm* 1100mm
- Supplied in Pair W/O Glass (Glass available on special demand)



OCF-01 STD SSS ₹ 6,710 Wall to Glass Connector Finish: SSS



OCF-02 STD SSS ₹7,535 Adjustable Glass Connector for OCF-316 Finish: SSS



OCF-03 STD SSS ₹ 6,160 Wall Fitting for OCF 316 Finish: SSS



OCF-316 STD SSS Threaded Sleeve for OCF-ROD Supplied In Pairs Finish: SSS



 SSS ₹ 13,750

 PSS ₹ 13,750

 OCF-ROD-16mm SSS

 for OCF-316

 Finish: SSS





XOZO MOTION AUTOMATIC DOOR SYSTEMS HOTEL RFID LOCKS & DIGITAL LOCKS

Ozone Automatic Door systems are designed to meet the ease of entry, safety & security requirements. The flexibility in design & installation allows Ozone Automatic Door systems to get integrated in any type of architecture.



EASY PLUS AUTO SLIDING DOOR SYSTEM

OZOM-111E-PLUS-N 4.2mtr. ₹ 96,250

Compact & Slim body | Intelligent Controller | Modular Design | Noiseless Functionality



Features:

- Engine case, height: 128mm
- Engine case cover height: 150mm
- Self learning micro computer processing controller
- Adjustable tensioner wheel
- 24V DC 65W brushless motor
- Digital adjustable parameters
- Controller with built-in remote control receiver
- Inbuilt electromagnetic locking


Specifications:

- Single / bi-parting sliding door system
- Suitable door weight : 100 Kg x 2
- Max door width : 2 mtr
- Adjustable parameters for opening speed, closing speed, opening buffer speed, closing buffer speed, opening buffer distance, closing buffer distance, opening time & opening force
- Integration possible with Microwave Sensor, Handwave Sensor, PIR Sensor, Digital Door Key, Finger Print Controller Wireless Push Button, Safety Beam, Remote Control, Push Buttons etc



Track length option:

• 4.2mtr





Premium Collection of Architectural Hardware

PREMIUM PLUS AUTO SLIDING DOOR SYSTEM


OZOM-111P-PLUS 4.2mtr.	₹ 1,42,010
OZOM-111P-PLUS 5.2mtr.	₹ 1,57,850
OZOM-111P-PLUS 6.0mtr.	₹ 1,69,510


Compact & Slim body | Noiseless Functionality | Intelligent Controller | Modular Design



Track length option:

• 4.2mtr/5.2mtr/6mtr





Features:

- Engine case, height: 90mm
- Self-learning microcomputer processing controller
- Slim type track
- 24V DC 65W brushless motor with built-in rectifier
- Adjustable parameters
- Engine case cover height: 155mm
- · Controller with built-in remote control receiver
- Adjustable tensioner wheel
- Operating standard cycle for 5,000,00 cycles in-house tested

Specifications:

- Single/bi-parting sliding door system
- Suitable door weight : 120Kg x 2
- Max door width : 2/2.5/3mtr
- Adjustable parameters for opening speed, door buffer distance, door buffer intensity, closing speed, closed buffer distance, closed buffer force, opening hours & starting force
- Integration possible with Microwave Sensor, Handwave Sensor, PIR Sensor, Digital Door Key, Wireless Push Button, Safety Beam, Remote Control, Push Buttons etc

----- Rectifier

····▶Timing Belt



AIRDRIVE-The **WORLD'S SLIMMEST** Automatic Sliding Door System with tiniest yet powerful operator of only 68 mm height







Features:

- Manufactured as per ISO 9001:2000 standards
- CE conformity & compliant with EU Standards EN 16005, EN 60335, EN ISO 13849 1:2008 & German standard DIN 18650
- Exquisiteness combined with strength & soft performance
- Ability to work with 20% higher or lower than nominal input voltage
- Completely protected system input ports which reduces the damage risk due to human error during installation
- Self-diagnose and error detection
- Ability to automatically adjust speed and slopes according to input voltage change
- Best choice for professionals who wish to create pure beauty & graceful architecture

Specifications:

- Track/engine case: 68 x 135 mm (ht x depth)
- Track length: 4.2 & 5.9 mtr
- Door type: automatic
- Single leaf door weight: 1 x 150kg
- Double leaf door weight: 2 x 120kg
- Maximum door opening width: 2000 mm for single panel & 3000 mm for double panel
- Motor: compliant with EU low voltage directives with maximum power consumption of 250W
- Opening speed: adjustable 100-550mm/sec
- Closing speed: adjustable 100-500mm/sec

Slimmest Track of 68mm height




XOZO MOTION

OZONE PLUS GLIDE MAGNETIC SLIDING DOORS





Ozone Plus Glide is an automatic sliding door system that runs on a magnetic linear motor technology which is safe, noiseless and reliable technology. It reduces operating cost hence is a cost effective solution for commercial spaces like offices, hotels & hospitals. Ozone Plus Glide System can be applied in any of the entrances and can be integrated with door control devices.





Accessories:



Wireless Push Buttons 2 Nos. - Black/White (Provided with Product Packing)






OZONE PLUS GLIDE MAGNETIC SLIDING DOORS








Wood & Aluminium-Framed Doors Glass Doors



Smart Glide OZOM-SG-150



Wood & Aluminium-Framed Doors Heavy Glass Doors



Technical specifications:

- Movement range: 750-1000mm
- Door weight: 30-80kg
- Opening/closing speed: 200-500mm/s
- Hold open time: 0-30sec
- Magnetic holding power: Suction 10N
- Manual opening: ≤ 10N
- Anti-pinch force: ≤ 10N
- Average power: 30W
- Track length: 2100mm

Functions:

- Standard configuration: automatic mode, manual opening
- Adjustment of opening/closing speed and hold open time
- Automatic memory
- Smooth sliding operation
- Anti-pinch and overload protection
- Can be used with external control switch

Technical specifications:

- Movement range: 750-1000mm
- Door weight: 50-150kg
- Opening/closing speed: 200-500mm/s
- Hold open time: 0-30sec
- Magnetic holding power: Suction 10N
- Manual opening: ≤ 10N
- Anti-pinch force: $\leq 10 \text{N}$
- Average power: 30W
- Track length: 2100mm


Functions:

- Standard configuration: automatic mode, manual opening
- Adjustment of opening/closing speed and hold open time
- Automatic memory
- Smooth sliding operation
- Anti-pinch and overload protection
- Can be used with external control switch



AUTOMATIC SLIDING DOOR SYSTEM WITH PANIC BREAKOUT

OZOM-PB-G STD Price on Request





Get wider door opening with panic breakout feature



Panic breakout feature facilitates quick evacuation

Specifications:

Single leaf Door Weight	100 Kg
Double leaf Door Weight	100x2 Kg
Power consumption	200W
Ambient temperature	-30~+50° C
Motor	Dunkermotoren from Germany
PSA control Panel	37 parameters could be set
Track and Cover	High strength, 5mm thickness

Features:

- Includes overlapping frames and sealing to ensure airtightness
- Intelligent design, easy to install and adjust
- UPS backup battery ensures the door operating 30 minutes normally if power fails
- Automatic stop function
- Push open at any position


Applications:

• Airports, Shopping Malls, Car Showrooms, Warehouses



TELESCOPIC AUTOMATIC SLIDING DOORS

Ozone Telescopic Automatic Door System is designed to work on double pulley mechanism that enables wider door opening with less parking space. With our Telescopic Automatic Door System, you can achieve upto 3mtr wide door opening making it best suitable even for automobile showrooms and areas of high traffic movement.



OZOM-11-T 4.2mtr.	₹ 2,44,200
OZOM-11-T 5.0mtr.	₹ 2,59,600

Telescopic Automatic Sliding Door System with one on one panel

TECHNICAL PARAMETER-	OZOM – 11T	
Power	AC 220V (50-60 Hz), AC 110v (option)	
Controller	Micro-Processing	
Motor	DC 24V 60W/90W	
Door weight max.	90kg x 2/125kg x 2	
Door width	Min. 550mm	
Opening time	0-10 sec.(Adjustable)	
Power Transfer	UPS, Program switch	

Features:

- For a wider door opening space, install 02 panels door in a space of one
- 02 door panels move at 2:1 speed ratio at the same time.
- Telescopic Door does not have a profile cover so provisions for hiding the system assembly with any paneling material is required.





XOZO MOTION

AUTOMATIC SLIDING DOOR SYSTEM FOR SINGLE DOOR



 OZOM-11F-S-SYS STD SSS
 ₹ 1,25,400

 OZOM-11F-S-TRACK 2 MTR SSS
 ₹ 29,150



Features:

- Designed in compliance with EN 16005 Low Energy Operating Standard for 500,000 cycles
- Slim Size Track (mm): (H)75 x (W)77 x (L)2000mm
- Can be converted to semi-automatic door
- For Internal applications

Certified : CE, EN 16005

2014/35/EU

Low Voltage European Directive

Specifications:

- Suitable for door weight: 20-80Kg
- Power supply 100~240V AC ; 50/60 Hz
- Power consumption 5W in stand-by mode & 40W (max) in automatic mode
- 2mtr. aluminium track with SS finish
- For single panel sliding door, frameless glass or framed door
- Same product & installation of right to left or left to right door opening
- Integration possible with microwave sensor, wireless push button, digital door key (RFID Card access control), hand wave sensor etc
- Can be operated by gentle manual push to the door
- High degree temperature resistance belt (20°-130°)
- Safety beam barrier not required





Hanger Roller

Controller



AUTOGLIDE SLIDING DOOR SYSTEM (RETRO FIT)



OZOM-AG-01 STD BLACK ₹ 55,220



Features:

- Converts existing manual sliding door or window into automatic sliding
- Suitable for residential applications

Specifications:

- Single leaf door weight: 80Kg
- DC 24V 45W brushless motor
- Can be installed on doors of kitchen, balcony, office, shop front, aisle, french window or other sliding windows
- Suitable door width: 500-1000 mm
- Voltage: AC 100-240V
- Opening speed: 10-45 cm/s (Adjustable)
- Closing speed: 10-25 cm/s (Adjustable)
- Compatible with sensor, remote control, push button, RFID card reader etc.

Accessories:

• With 2 Nos. wireless push buttons/remote control





Inside View of the Controller

White Colour Option (Available against confirmed orders)



SEMI AUTOMATIC SLIDING DOOR SYSTEM

OZOM-SA-111-N ₹ 37,950

The Semi Automatic Doors System is a sliding door which is opened manually but closes automatically on its own with the help of an air cylinder mechanism. It does not require any electrical connection. Another important feature of this door is that it closes softly on the last end making its closing very smooth and silent. The closing speed can be adjusted as per the traffic movement and opening size. The maximum door width possible for this system can be 1000mm (track length 2100mm) and the maximum door weight 80kg. The door can be integrated with standard locks. An ideal application for these doors is rest room entrances, conference rooms etc. The system can be used for frameless glass doors as well as framed/wooden doors.



Semi-Automatic Door Technical Parameters

TECHNICAL PARAMETERS	OZ-OM-SA-111	
Single leaf maximum opening width	1000mm	
Maximum door weight	80Kg	
Maximum door height	2100mm	
Door Type	Framed & Frameless doors	
Door parking when open	Possible	
Glass cutout	Not required	

Features:

- Suitable for Frameless glass doors, wooden doors & framed doors
- Door open manually and closes automatically
- Come with in-built air cylinder mechanism
- No electrical connection required
- Soft & Silent door closing
- Closing Speed can be adjusted
- Standard locks available in market can be integrated

Ideal Application: Rest room entrances, office cabins, conference rooms, meeting rooms




OZOM-AC-99 Std Black ₹ 8,470

Microwave Sensor

High sensitivity, wide range eagle type sensors with least interface with industrial noise.





- 1. Microwave sensor, detects moving objects
- 2. Infrared safety beam, opens the door if someone comes in between door while closing
- 3. Infrared presence detector



Technical Specification

Technology	Microwave and Microprocessor
Transmitter frequency	24.125 Ghz
Transmitter radiated power	<20dBm EIRP
Transmitter power density	<5mW/cm²
Detection mode	Motion
Minimum detection speed	5 cm/s (measure in the sensor axis)
Supply voltage	12V-24V AC+/-10%, 12V-30V DC
Mains frequency	50 to 60 Hz
Max. power consumption	<2W (VA)
Output	relay (free of potential change-over contact)
• Max. contact voltage	42V AC-60V DC
• Max. contact current	1A (resistive)
• Max. switching power	30W (DC)/60VA (AC)
Max. mounting height	3m
Protection degree	IP54
Temprature range	from- 20°C to +55°C

Specification are subject to change without prior notice



×

Avoid extreme vibration

Do not cover the sensor



Avoid moving objects & light sources in the detection field




Avoid highly reflective objects in the infrared field **Microwave Sensor:** High sensitivity, wide range eagle type sensors with least interface with industrial noise. Infrared Sensor for Active and presence detector.

Opening & safety sensor for automatic sliding doors

Other use of the device is outside the permitted purpose and can not be guaranteed by the manufacturer. The manufacturer cannot be held responsible for incorrect installations or inappropriate adjustments of the sensor.

OZOM-AC-11-ZS ₹ 14,850



Technical Specification

Supply voltage:	12 V-24 V AC +/-10% ; 12 V-30 V DC 0%/+10%	
Power consumption:	< 3W	
Mounting height:	1.8m to 3m	
Temperature range:	-25°C to +55°C	
Degree of protection:	IP54	
		A 🔍
Detection mode:	Motion Min. detection speed: 5cm/s	Presence Typical response time: <128ms (max. 500ms)
Technology:	Microwave doppler radar Transmitter frequency: 24.150 GHz Transmitter radiated power: <20 dBm EIRP Transmitter power density: <5 mW/cm2	Active infrared with background analysis Spot diameter: 6cm (typ) Number of spots: 24 by curtain Number of curtains: 1
Angle:	From 15° to 45° vertical (adjustable)	From -5° to +8° (adjustable)
Output:	Relay (free of potential) Max. contact voltage: 42 V AC/DC Max. contact current: 1A (resistive) Max. switching power: 30W (DC)/60 VA (AC)	Relay (free of potential) Max. contact voltage: 42V AC/DC Max. contact current: 1A (resistive) Max. switching power: 30W (DC)/60 VA (AC)
Hold time output signal:	0.5s	0.5s



AUTO DOOR ACCESSORIES



I.5mtr ₹ 6,463 OZOM-PR-11 Aluminium clamp Available in 1mtr. & 1.5mtr (pair)



OZOM-FG-11 ₹ 682 Floor guides for frameless glass doors (pair)



OZOM-FG-22 ₹ 1,089 Floor guides for framed doors with adjustable width (pair)



OZOM-DDK-11 ₹ 17,710 Digital Door Key (RFID & Numeric ID)



OZOM-FPC-11 ₹ 7,480 Controller Fingerprint



OZOM-11P-AC-11 ₹ 5,720 Remote Control for Automatic Sliding Door



OZOM-SW-11 ₹ 352 Large area push button for automatic doors



OZ-SW-11M ₹ 1,309 Metallic wall mounting push button switch



OZOM-HWS-11 ₹ 10,516 Hand Wave Sensor



 Double Barrier
 ₹ 14,190

 OZOM-SB-11N STD SS (Single Barrier)

 OZOM-SB-12 (Double Barrier)



OZOM-SB-111N ₹ 9,350 (Single Barrier) Use with OZOM-111E



OZOM AC-66 PIR ₹ 21,120 Ceiling mounting PIR sensor



OZOM-111P-PLUS Remote ₹ 3,465 Remote Control



OZOM-111E-PLUS N Remote ₹ 3,465 Remote Control

AUTOMATIC SWING DOOR OPERATORS FOR GLASS AND WOODEN DOORS









OZOM-SD-200 STD AN ₹86,350 Automatic overhead door operator

DOUBLE ACTION CONCEALED DOOR OPERATORS







OZOM-CSD-T STD SS ₹ 1,09,450 Top Mounted Concealed Door Operator



OZOM-CSD-B STD SS ₹ 1,09,450 Bottom Mounted Concealed Door Operator

Applications:

- Hospitals
- Hotels
- Passage/Lobby
- Specially-abled Toilets
- Retail Outlets
- Offices/Residential apartments/
- Public Buildings
- Airports

Operator can be integrated with:

- Microwave sensor
- Foot switch sensor
- Handwave sensor
- Electormagnetic locking machine
- RFID/Numeric/Fingerprint access control system
- Push Button



AUTOMATIC SWING DOOR OPERATORS TECHNICAL DATA TABLE

TECHNICAL PARAMETERS	OZOM-SD-200 STD AN	OZOM-CSD-T STD SS	OZOM-CSD-B STD SS
Max. Door Width	1500mm	1500mm	1500mm
Max. Door Weight	200kg	150KG	150KG
Opening Direction	Single action	Double Action	Double Action
Accessories Included	Controller, machine and remote	Controller, machine and remote	Controller, machine and remote
Installation Type	Top Installation	Top Installation	Floor Installation
Maximum Motor Power	65W/100W	65W/100W	65W/100W
Motor	DC 24V 55W/100W Brushless Motor	DC 24V 55W/100W Brushless Motor	DC 24V 55W/100W Brushless Motor
Closing Speed	10~43cm/s	3~14cm/s	3~14cm/s
Open Door Hold Time	0.5~10 s	0.5~10 s (adjustable)	0.5~10 s (adjustable)
Open Range	70° ~ 115°	±90°	±90°
Supply Voltage	AC110V/AC220V 50Hz~ 60Hz	AC110V/AC220V 50Hz~ 60Hz	AC110V/AC220V 50Hz~ 60Hz
Use Temperture	-30° C ~ +50° C	-30° C ~ +50° C	-30° C ~ +50° C
Use Humidity	Less than 85%	35 ~ 85%RH (non-condensing)	35 ~ 85%RH (non-condensing)
Protection Level	IP64	IP64	IP44
Extended Function	Safety light eyes, such as remote control of various types of access control	Safety light eyes, such as remote control of various types of access control	Safety light eyes, such as remote control of various types of access control
Watt Power	14W	14W	14W
Fuse	Minimum 3.5A Slow	Minimum 2.5A	Minimum 2.5A
Maximum Current	1A	1A	1A
Dimensions	544x72x106 mm	288x86x72 mm	340x82x166 mm
Single/Double Door use	One set for single door, 2 set for double with common accessories	One set for single door, 2 set for double with common accessories	One set for single door, 2 set for double with common accessories
Product Image	5		

Product Code and MRP available as per project requirement

REVOLVING DOOR SYSTEMS



A building entrance should ensure smooth & secure traffic passage at the same time add aesthetic value. Hence a door system should be chosen which meets functional as well as aesthetic requirements. Ozone Revolving Doors are just the right fit for such building entrances. They offer varied security & functionality benefits along with outstanding user experience and impart a spectacular look to the entrance.

OZONE Revolving Door Systems:

- Available with 3 or 4 leaf configuration
- Automatic and manual options
- Certified for EN 16005: 2012 & EN 60204-1: 2006+A1: 2009 to meet safety & functional standards
- Suitable for main entrances of commercial establishments
- Ensure safe & smooth Traffic flow
- Anti-collision & Anti-squeeze Function
- Custom solutions available
- Technical support provided



Emergency Stop Button



Can be 3 or 4 Leaf Door



Side & Bottom Brushes to Prevent AC Loss



Slow Turning Feature for Specially Abled People



3 Mode Selection Lock Key



Radar Detectors



Manual Revolving Door Technical Parameters

DOOR PARAMETERS	MANUAL REVOLVING DOOR
Type of drive unit	Manual
Roof outside color	Anodized
Roof outside	Water proof with 2 side drainages
Diameter	1800-3600mm
Total height	2500mm
No. of door leafs	3/4 leaf
Optional accessories (Additionally Charged)	Speed control system & panic breakout available

Automatic Revolving Door Technical Parameters

DOOR PARAMETERS	AUTOMATIC REVOLVING DOOR	
Type of drive unit	Automatic	
Roof outside color	Anodized	
Roof outside	Water proof with 2 side drainages	
Diameter	1800-3600mm	
Total height	2500mm	
No. of door leafs	3/4 leaf	
Door locking	Key locking with drop bolt	
Lighting	3x12V decoration light	
Accessories	Emergency stop button, drive unit, button programme switch & handicap switch (2 sets)	
Sensor	Radar sensor	
Safety Sensor	Leading mullion sensor (safety sensor for inside and outside entrance	
Power supply	220V/AC 3 10% 50 Hz	
High speed adjustment range	1-4 RPM	
Low speed adjustment range	0.5 - 1.5 RPM	
Motor Power	250W	
Litghting power	300W	
Control system power	50W	

Email to support@ozone-india.com to know more about these energy-efficient and secure revolving door systems.

Technical specification will vary as per project requirement



Product Code and MRP available as per project requirement

HERMETICALLY SEALED FRAMED DOORS*

Ozone offers a new range of specialized doors for application in hospitals, X-ray rooms, research labs, clean rooms, environment controlled R&D centers etc. The range includes Hermetically Sealed Framed Doors & X- Ray Shielding Doors.

For more details mail to support@ozone-india.com



- Adopting original air-tight technology rubber pad and a rail-way arranged at the bottom of the door leaf ensures weather proof solution.
- Door with sealing strips on all four sides. Aluminum alloy section, dynamic beam with life span of more than 1 million operations.
- Controllers like foot sensing switch, microwave sensors, remote controller, electronic lock switches, infra red sensors, ATM card reader, password and card reader, and proximity sensors ensures that operation of the door has various options to suit every one.

X-RAY SHIELDING DOORS*

Product Code and MRP available as per project requirement



- 2mm lead layer to protect humans from hazardous X-rays.
- Rubber seal strips for hygienic requirements.
- SS 304 kick plate 150mm
- Provided with hand wave or foot sensor
- Round tube door handle
- Door filter rigid polyurethane



OZOMH-FS-11 Foot Sensor Switch Activates the door to open when the switch senses the foot.

Hermetically Sealed & X-Ray Shielding Door Technical Parameters

DOOR PARAMETERS	HERMATICALLY SEALED DOOR	X-RAY SHIELDING DOOR
Max. Door Weight	160kg / leaf	160kg / leaf
Door Width	1070mm to 1570mm	1070mm to 1570mm
Total Opening Width Required	2350mm to 3350mm	2350mm to 3350mm
Installation Possibility	Surface mounted	Surface mounted
Opening Speed	25-55cm/sec (Adjustable)	25-55cm/sec (Adjustable)
Closing Speed	25-55cm/sec (Adjustable)	25-55cm/sec (Adjustable)

*Available against orders only



OZOM-AS-45DB 85MM STD OZOM-AS-52DB 100MM STD

Price quoated as per project requirement

Available against orders only



STANDARD SPECIFICATIONS:

Movable Acoustic Wall Partition System shall consists of top hung manually operated acoustic panels which can be linked together to form an acoustic wall.

PANELS: Based on the requirement the panels shall be constructed of board separated by acoustic insulation to achieve the specified sound rating. Panel Faces are replaceable at the site.

ACOUSTICS: Acoustic walls are classified by a STC (Sound Transmission Class) rating for their effectiveness in reducing transmitted sound. Based on Acoustic Requirements the panels shall be of STC 45 or STC 52. STC 45 shall make the wall with loud speech barely audible on other side & STC 52 shall make the wall with shouting barely audible on other side.

CLOSURE: The movable acoustic wall shall be acoustically opened & closed with the help of an expanding panel located at the stacking end of the system. There is an over-sleeve on the expanding panel which can be expanded side ways to lock the acoustic wall in place. The oversleeve is expanded and retracted by a removable handle in the face of pane.

STACKING: While opening of movable acoustic wall, panels shall be parked in a side stack configuration which means that single panels are hung at two points at the top corners of each panel. Panels will stack with one point remaining on the main track and other on the side track.

SEALS: There shall be sweep seals at the top of the panels to seal them acoustically to the track. There shall be retractable seals at the bottom of the panels to seal them acoustically to the floor.

For wooden partitions:

Panel Thickness	DB Value	Max. Panel Height	Max. Panel Width
85 mm	45 DB	12000	1250
100 mm	52 DB	12000	1250

For glass (see through) partitions:

Panel	DB Value	Max. Panel	Max. Panel
Thickness		Height	Width
85 mm	43 DB	6000	1200



Price quoated as per project requirement

OMAW-MOVABLE ACOUSTIC WALL PARTITION SYSTEM

Stacking Options


One Point Suspension & perpendicular to track




Two Point Suspension & parallel to track




Two Point Suspension, perpendicular to track in closed compartment



Two Point Suspension & perpendicular to track



Two Point Suspension, perpendicular to track & multiple stacks





Installation Video





HOTEL RFID CARD LOCKS



OZEL-RF-V9-666 R Std. Silver₹ 6,820Software Based Hotel Door Lock

OZ-DND-01 Std Black₹ 9,020OZ-DND-02 Std Black₹ 11,100HOTEL DND SYSTEMFunction: Make up room, do not disturb bell, hotelname & room number display

ACCESSORIES FOR V9-666 L/R STD LOCKS



ACCESSORIES FOR V-11 LOCKS



APP CONNECTED DIGITAL LOCK

FOR SLIDING AND SWING GLASS DOORS







.... 360 Degree Fingerprint Recognition

Specifications:

- Suitable for Glass door thickness of 10mm~15mm
- Material- Zinc Alloy

Features:

- 4 ways access: Mobile App, Fingerprint, RFID Card, User Pin Code
- Automatic Locking System
- Passsage (open) Mode

Applications:

• Residential Apartments, Libraries, Offices, Hospitals

Access Options:









OZ-FGL-BL-G2G Black ₹ 29,900

OZ-FGL-BL-G2W Black ₹ 29,700

Glass to glass application

Glass to wall application







OZDL-23PCF-G2G STD ₹ 28,820 Glass to glass application

Access Options:





RFID Card



Remote Control (Optional)







- **Specifications:**
- 4 Way Access Fingerprint, RFID Card,
- User Pin Code & Remote Control (optional)
- Automatic Locking Function
- Doorbell Function
- Passage (open) Mode

Features:

- Voice Guided Operating Feature
- Dual Combination Access
- LCD Screen Displays Date, Time & User ID
- Auto Secure Feature
- Code Scrambling Function
- Emergency Battery Backup Through USB
- Suitable for Glass Door Thickness of 10-12 mm
- Volume Settings
- Low Battery Status Indicator

Applications:

- Residential Apartments Libraries Offices
- Hospitals
 Other High Security and Premises



OZDL-23PCF-G2W STD ₹ 25,630 Glass to wall application

Optional Accessories:



OZDL-23RC-GL ACC ₹ 3,465 Remote

VOODEN/FRAMED DOOR HARDWRE

Ozone offers a wide range of Tested & Certified Door Control Devices for all types of doors, be it glass, wood or metal door. Apart from functional performance, every door hardware is designed to meet modern interiors aesthetic needs. With introduction of new Door Handles, the range is further strengthened to be more competent and offer numerous choices to customers. Explore the range yourself to review the latest additions in the range.

DOOR HANDLES



CONTRACTOR KY SERIES - OCX.KY

Finish : CP/SN







OCX.KY2.STD CP/SN ₹1,474 OCX.KY3.STD CP/SN ₹2,013 OCX.KY4.STD CP/SN ₹2,112 Material : Zinc Alloy Finish : CP/SN





Material : Zinc Alloy Finish : CP/SN

Material : Zinc Alloy Finish : CP/SN

PREMIUM SERIES - OPX

Finish : CP/SN









OPX.001 RS CP/SN ₹ 3,399

Handle with Square Rose Material : Zinc Alloy Finish: CP/SN

OPX.002 RS CP/SN ₹ 2,970 Handle with Square Rose Material : Zinc Alloy Finish: CP/SN

CONTRACTOR BT SERIES - OCX.BT (Suitable for Bathroom Doors) Finish : CP/SN



OCX.BT2 STD CP/SN ₹1,474 Handle Set with Baby Latch Material : Zinc Alloy Finish : CP/SN



CONTRACTOR PRO SERIES - OCXP

Finish : CP/SN



 OCXP.001.K60 RS CP/SN
 ₹ 4,125

 OCXP.001.N60 RS CP/SN
 ₹ 4,169

 OCXP.001.K70 RS CP/SN
 ₹ 4,389

 OCXP.001.N70 RS CP/SN
 ₹ 4,389

Kit Includes: Handle set, Mortise Lock Body & Euro Profile Cylinder Material : Zinc Alloy Finish : CP/SN



OCXP.001.K60 8" CP/SN₹ 3,740OCXP.001.N60 8" CP/SN₹ 3,729OCXP.001.K70 8" CP/SN₹ 3,960OCXP.001.N70 8" CP/SN₹ 3,960Kit Includes: Handle set, Mortise LockBody & Euro Profile CylinderMaterial : Zinc AlloyFinish : CP/SN



Finish : CP/SN



OCXP.002.K60 8" CP/SN	₹ 3,740		
OCXP.002.N60 8" CP/SN	₹ 3,729		
OCXP.002.K70 8" CP/SN	₹ 3,927		
OCXP.002.N70 8" CP/SN	₹ 3,960		
Kit Includes: Handle set, Mortise Lock			

Kit Includes: Handle set, Mortise Loc Body & Euro Profile Cylinder Material : Zinc Alloy Finish : CP/SN

CONTRACTOR SERIES - OCX



OCXP.002.N60 10" CP/SN ₹ 3,740 OCXP.002.K70 10" CP/SN ₹ 3,872 OCXP.002.N70 10" CP/SN ₹ 3,949 Kit Includes: Handle set, Mortise Lock Body & Euro Profile Cylinder

Material : Zinc Alloy Finish : CP/SN

Finish : CP/SN



OCX.001.K60 8" CP/SN	₹ 3,080
OCX.001.N60 8" CP/SN	₹ 3,080
OCX.001.K70 8" CP/SN	₹ 3,289
OCX.001.N70 8" CP/SN	₹ 3,322

Kit Includes: Handle set, Mortise Lock Body & Euro Profile Cylinder Material : Stainless Steel & Zinc Alloy Finish : CP/SN



Kit Includes: Handle set, Mortise Lock Body & Euro Profile Cylinder Material : Stainless Steel & Zinc Alloy Finish : CP/SN






CONTRACTOR SERIES - OCX

Finish : CP/SN





Kit Includes: Handle set, Mortise Lock Body & Euro Profile Cylinder Material : Zinc Alloy Finish : CP/SN



OCX.006.K60 RS CP/SN₹ 3,025OCX.006.N60 RS CP/SN₹ 3,080Kit Includes: Handle set, MortiseLock Body & Euro Profile CylinderMaterial : Zinc AlloyFinish : CP/SN

INOX SERIES - Solid Casted

0

OMH-11C STD SSS₹ 2,662Mortise Handle in SSS FinishMaterial : Stainless SteelGrade : 304Finish : SSS



OMH-22C STD SSS ₹ 2,629 Mortise Handle in SSS Finish Material : Stainless Steel Grade : 304 Finish : SSS Finish : SSS



Finish : SSS/PSS & Black Matt

TUBULAR MORTISE HANDLES - OMH



OMH-11 STD SSS ₹ 1,419 Tubular Mortise Handle in SSS Finish Material : Stainless Steel Grade : 304 Finish : SSS



OMH-11L STD SSS₹ 1,309Mortise Handle in SSS FinishMaterial : Stainless SteelGrade : 304Finish : SSS



OMH-11 19mm STD SSS ₹ 1,280 Tubular Mortise Handle in SSS Finish Material : Stainless Steel Grade : 304 Finish : SSS



Mortise Handle in SSS Finish for Narrow Style Doors Material : Stainless Steel Grade : 304 Finish : SSS



OMH-11N STD SSS/PSS ₹ 1,573 Tubular Mortise Handle in SSS Finish Material : Stainless Steel Grade : 304 Finish : PSS/SSS



Mortise Handle for Narrow Style Doors Material : Stainless Steel Grade : 304 Finish : Black Matt



OMH-33 STD SSS ₹ 1,518 D-Type Mortise Handle with Plate Material : Stainless Steel Grade : 304 Finish : SSS



OMH-55 STD SSS ₹ 1,364 Mortise Handle in SSS Finish Material : Stainless Steel Grade : 304 Finish : SSS



OMH-33P STD SSS ₹ 2,739 D-Type Mortise Handle with Plate Material : Stainless Steel Grade : 304 Finish : SSS



OMH-44 STD SSS ₹1,375 Mortise Handle in SSS Finish Material : Stainless Steel Grade : 304 Finish : SSS



OPKL-K2N-STD SSS ₹1,749 Mortise Handle with POD Lock in SSS Finish Material : Stainless Steel Grade : 304 Finish : SSS



Finish : SSS, CP & Black Matt

OML-11BT-N STD STD ₹ 1,375

MORTISE LOCK BODY



OML-11A-F 45/85 SSS ₹ 1,859 OML-11A-F 55/72 SSS ₹ 1,914 Fire Rated Mortise Lock Body with deadbolt & Latch bolt











Does not require lock cylinder



₹ 1.221 OZML-DL1 55MM SSS Closed Body Mortise Lock with Strike Plate, Double Throw Dead Bolt



₹ 1.364 OZML-DL1-F 55MM SSS Closed Body Mortise Lock with Strike Plate, Double Throw Dead Bolt





OZML-L1-E-O 46.5MM SSS Mortise Lock Body with Strike Plate and Soft Closing Latch Bolt


₹ 545

Series



Series ₹ 627

OML-11-E 50x50MM CP Closed Body Mortise Lock with Dead Bolt & Latch Bolt





Series SSS ₹ 737 OML-11-E2 45x85 CP OML-11-E2 45x85 SSS

Closed Body Mortise Lock



₹1,400

OML-11 60x85MM SSS Closed Body Mortise Lock with Dead Bolt & Latch Bolt



OML-DD-R 50x85MM SSS ₹ 2,112 OML-DD-L 50x85MM SSS ₹ 2,112 Mortise Lock Body with Latch Bolt & Dead Bolt for Wood Double Doors

OML-SL-STD SSS ₹737 Mortise Lock Body with Allen Key





NARROW STYLE MORTISE LOCK BODY

Finish : SSS & Black Matt

OML-33A 30x85MM SSS ₹ 1,111 Narrow Style Lock Body for Aluminium Doors with Latch & Dead Bolt



OML-33A 35x85MM SSS ₹ 1,111 Narrow Style Lock Body for Aluminium Doors with Latch & Dead Bolt

ין נ נ

OZML-DL1-25MM SSS ₹ 952 Narrow Style Lock Body for Aluminium Doors with Dead Bolt

EURO PROFILE CYLINDERS FOR MORTISE LOCKS

Finish : SN & Black Matt

DEFEND PRO SERIES Single Security Computerized Key System



OMC-11-K2K-P-60MM SN ₹ 979 OMC-11-K2K-P-70MM SN ₹ 1,199 OMC-11-K2K-P-80MM SN ₹ 1,254 Both Side Keys Finish: SN

DEFEND SERIES - Normal Key



OMC-11-K2N-P-60MM SN ₹ 1,056 OMC-11-K2N-P-70MM SN ₹ 1,221 OMC-11-K2N-P-80MM SN ₹ 1,254 One Side Key One Side Knob Finish: SN

Master & Grand Master Key Available



OML-CPP STD SSS ₹ 319 Cylinder Pull Plate Finish: SSS

Master & Grand Master Key Available



 OMC-22-K2K-N2-60MM SN
 ₹ 847

 OMC-22-K2K-N2-70MM SN
 ₹ 902

 OMC-22-K2K-N2-80MM SN
 ₹ 946

 Both Side Keys

Finish: SN



OMC-22-BT-N 60MM SN	₹787
OMC-22-BT-N 70MM SN	₹847
OMC-22-BT-N 80MM SN	₹ 935
Bathroom Type	
Finish: SN	



OMC-22-HC-KEY-N2-45MM SN ₹ 539 Half Cylinder with 3 Brass Normal Keys Finish: SN



OMC-22-HC-KNOB-N2-45MM SN ₹644 Half Cylinder with Knob Finish: SN





One Side Key One Side Kno Finish: SN

NIGHT LATCH LOCKS

DOORCONTROL

Finish : SSS

SPEEDY

WADDANT

Features:

OZ-NL-11R STD SSS

OZ-NL-11L STD SSS

• Right & left handed

• High security 3 brass keys

• Night latch for inside opening doors

Mini Latch

- High strength latch bolt/ dead bolt
- Safety knob ensures the security and privacy

₹ 1,353

₹ 1,353

• Restrict unauthorised access from outside



• Suitable for

- Wooden or metal doors

- Door Thickness: 30-70mm

• Locking from outside by key, inside by knob

- Single or double doors

OZ-NL-22 STD SSS ₹ 1,947 Night Latch

- Reversible latch bolt
- Double stroke dead bolt
- Reversible computerized Key 4nos. (Brass)
- Suitable for inside/outside opening doors
- Holdback feature prevents any lockout situations






- Reversible latch bolt
- Double dead bolt with double stroke
- Reversible computerized keys 4nos(Brass)
- Suitable for inside/outside opening doors




OZ-NL-44 STD SSS ₹ 2,761 Tri Bolt Night Latch

- Three strong bolt for triple bolt security
- No fear of accidental locking
- Dead bolts with double stroke
- Reversible computerized keys 4nos. (brass)
- Suitable for inside/outside opening doors



OZ-NL-55 STD SSS ₹ 1,199 Interlock with 3 Stroke

- Dead bolt option available after shifting latch upwards
- Single sliding bolt with 3 stroke
- Reversible computerized keys 4nos. (Brass)
- Door thickness:- 40mm



OZ-NL-66 STD SSS ₹ 1,419 Interlock with 6 Stroke

CYLINDRICAL KNOB LOCKS



OCKL-11N STD SSS	₹ 957
OCKL-11N 70mm SSS	₹ 968
Knob Lock with Key	
Operation & Push Button	

Operation & Push Button



(Available in 60MM & 70MM Backset)

OCKL-22N STD SSS ₹886 OCKL-22N 70mm SSS Knob Lock with Push Button & Coin Release



OCKL-33N STD SSS ₹886 OCKL-33N 70mm SSS Knob Lock with both side Active Knobs

Finish : SSS



BUTT HINGES

Finish : SSS

* With Fixing Screws For Wooden Doors

SS BUTT HINGES

SS Butt Hinges with Four Ball Bearings* SS-304



OZ-SSBH 4x3x2.5MM SSS ₹ 396





0 С 0 0 ₹ 380

О



SS Butt Hinges with & without Ball Bearings



OZ-BH-NBB 4x2.5x2.5MM SSS



₹ 262 OZ-BH-NBB 5x2.5x2.5MM SSS





OZ-SSBH 4x3x3MM SSS ₹446

О

0

0

C

SS-304

n

0

₹ 490

0

n

OZ-BH-2BB 5x3x3MM SSS

OZ-BH-NBB-E 3x2x1.3MM SSS ₹68



OZ-BH-NBB-E 4x2.5x2.5MM SSS ₹ 127

OZ-BH-NBB-E 5x2.5x2.5MM SSS ₹ 165

Finish : SSS





OZ-WD-ACH 40 LEFT/RIGHT STD SSS ₹ 2,222 Triple Adjustable Wooden Door Hinge (for Door Wt.-40 Kg. with 2 Hinges)



OZ-WD-ACH 60 LEFT/RIGHT STD SSS ₹ 2,668 Triple Adjustable Wooden Door Hinge (for Door Wt.-60 Kg. with 2 Hinges)



OZ-SSBH 5x3x3MM SSS ₹ 517

Fire Rated Butt Hinges with Two Ball Bearings*





₹ 385 OZ-BHF-2BB-C 4x3x3MM SSS








DOOR GUARD & STOPPER

Finish : SN, SS & SSS



occupied indicator for OML-11BT

Escutcheon with knob & occupied indicator for OML-11BT





PSS finish available on demand

Also available in PSS/SSS finish with SS 304 Grade

₹ 222

OZ-TB-SE 4" SSS

₹138

OZ-TB-S 4" SSS

OZ-TB-S 18" SSS & OZ-TB-S 24" SSS available on request OZ-TB-SE 18" SSS & OZ-TB-SE 24" SSS available on request

OZ-TB-S11 18" SSS & OZ-TB-S11 24" SSS available on request

FIRE RATED PANIC (EXIT) DOOR HARDWARE AND ACCESSORIES





Features :

- Push bar for fire and smoke check doors
- Stainless steel latch and security anti-thrust latch
- Certified as per UL 10C 1-3 HOURS FIRE RATED
 - For Hollow Metal Door: 3 Hours Fire Rated
 - For Wooden Door: 1.5 Hours Fire Rated





OZ-PB-TCTRIM-F-STD SSS ₹ 3,548 External Trim



OZ-PBV-DLS-Std ₹ 1,007 Overlapping Cover Strike Plate

CROSS PUSH PANIC BAR







OZ-PB-CRR-F-900mm Silver₹ 6,490Max Door Width : Upto 1200Door Height 2300mm


Features :

- Cross bar for fire and smoke check doors
- 3 hours fire certified
- Suitable for door Thickness 40-60mm
- Connecting rod length: 900mm
- Compatible with external trim
- OZ-PB- CRTRIM-F-STD Silver



Finish : SSS

FIRE RATED CROSS PUSH PANIC BAR



OZ-PB-CRV-F-900mm Silver ₹ 8,833

Max Door Width: Upto 1200 Door Height 2300mm

Features :

- Cross bar for fire and smoke check doors
- · 3 hour fire certified
- Suitable for door Thickness 40-60mm
- Connecting rod length: 900mm
- Compatible with external trim OZ-PB- CRTRIM-F-STD Silver

Accessory



OZ-PB-CRTRIM-F-STD Silver ₹ 3,069

FIRE-RATED GRAVITY DOOR COORDINATOR

External Trim

Features :

- Rectangular External Trim with lever handle for fire and smoke check doors
- 3 hour fire certified
- EN-1634-1:2008
- Max Door Thickness: 75mm
- Aluminum material grade
- Powder Coated finish
- Solid Square Spindle
- Master Key available on request Replaceable EP Cylinder with one side key operation
- Ideal for emergency exit of metal/Wooden single/double door






OZ-GDC-F-STD SILVER ₹ 7,040

For sequencing door closing action

Features

- Sequences the Door Closing i.e. roller arm stops active door from closing before the inactive door
- Gravity action arm and door bracket are adjustable on the jamb for ease of installation
- Nylon roller to enable the inactive door to easily operate



Specifications

- Device: Non-handed & reversible
- Projection: 6-1/2"
- Material: Forged brass with nylon roller
- Finish: Satin chrome

THE ORIGINAL SELF CLOSING PATCH FITTING FOR WOODEN DOORS





DOORCONTROL



Standard packing includes

EN 1154 Tested

top pivot set

ent bin response unit source transmission of the same are in 2014 Carly Control Market Source and the same are and the same source of the sa
And the second s
General Warry Annual State State States problem States problem States problem States problem States regen States State
A di agas mahing Mari Mari Mari Maria Man
International Target International Target and Mill of mutuality 1 sugar- senature and within 1 sugars internation and within 1 sugars (PPP)
International Target International Target and Mill of mutuality 1 sugar- senature and within 1 sugars internation and within 1 sugars represent the sugars of the sugars represent the sugars of the sugars target the sugars of the sugars of the sugars of the sugars target target the sugars of the sugars of the sugars target target targe
International Target International Target and Mill of mutuality 1 sugar- senature and within 1 sugars internation and within 1 sugars represent the sugars of the sugars represent the sugars of the sugars target the sugars of the sugars of the sugars of the sugars target target the sugars of the sugars of the sugars target target targe
2 Danry Dong Torkwey Sciences Park, Capite Hand more Gal, 10 YUE: Champhile, Done e e Read-MrV (YD) e New Solds - 110010, India
anna (by, 10110): changatais, Chon e eastaid-MVI (11) e Tana Castol - 110110, India
nalad PVT (17) c Ree Zelli - 1100 K. Inda
e New Cells - 110016, India
AT BELLY ALL THE
A TOUT A
Dennet Dataferi (H. Sueglin, Berch
a straid go woopping work
AL CONVIDENT
di Door fusiker Co. 150
THE A LABOR
10 1 1

Specifications:

- Quick and easy installation
- Suitable door weight: Maximum 100kg
- Hold Open at 90°
- Material: SS 304



THE ORIGINAL SELF CLOSING PATCH FITTING OCFH-W-100 STD SSS ₹ 17,050

Suitable door width: 950mm Suitable door thickness: >40mm Suitable for Internal Doors with Power Size 3 Standard package comes along with Top Pivot set



THE ORIGINAL SELF CLOSING PATCH FITTING OCFH-W-105 STD SSS ₹ 20,100 Suitable door width: 1250mm

Suitable door thickness: >50mm Sutable for External Doors with Power Size 5







FLOOR SPRING







FLOOR SPRING

OFS-5800SD STD STD ₹ 5,940

Single Cylinder Floor Spring for Small Glass Doors, EN3



Set includes: Floor Spring, Top Patch & Bottom Patch • Maximum door weight **55kg**




OFH-6600-E STD STD ₹ 4,170 Single Cylinder Floor Spring for Wood/Aluminium/Glass Doors, EN4





Maximum door weight 85kg





Set includes: Floor Spring, Top Patch & Bottom Patch Maximum door weight **70kg**





FLOOR SPRING ACCESSORIES

Finish : SSS & Black Matt

OFS-ACC-TPBPE1 STD SSS₹ 1,441Top & Bottom Pivot for
Wooden/Aluminium DoorEse



Series

OFS-ACC-TP/BP STD SSS ₹ 1,441 Top & Bottom Pivot for Wooden/Aluminium Door



OFS-ACC-GDP SS ₹ 440 Top Pivot for Patch/Point Fitting Doors



OFS-ACC-OP-L/R SS ₹ 1,716 Offset Pivot Set for Wooden/Aluminium Doors





OFS-ACC-MH1 STD SS ₹ 1,300

Mini Floor Hinge Compatible

with Patch Fittings

TRANSOM CLOSERS

OTC-7400 STD STD ₹ 13,640

Transom Mounted Door Closer



Specifications Cam action transom door closer with closing force EN 2

- Maximum opening angle 130° both sides
- Maximum door weight 70Kg
- Maximum door width 850mm
- Suitable for framed door





OTC-8400 STD STD ₹ 13,640

Specifications Cam action transom door closer with closing force EN 3

- Maximum opening angle 130° both sides
- Maximum door weight 105Kg
- Maximum door width 950mm
- Suitable for framed door



ACCESSORIES for Transom Mounted Closers (Part of Standard Package)



Bottom Pivot with Bearing



Mounting Bracket for Transom Closer at Spindle Side



Mounting Bracket for Transom Closer at the end




Arm to accept Transom Closer Spindle to be mounted into the chanel on door top & secure with blanking tape





OVERHEAD DOOR CLOSERS




DOOR CONTROL DEVICES

DOORCONTROL









34	- warm	igton	H
Warrington Cartification Lie	Radianikosh Ko. 1 G1 Sad. Rainzalati Rasi. Kari	rgton, Chastilite, Millet 2016, SK	
Certificat	e of constancy of p	erformance	
	1121-CPR-ADS135	n and all the Grand of E March 2	
connuction Products Repairing	and CPU, the second region	is the interaction product	
NSK-C/	-5500 Overhead do	or closer.	
lations. For one and/or rate	and the second sec	m	
Trans restores	Note Table	Automatica territati desta dest	
	Seaffarts - Monate & Honores		
Self-report			
	òn.		
		eparification	
Constrainty of Red Constrainty			
	Anna Ra materiala inclusi den stream da materiale et minateriale		

NSK-CA-6800.TA SSS, ₹ 9,900 CAM ACTION OVERHEAD DOOR CLOSER (TRACK ARM)

Overhead Cam Action Door Closer with

adjustable closing force EN 2-4

Maximum door weight: upto 80kgFinish: Silver



Weight Carrying Capacity

5 Lakhs

Cycles Tested

CONCEALED DOOR CLOSERS



CDC-3800 STD SILVER ₹ 5,610 CONCEALED DOOR CLOSER

Concealed Rack & Pinion Door Closer with EN 3 • Minimum Door Thickness: 38mm

• Maximum door weight: 60kg


• Finish: Silver




Maximum door weight: 60kg

- Maximum door weight: 6 • Finish: Grey
 - еу

CONCEALED DOOR CLOSERS





CDC-4800 STD SILVER ₹ 8,635

Concealed Rack & Pinion Door Closer with adjustable value EN 2-4

• Minimum Door Thickness: 42mm

• Maximum door weight: upto 80kg

• Finish: Silver





Cam Action Concealed Door Closer with Adjustable Closing Force EN 2-4

• Minimum Door Thickness: 41mm

• Maximum door weight: 80kg

• Finish: Silver



ELECTROMAGNETIC DOOR CLOSERS

Available against bulk orders only



NSK-980-EMHO-SA Price on request Door Closer with Electromagnetic Hold Open Scissor Arm Finish: SSS



NSK-980-EMHO-SA-S Price on request Door Closer with Electromagnetic Hold Open Scissor Arm and Smoke Detector Finish: SSS



NSK-980-EMHO-TA STD SS ₹ 16,555

Door Closer with Electromagnetic Hold Open Track Arm Finish: SSS



NSK-980-EMHO-TA-S STD SS ₹ 22,400 Door Closer with Electromagnetic Hold Open Track Arm and Smoke Detector Finish: SSS



ACCESSORIES FOR OVERHEAD DOOR CLOSERS



ODC-ARM-SS STD SS ₹ 2,893 Stainless Steel Arm for NSK 780 & 880



ODC-ARM-HO-680 ₹ 1,837 Hold Open Arm for NSK 680



ODC-ARM-HO-780/880 STD Silver ₹ 2,607 Hold Open Arm for NSK 780/880



ODC-ACC-PB STD SILVER ₹264 Parallel Arm Bracket



NSK-980-COVER SS ₹ 1,595 Stainless Steel Door Closer Cover for NSK 980



ODC-ARM TR-HO-980 SS ₹2,079 Track Arm with Hold Open Function for NSK 680/780/880/980 Door Closers





NSK-ACC-780-PLATE STD SILVER ₹ 2,013 Mounting Plate for Glass Door Installation of Door Closer NSK 780 NSK-ACC-980-PLATE STD SILVER ₹ 2,024 Mounting Plate for Glass Door Installation of Door Closer NSK 980

DOORCONTROL

TELESCOPIC SLIDING DOOR SYSTEMS FOR WOODEN AND FRAMED DOORS



Ozone introduces the Wooden Synchronized Manual Telescopic Sliding Door System to achieve maximum clear door opening. Door panels can be stacked on one side in-line with top track and require minimum parking space.

Its ideal applications are in residential and commercial interior spaces as internal partitioning system. For more details, send an enquiry at support@ozone-india.com

Specifications:

- Maximum Width of Panels: 1000mm
- Maximum Weight of Panels: 90Kg
- Maximum Thickness of Panels: 35mm
- Available Track length: **3mtr** & **4mtr**

4 PANEL DOOR SLIDING SET:

OSL-TW-04 R Std AN ₹ 29,480

OSL-TW-04 L Std AN ₹ 29,480

Right Hand Opening

Left Hand Opening

OSL-TGW-Track-4mtr AN (1pc)₹ 9,900

OSL-TGW-Rope-2mtr SS (1pc) ₹ 661

🗲 Closed state - outdoor

Closed state - outdoor

• Finish: Aluminum Anodized



3 PANEL DOOR SLIDING SET:





OSL-TW-03 L Std AN ₹ 18,590

Left Hand Opening

TOP TRACK & ACCESSORIES



OR



OSL-TGW-Rope-2mtr SS (1pc) ₹661

OSL-TGW-Track-3mtr AN (1pc) ₹ 7,450



PREMIUM MANUAL SLIDING SYSTEMS

Heavy duty 80-150kg also available





Item Codes:


- OZSL-P-S-SYS STD SSS ₹ 26,840
- OZSL-P-S-Track 2mtr SSS ₹ 16,500

Key Features:


- Soft closing single sliding wooden door
- Suitable for office, kitchen, living room and pocket doors
- Elegant and slim design
- Can be mounted on glass, wall and ceiling
- Internationally patented in Germany as per EN1527 standards
- Roller tested for 100,000 cycles
- Hydraulic soft closing bumper-Tested for 2,00,000 impact cycles
- Energy efficient-prevents AC loss by allowing minimum 5mm gap between sliding & fixed glass
- Adjustable soft closing pulling force for different door weight 40-80kg

Specifications:

- Slim Track Size: 54x58mm
- Door height adjustment +/-3.5mm on carriage and prevent the de-railing of sliding door
- Max. door weight: 40-80kg/ 2carriages
- Aluminium anodised top track
- Finish: SS or brushed clear
- Length: 2mtr(Standard) and 4mtr(Against order)



OZ-SD-754 (Floor Guide)



OZ-LYON-101 (Wooden Clamp)



SLIDING SYSTEM FOR WOODEN/FRAMED DOORS



OZ-ESL-WD-11-80 ₹ 1,221 Sliding System Set W/O Track for Single Framed/Wooden Door of 80kg



OZ-ESL-WD-11-100 ₹ 1,804 Sliding System Set W/O Track for Single Framed/Wooden Door of 100kg



OZ-ESL-TRACK-E2 Top Track Suitable for ESL-WD-11-80 and WD-11-100 (Available in 2mt & 4mt)

SLIDING SYSTEM FOR WOODEN/FRAMED DOORS FOR HOTEL BATHROOMS



OZ-ESL-WD-22-140 ₹ 3,960 Framed/Wooden Sliding Door System W/O Track for 140kg Door (Available with Side Wall to Track Holder)



OZ-ESL-TRACK-E3-A1 ₹ 295 OZ-ESL-TRACK-E3-A2 ₹ 595



2Mtr Std ₹ 935

OZ-ESL-FG-BT 2 mtrs STD

Series

OZ-ESL-TRACK-E3 Top Track Suitable for ESL-WD-22-140 Available in 2mt & 4mt Length

SOFT CLOSE SLIDING SYSTEM FOR FRAMED/WOODEN DOORS



OZ-ESL-WD-44-SC-N STD STD ₹ 5,060 Soft Close Sliding System with Accessories for Framed/Wooden Door (Single Door) W/O Track Max. Door Weight: 60kg/Door

HANDLES FOR WOODEN SLIDING DOORS



SL-WD-HN-10 ₹ 671 Sliding Door Handle for Wooden Door



SL-WD-ACC-11 Lock and Handle for Wooden Sliding Door





Bottom Track

OZ-ESL-WD-ACC-22N ₹ 2,145 Mortise Sliding Door Lock

2Mtr ₹ 3,440

4Mtr ₹7,040

OZ-ESL-TRACK-E5-N 2mtr STD

OZ-ESL-TRACK-E5-N 4mtr STD

Top Track Available in 2mt & 4mt

Wall to Track Connector







SLIDING FOLDING SYSTEM - 555 FOR FRAMED/WOODEN DOORS



Ozone offers Sliding Folding Partitioning System for wood & framed door panels in different panel configurations. This system is a combination of various stainless steel fittings to enable achieving desired partitioning width and smooth sliding folding movement of panels. Our technical team can help you to create customized options.

Features:

- SS Hinges SS-304
- Aluminium top & bottom with anodized finish
- Nylon hanger/roller

Specifications:

- Max opening: 8mtr
- Max panel weight: 80kg
- Max panel height: 3000mm
- Max panel width: 1000mm
- Min panel thickness: 35mm



Scan QR for Installation Video

FITTINGS (Images only for reference)

















Note:- For ordering purpose refer the table on next page.





SLIDING FOLDING SYSTEM FOR FRAMED/WOODEN DOORS



Product Kit Components:

How to Order						
	SL-WSFS-555-2 2 Panel Sliding Folding set	SL-WSFS-555-3 3 Panel Sliding Folding set	SL-WSFS-555-4 4 Panel Sliding Folding set	SL-WSFS-555-5 5 Panel Sliding Folding set	SL-WSFS-555-6 6 Panel Sliding Folding set	SL-WSFS-555-8 8 Panel Sliding Folding set
SL-WSFS-555	2 panel	3 panel	4 panel A C E	5 panel	6 panel	8 panel
Sliding Folding System	F F	B				
MRP	₹ 31,200	₹ 43,500	₹ 57,200	₹ 68,700	₹ 81,400	₹ 10,5900
Pivot set (A)	1 set					
Offset hinge set (B) & (D)						
WSF/04 WSF/05 WSF/04	-	1 set	2 set	1 set	2 set	1 set
Intermediate carrier set (C)						
WSF/06 WSF/10 WSF/08	-	1 set	1 set	2 set	2 set	3 set
Right/ Left carrier set (E)						
WSF/07 WSF/09	1 set	-	1 set	-	1 set	1 set
Center hinge set (F)						
wsF/10 wsF/11 wsF/10	1 set	-	-	1 set	1 set	2 set
Drop bolt (F)						
WSF/12	1 No	1 No	2 Nos	2 Nos	3 Nos	4 Nos
Top Track 2M Bottom Track 2M	1 set	-	2 set	1 Set	_	-
Top Track 3M Bottom Track 3M	-	1 set	-	1 set	2 set	-
Top Track 4M Bottom Track 4M	-	-	-	-	-	2 set



BLACK MATT Architectural Hardware



FLOOR SPRING & DOOR CLOSER





THE ORIGINAL SELF CLOSING PATCH FITTING



OCFH-100 STD BM ₹ 16,570

- Max door width: 950mm
- Suitable door thickness: 8~12mm
- Tested as per: EN1154
- Ideal for Internal Doors





Series

Premium Collection of Architectural **Hardware**


OCFH-135 STD BM ₹ 22,640

- Max door width: 1250mm
- Suitable door thickness: 10~15mm
- Ideal for Internal & External Doors

THE ORIGINAL SELF CLOSING PATCH FITTING







Features:

- Cover & base plate in high grade Stainless Steel 316
- Corrosion resistant
- 3 years warranty
- Compliant with EN 1154 standard

Specification:

- Quick and easy installation with just 4 fasteners
- EN-3 for interior & exterior applications
- Suitable door weight: Max 100kg
- Suitable door width: 750~1000mm
- Suitable door thickness: 8~12mm
- Maximum opening 150° and controlled 135°
- Durability-500,000 Cycles tested
- Ambient temperature: -20°C to +50°C





OPF-2 PLUS STD BM ₹ 3,669

Top Patch For The Original Self Closing Patch Fitting

Specifications

- 1mm thick cover plate in high grade Stainless Steel 316
- Corrosion resistant
- Compatible with Ozone OFS-ACC-GDP-S and OPF-1 PLUS

OFS-ACC-GDP STD BM ₹ 506 Top Pivot

Specifications:

- Top pivot with 15mm diameter pin
- Wear-resistant SS 316 pivot pin
- Pivot held in overhead structure
- High grade SS 316 Patch fitting
- Finish: BM

MAGNETIC STRIKE LOCKS FOR FRAMELESS GLASS DOORS

11S Series



For MRP refer below table*

For Frameless Glass Doors **11S Series**



Square Glass door Lock with Magnetic Strike Plate Finish: BM

For Product Codes refer below table

Optional accessories:





OZ-MGL-11/22 S-SB1 STD BM ₹ 4,681 Strike Box for Glass to Glass Application Finish: BM

OZ-MGL-11/22 S-SPI STD BM ₹ 1,455 Strike Plate for Glass to Wall Application Finish: BM

*How to order OZ-MGL-11S / OZ-MGL-22S

PLC Reference-DIN Outside View Product Code Description ₹ 11,132 Left Hand Inward (DIN) Right Hand Inward (DIN) Inward-One side knob OZ-MGL-22S-I STD BM other side Coin Slot for RH/LH opening ĥ ₹ 11,891 Inward-One side knob OZ-MGL-11S-I-K2N Std BM other side Coin Slot for RH/LH opening Left Hand Outward (DIN) Right Hand Outward (DIN) ₹ 11,132 Outward-One side knob other side Coin Slot for OZ-MGL-22S-O STD BM RH/LH opening ₹ 11,891 Outward-One side knob OZ-MGL-11S-O-K2N Std BM other side Coin Slot for RH/LH opening ₹ 11,891 OZ-MGL-11S-K2K Std BM Universal

*Note:- Optional Accessories to be ordered separately as per application requirement.

For Bathroom Frameless Glass Doors **22S Series**




Square Bathroom Glass Door Lock With Magnetic Strike Plate **(With WC Indicator)** Finish: BM

For Product Codes refer below table



BLACK MATT SHOWER CUBICLE FITTINGS



OSSKH-1-ED STD BM ₹ 683 Wall to Track Connector





Glass to Track end Connector Track to Track 90° Connector



OSSKH-ACC-25T-ED 1.65mtr. BM OSSKH-ACC-25T-ED 2mtr. BM Connector Track

GLOSSARY

Finishes: SSS [Satin Stainless Steel BM [Black Matte PSS [Polished Stainless Steel PG [Polished Gold CP [Chrome Polished GP [Gold Plated CS [Chrome Silver GM [Gold Matt AN [Anodized Nickel RG [Rose Gold



AB Antique Bronze

www.ozone-india.com



Pictures of Few of the Prestigious Projects:



Omaxe Mall



Ambience Tower, Gurgaon



Maruti Suzuki Nexa, (Across India showrooms)



St. Johns Auditorium

Occura Eye Hospital, Ahmedabad Kolkata Airport



Mumbai Airport

Bus Queue Shelters Delhi, Allahabad, Jaipur, Patna & Chandigarh

Erricson, Pune

Only few out of our huge client base have been mentioned. We look forward to service every project and household.



Pictures of Few of the Prestigious Projects:



Unity One Mall, Delhi

Amagi Media, Bengaluru

KPMG, Bengaluru



IIT Indore

NBCC Building

Occura Eyecare Hospital Ahmedabad



Metro Central Mall, Kolkata

ZEE TV, Noida

DLF Camellias, Gurugram

Disclaimer: Product specifications, information & visuals shown in this catalogue are illustrative in nature, the customers are advised to kindly check technical specifications & details before placing order. Company will not be liable for any such loss to customers for technically unsuitable/unfit product. Ozone Overseas reserves the right to change or modify the specifications any time without notice/information. The Company shall only be responsible for defects covered under the product warranty and shall in no way be accountable for any defects (including but not limited to packaging, installation instructions, manuals, specification instructions and care and maintenance instructions), after the delivery of goods to the Customer. All risk and obligations in the goods and products delivered by the Company passes to the Purchaser immediately upon delivery to the Purchaser.

International Offices

Melbourne, Australia 32-40 Tarnard Drive, Braeside VIC 3195, Phone: +61 1300 088 225 Mobile : +61 (0) 4 301 301 02 e-mail : info@ozoneaustralia.com.au website : www.ozoneaustralia.com.au



Branch Offices

Ahmedabad

407. 4th Floor. Shivalik Abaise. Opp. Shell Petrol Pump, Prahaladnagar, Ahmedabad - 380051 T:+91-079-29706789

Bengaluru*

No. 424, 2nd Floor, Above HDFC Bank, Passport Office Road, 6th block , Koramangala, Bangaluru - 560034 T: +91-80-41207539 e-mail: blrhub@ozone-india.com

Chandigarh

SCO 907, NAC Mani Majra Near Solitaire Hotel, Chandigarh - 160101 Mob: +91-9316001154

Chennai*

1-A, Jasoda Apartments, No: 12, Ground Floor, Bank Street, Kilpauk, Chennai - 600010. T: 044-43802063 e-mail: chennaihub@ozone-india.com

Hyderabad

Unit # 704, 7th Floor, Shangrila Plaza, Road No. 2, Banjara Hills, Hyderabad - 500034

Indore

503, B Block, Prakrati Corporate, Y N Road, Indore - 452001 Mob: +91-9589589902

*Also Operation Office

Corporate Office



New Delhi H-40, Bali Nagar, New Delhi-110 015 T: +91-11-45576677 (30 Lines) Fax: +91-11-45576699 e-mail: ozone@ozone-india.com

For Hardware Solutions:

New Delhi* 1/122, Timber Mkt., Kirti Nagar, New Delhi T : +91-11-49124400, 01 e-mail: delhihub@ozone-india.com

Jaipur

27, 5th Floor, Mahima Trinity Mall, Swej Farm, New Sanganer Road, Jaipur-302019 T:+91-141-2294261 e-mail: jaipurhub@ozone-india.com

Kolkata

4 Govt Place, 4th floor, Room No:- 4H Delta House. Kolkatta - 700001 Mob: +91-9831176481

Lucknow*

Akash Apartment-2 1st Floor Gokhale Marg Opp. IFFCO, Lucknow-226001 T:+91-0522-4109647 Mob: 9794970000

Mumbai

The Avenue, 607, Near Waterstones Hotel, Int. Airport Road, Marol, Andheri (E), Mumbai - 400059 T:+91-22-28306453 Mob: +91-7045775977

Pune

#105, 1st Floor, Suyog Center Market Yard, Gultekdi, Pune - 411037 Mob: +91-9974180155

Surat

201, Luxuria Business Hub, Nr.V.R.Mall, Surat-Dumas Road, New Magdalla Road, Surat - 395007 Mob: +91-9724009921



Ozone Metallics Pvt. Ltd. Trilokpur Road, Kheri, Nahan District-Sirmour Kala Amb **Himachal Pradesh**

For Security Solutions:

Gurugram* #548 Udyog Vihar, Phase 5, Sector 19, Gurugram, Haryana-122016 Ph:+91-124-4961164,65




Visit Website

() Android

숱 ios

www.ozone-india.com | India Customer Care: +91-9310012300 | customercare@ozone-india.com







Kitchen & Furniture Fittings Wardrobe Sliding Systems

Edition #1

MRP w.e.f 15th June²¹

Download Ozone India App





los



Ozone continues with the concept of "Total Vision" to create transparent & elegant commercial spaces. Every fitting in our architectural glass hardware range is designed to meet the concept of "Total Vision".

Ozone, a leading name in architectural hardware domain, offers high quality architectural hardware & safety solutions worldwide. It has achieved many accolades internationally for its innovative and technologically advanced products and solutions. Its manufacturing capability enables it to offer turnkey projects of all sizes. The design team includes architects, product designers & structural engineers who innovate and support the customers and project managers. Offering more than 3000 products from its portfolio intelligently divided into 09 broad categories based on application. Ozone has been continuously innovating to offer best solutions complying with international norms of safety & quality.

Manufacturing Capability

Our state-of-the-art manufacturing units located in India and overseas enable us to provide Standard and Customized Architectural Hardware & Infrastructural Solutions in Stainless Steel.

Our strengths are:

- Over 18 years extensive experience of operating in Architectural Hardware Industry and Digital Safes
- Dedicated and technically experienced team
- Advanced automated machines & tools
- Ability to undertake OEM & ODM projects
- In-house R & D set-up for offering right mix of design, cost, quality and delivery
- Project support & customer service team





AUTOMATED STATE-OF-THE-ART Manufacturing Facility

Our manufacturing units are equipped with the latest and technologically advanced machines. These comprise CNC laser cutting machine, CNC water jet cutting machine, CNC shearing machine, robotic welding & automatic polishing machines that enable us to manufacture all types of hardware fittings in stainless steel material and finish, standard as well as customized, as per international safety & quality norms.



VMC (Vetical Machine Center)



Polishing Machine



Scan QR for Manufacturing Facility

Location: Kala Amb Himachal Pradesh India



CNC Punching Machine



Welding Centre

Ozone Product SBUs

Our product portfolio offers more than 3000 SKUs, intelligently divided into 09 broad categories. We constantly endeavour to innovate products for offering better solutions that deliver enhanced value to our discerning customers world over such as architects, builders, contractors, fabricators, specifiers, consultants and home owners.



OZONE METALSCAPES

BALUSTRADES



OZONE SECUTECH





SERIES

URBAN FURNITURE



INDEX...

ERGOZONE®	Page	No.
Ball Bearing Drawer Slides		1-3
Auto-Close Concealed Hinges		4-7
Double Wall Drawer Systems		8-10
Kitchen Storage Organizers		11-13
Drawer Organizers and Access	sories	14-15
Roller Shutters / Cabinetry Sup	pport Accessories	16
Cabinet Lift-Up Systems		17-18
Bed Fittings		19-20
Aluminium Frame & Handle Pro	ofiles	21
Joinery Accessories		22
Furniture Locks		23-24
Digital Furniture Locks		25-30
Wardrobe Sliding Systems		31-37





Roller Shutter System



Undermount Push Open Drawer Slides



Corner Organizer



Sleek Ergotec Drawer System



Complete **Kitchen Solution**





Lift-Up Systems

SS 304 Full Extension Ball



Crockery Organizers



Aluminium **Frame Profiles**



Pantry Unit

Aluminium Skirting & Cabinet Legs

Cutlery Organizers



Kitchen Bins



IE



• Full Extension

• Full Extension

• Weight Carrying Capacity: **35kg**

• Weight Carrying Capacity: **40kg**

• Finishes Available: Zinc & Black





Item Code	MRP	Description
OBBS-4511-E 250mm-10" Zinc	₹ 264	10" Full Extension Drawer Slide
OBBS-4511-E 300mm-12" Zinc	₹ 30 8	12" Full Extension Drawer Slide
OBBS-4511-E 350mm-14" Zinc	₹ 369	14" Full Extension Drawer Slide
OBBS-4511-E 400mm-16" Zinc	₹ 402	16" Full Extension Drawer Slide
OBBS-4511-E 450mm-18" Zinc	₹ 451	18" Full Extension Drawer Slide
OBBS-4511-E 500mm-20" Zinc	₹ 495	20" Full Extension Drawer Slide
OBBS-4511-E 550mm-22" Zinc	₹ 594	22" Full Extension Drawer Slide



• Finishes Available		
Item Code	MRP	Description
OBBS-4511-E35 200mm-8" Zinc	₹ 187	8" Full Extension Drawer Slide
OBBS-4511-E35 250mm-10" Zinc	₹ 233	10" Full Extension Drawer Slide
OBBS-4511-E35 300mm-12" Zinc	₹ 280	12" Full Extension Drawer Slide
OBBS-4511-E35 350mm-14" Zinc	₹ 326	14" Full Extension Drawer Slide
OBBS-4511-E35 400mm-16" Zinc	₹ 373	16" Full Extension Drawer Slide
OBBS-4511-E35 450mm-18" Zinc	₹ 420	18" Full Extension Drawer Slide
OBBS-4511-E35 500mm-20" Zinc	₹ 465	20" Full Extension Drawer Slide

₹ 513

STANDARD BALL BEARING SLIDES

• Full Extension

OBBS-4511-E35 550mm-22" Zinc

- Weight Carrying Capacity: 45kg
- Finishes Available: Zinc & Black



22" Full Extension Drawer Slide



Weight Carrying Capacity





Item Code	MRP	Description
OBBS-4511 200mm-8" Zinc	₹ 275	8" Ball Bearing Drawer Slide
OBBS-4511 250mm-10" Zinc	₹ 325	10" Ball Bearing Drawer Slide
OBBS-4511 300mm-12" Zinc	₹ 380	12" Ball Bearing Drawer Slide
OBBS-4511 350mm-14" Zinc	₹ 435	14" Ball Bearing Drawer Slide
OBBS-4511 400mm-16" Zinc	₹ 473	16" Ball Bearing Drawer Slide
OBBS-4511 450mm-18" Zinc	₹ 550	18" Ball Bearing Drawer Slide
OBBS-4511 500mm-20" Zinc	₹ 605	20" Ball Bearing Drawer Slide
OBBS-4511 550mm-22" Zinc	₹ 682	22" Ball Bearing Drawer Slide
OBBS-4511 600mm-24" Zinc	₹748	24" Ball Bearing Drawer Slide
OBBS-4511 650mm-26" Zinc	₹ 820	26" Ball Bearing Drawer Slide
OBBS-4511 700mm-28" Zinc	₹ 875	28" Ball Bearing Drawer Slide
OBBS-4511 750mm-30" Zinc	₹ 946	30" Ball Bearing Drawer Slide
OBBS-4511 900mm-36" Zinc	₹ 1,221	36" Ball Bearing Drawer Slide



35 Кg

ERGOZONE

SOFT CLOSE BALL BEARING SLIDES

Soft Close

Item Code

• Full Extension


OBBS-4511 SC 300mm-12" Zinc

OBBS-4511 SC 350mm-14" Zinc ₹ 737

OBBS-4511 SC 400mm-16" Zinc ₹ 864

OBBS-4511 SC 450mm-18" Zinc ₹ 968

• Weight Carrying Capacity: 45kg



MRP

OBBS-4511 SC 500mm-20" Zinc ₹ 1,073 20" Full Extension Soft Close Drawer Slide OBBS-4511 SC 550mm-22" Zinc ₹ 1,144 22" Full Extension Soft Close Drawer Slide

₹ 655

Description



12" Full Extension Soft Close Drawer Slide

14" Full Extension Soft Close Drawer Slide

16" Full Extension Soft Close Drawer Slide 18" Full Extension Soft Close Drawer Slide





PUSH OPEN BALL BEARING SLIDES

- Push Open
- Full Extension
- Weight Carrying Capacity: 35kg • Finish Available: Zinc







Item Code	MRP	Description
OBBS-4511-PO 350mm 14" Zinc	₹ 721	14" Full Extension Drawer Slide
OBBS-4511-PO 400mm 16" Zinc	₹ 792	16" Full Extension Drawer Slide
OBBS-4511-PO 450mm 18" Zinc	₹ 842	18" Full Extension Drawer Slide
OBBS-4511-PO 500mm 20" Zinc	₹ 897	20" Full Extension Drawer Slide
OBBS-4511-PO 550mm 22" Zinc	₹ 996	22" Full Extension Drawer Slide
OBBS-4511-PO 600mm 24" Zinc	₹ 1,073	24" Full Extension Drawer Slide

SS 304 FULL EXTENSION BALL BEARING SLIDES



Full Extension

- Weight Carrying Capacity: 45kg
- Finish Available: Stainless Steel





Item Code MRP Description 14" Full Extension Ball Bearing Slide OBBS-4511-304S 350mm-14" SS ₹ 1,375 OBBS-4511-304S 400mm-16" SS ₹ 1,496 16" Full Extension Ball Bearing Slide OBBS-4511-304S 450mm-18" SS ₹ 1,661 18" Full Extension Ball Bearing Slide OBBS-4511-304S 500mm-20" SS ₹1,804 20" Full Extension Ball Bearing Slide OBBS-4511-304S 550mm-22" SS ₹ 2,035 22" Full Extension Ball Bearing Slide

HEAVY DUTY BALL BEARING SLIDES

SS 304 Fixing Screws (12 No's)

provided with packing



- Full Extension
- Weight Carrying Capacity: 100kg
- Finish Available: **Zinc**







Item Code	MRP	Description
OBBS-FE-100HD 750mm-30" Zinc	₹ 2,398	30" Full Extension Heavy Duty Ball Bearing Slides
OBBS-FE-100HD 900mm-36" Zinc	₹ 2,915	36" Full Extension Heavy Duty Ball Bearing Slides



Accessories

62

ィアフ

UNDERMOUNT SOFT CLOSE SLIDES FOR WIRE BASKET



Soft CloseFull Extension

- Weight Carrying Capacity: 35kg
- Finish Available: **Zinc**



35 к_g

Weight Carrying

Capacity



SOFT CLOSE

Item Code	MRP	Description
OE-UMS-SC-FE-11 450mm-18" Zinc	₹ 1,782	18" Full Extension Soft Close Drawer Slide
OE-UMS-SC-FE-11 500mm-20" Zinc	₹ 1,903	20" Full Extension Soft Close Drawer Slide

UNDERMOUNT SOFT CLOSE SLIDES

Set of 8 Pcs.



口烷	派回
1000	26.00
24.3	- N - S
音波	2063
L St	10.00

Locking Locking Device (L) Device (R)

Scan QR for Installation Video



UNDERMOUNT PUSH OPEN SLIDES

- Push Open
- Partial Extension Slide
- Weight Carrying Capacity: 25kg
- 25 κg Weight Carrying Capacity



Push Open




Item Code	MRP	Description
OZ-CR-SE-PO 300mm-12" Zinc	₹ 1,309	12" Partial Soft Close Drawer Slide
OZ-CR-SE-PO 350mm-14" Zinc	₹ 1,309	14" Partial Soft Close Drawer Slide
OZ-CR-SE-PO 400mm-16" Zinc	₹ 1,375	16" Partial Soft Close Drawer Slide
OZ-CR-SE-PO 450mm-18" Zinc	₹ 1,408	18" Partial Soft Close Drawer Slide
OZ-CR-SE-PO 500mm-20" Zinc	₹1,474	20" Partial Soft Close Drawer Slide
OZ-CR-SE-PO 550mm-22" Zinc	₹ 1,496	22" Partial Soft Close Drawer Slide
OZ-CR-SE-PO 600mm-24" Zinc	₹ 1,551	24" Partial Soft Close Drawer Slide



0


• Soft Close

MRP	Description
₹1,485	12" Full Extension Soft Close Drawer Slide
₹ 1,606	14" Full Extension Soft Close Drawer Slide
₹ 1,672	16" Full Extension Soft Close Drawer Slide
₹ 1,782	18" Full Extension Soft Close Drawer Slide
₹ 1,903	20" Full Extension Soft Close Drawer Slide
₹ 1,958	22" Full Extension Soft Close Drawer Slide
₹ 2,079	24" Full Extension Soft Close Drawer Slide
	₹ 1,485 ₹ 1,606 ₹ 1,672 ₹ 1,782 ₹ 1,903 ₹ 1,958





AUTO-CLOSE CONCEALED HINGES







AUTO-CLOSE CONCEALED HINGES



BLIND CORNER HINGE



ERGOZONE

SPECIAL OPENING AUTO-CLOSE CONCEALED HINGE (PIE)

Special Opening

Fixing Screws are provided with all hinges on this page

Opening Angle: 95° Door Thickness: 14-22mm

30° Opening



OEC35.F.2S Standard SS ₹ 143

PIE HINGE





OEC35.E.2S Standard SS ₹193

90° Opening

OEC35.G.2S Standard SS ₹ 226



DOUBLE WALL DRAWER SYSTEMS

ERGOTEC™ STANDARD DRAWER SYSTEM KIT









3<mark>5</mark> Кg

DUAL-SYNCHRO





ERGOTEC[™] DRAWER SYSTEM WITH SINGLE RAILS





Item Code & MRP Table

How to Order			
Item Code		Item Description & qty	
OE-DWDS-MG 84x350MM	₹ 3,135	System for 350mm(14")	
OE-DWDS-W/O-BB-MG 350mm	₹ 2,94 8	Metal walls & L/R sliding channel-350mm (SET) Back brackets-84mm (1PAIR)	
OE-DWDS-ACC-BB MG 84mm	₹ 237		
OE-DWDS-MG 84x400MM	₹ 3,245	System for 400mm(16")	
OE-DWDS-W/O-BB-MG 400mm	₹ 3,025	Metal walls & L/R sliding channel-400mm (SET) Back brackets-84mm (1PAIR)	
OE-DWDS-ACC-BB MG 84mm	₹ 237	Back Drackets-64mm (IPAIR)	
OE-DWDS-MG 84x450MM	₹ 3,410	System for 450mm(18")	
OE-DWDS-W/O-BB-MG 450mm	₹ 3,190	Metal walls & L/R sliding channel-450mm (SET) Back brackets-84mm (1PAIR)	
OE-DWDS-ACC-BB MG 84mm	₹ 237		
OE-DWDS-MG 84x500MM	₹ 3,740	System for 500mm(20")	
OE-DWDS-W/O-BB-MG 500mm	₹ 3,575	Metal walls & L/R sliding channel-500mm (SET) Back brackets-84mm (1PAIR)	
OE-DWDS-ACC-BB MG 84mm	₹ 237	Back Drackets-64mm (IPAIR)	
OE-DWDS-MG 84x550MM	₹ 4,125	System for 550mm(22")	
OE-DWDS-W/O-BB-MG 550mm	₹ 3,905	Metal walls & L/R sliding channel-550mm (SET) Back brackets-84mm (1PAIR)	
OE-DWDS-ACC-BB MG 84mm	₹ 237		









FULL EXTENSION

WT. CARRYING CAPACITY

35 Кg

DUAL-SYNCHRO

Scan QR for Installation Video

Item Code & MRP Table

How to Order			
Item Code	MRP	Item Description & qty	
OE-DWDS-SR MG 135x350MM	₹ 3,630	System for 350mm(14")	
OE-DWDS-W/O-BB-MG 350mm	₹ 2,948	Metal walls & L/R sliding channel-350mm (SET)	
OE-DWDS-ACC-BB MG 135mm	₹ 314	Back brackets-135mm (1 PAIR) Single rail gallery 350mm (SET)	
OE-DWDS-RL MG 350mm	₹ 435		
OE-DWDS-SR MG 135x400MM	₹ 3,850	System for 400mm(16")	
OE-DWDS-W/O-BB-MG 400mm	₹ 3,025	Metal walls & L/R sliding channel-400mm (SET)	
OE-DWDS-ACC-BB MG 135mm	₹ 314	Back brackets-135mm (1 PAIR) Single rail gallery 400mm (SET)	
OE-DWDS-RL MG 400mm	₹ 440		
OE-DWDS-SR MG 135x450MM	₹ 3,960	System for 450mm(18")	
OE-DWDS-W/O-BB-MG 450mm	₹ 3,190	Metal walls & L/R sliding channel-450mm (SET)	
OE-DWDS-ACC-BB MG 135mm	₹ 314	Back brackets-135mm (1 PAIR) Single rail gallery 450mm (SET)	
OE-DWDS-RL MG 450mm	₹ 473		
OE-DWDS-SR MG 135x500MM	₹ 4,389	System for 500mm(20")	
OE-DWDS-W/O-BB-MG 500mm	₹ 3,575	Metal walls & L/R sliding channel-500mm (SET)	
OE-DWDS-ACC-BB MG 135mm	₹ 314	Back brackets-135mm (1 PAIR) Single rail gallery 500mm (SET)	
OE-DWDS-RL MG 500mm	₹ 589		
OE-DWDS-SR MG 135x550MM	₹ 4,840	System for 550mm(22")	
OE-DWDS-W/O-BB-MG 550mm	₹ 3,905	Metal walls & L/R sliding channel-550mm (SET)	
OE-DWDS-ACC-BB MG 135mm	₹ 314	Back brackets-135mm (1 PAIR) Single rail gallery 550mm (SET)	
OE-DWDS-RL MG 550mm	₹ 589		

ERGOTEC[™] DRAWER SYSTEM WITH DOUBLE RAILS









ERGOZONE





	How to Order				
	Item Code	MRP	Item Description & qty		
	OE-DWDS-DR MG199x500MM	₹ 5,005	System for EQOmm(2011)		
	OE-DWDS-W/O-BB-MG 500mm	₹ 3,575	System for 500mm(20'') Metal walls & L/R sliding channel-500mm (SET)		
	OE-DWDS-ACC-BB MG 199mm	₹ 358	Back brackets-199mm (1 PAIR) Single rail gallery 500mm (SET)		
	OE-DWDS-RL MG 500mm	₹ 589	Double rail gallery 500mm (SET)		
	OE-DWDS-RL-D MG 500mm	₹ 545			
	OE-DWDS-DR MG 199x550MM	₹ 5,445			
	OE-DWDS-W/O-BB-MG 550mm	₹ 3,905	System for 550mm(22") Metal walls & L/R sliding channel-550mm (SET)		
	OE-DWDS-ACC-BB MG 199mm	₹ 358	Back brackets-199mm (1 PAIR)		
	OE-DWDS-RL MG 550mm	₹ 589	Single rail gallery 550mm (SET) Double rail gallery 550mm (SET)		
	OE-DWDS-RL-D MG 550mm	₹ 589			

ERGOTEC[™] DRAWER SYSTEM WITH METAL SIDE SUPPORT WALLS











How to Order					
Item Code MRP		Item Description & qty			
OE-DWDS-SMW MG 199x500MM	₹ 5,390	System for 500mm(20")			
OE-DWDS-W/O-BB-MG 500mm	₹ 3,575	Metal walls & L/R sliding channel-500mm (SET)			
OE-DWDS-ACC-BB MG 199mm					
OE-DWDS-RL MG 500mm	₹ 589	Single rail gallery 500mm (SET) Single steel wall hanging panels 500mm (SET)			
OE-DWDS-SSE-R MG 500mm	₹ 979	Single steel wai nanging panels 300 mm (3LT)			
OE-DWDS-SMW MG 199x550MM	₹ 6,050	System for 550mm(22")			
OE-DWDS-W/O-BB-MG 550mm	₹ 3,905	Metal walls & L/R sliding channel-500mm (SET)			
OE-DWDS-ACC-BB MG 199mm	₹ 358	Back brackets-199mm (1PAIR)			
OE-DWDS-RL MG 550mm	₹ 589	Single rail gallery 500mm (SET)			
OE-DWDS-SSE-R MG 550mm	₹ 1,188	Single steel wall hanging panels 500mm (SET)			



ERGOTEC™ SLEEK DRAWER SYSTEM

Maximizing Internal Storage Space

DNE



OE-DWDS-SL White- Product Kit



Sizes Available in White Color:

OE-DWDS-SL White 89*450mm

OE-DWDS-SL White 89*500mm

OE-DWDS-SL White 89*550mm

OE-DWDS-SL White 121*450mm

OE-DWDS-SL White 121*500mm

OE-DWDS-SL White 121*550mm

OE-DWDS-SL White 185*450mm

OE-DWDS-SL White 185*500mm OE-DWDS-SL White 185*550mm MRP

₹ 2,860

₹ 3,850

₹4,620

₹ 3,465 ₹ 4,565

₹ 5,335

₹4,070

₹ 5,170

₹ 6,105





OE-DWDS-SL Grey- Product Kit



Sizes Available in Grey Color:

Item Code	MRP
OE-DWDS-SL Grey 89*450mm	₹ 2,860
OE-DWDS-SL Grey 89*500mm	₹ 3,850
OE-DWDS-SL Grey 89*550mm	₹ 4,620
OE-DWDS-SL Grey 121*450mm	₹ 3,465
OE-DWDS-SL Grey 121*500mm	₹ 4,565
OE-DWDS-SL Grey 121*550mm	₹ 5,335
OE-DWDS-SL Grey 185*450mm	₹ 4,070
OE-DWDS-SL Grey 185*500mm	₹ 5,170
OE-DWDS-SL Grey 185*550mm	₹ 6,105



Key Features:

• Full-extension sliding system for a smooth and consistent closure

Item Code

- Suitable for all 90mm height drawer
- Allows the maximum access to drawer
- DUAL-Synchro and slow motion (FR) damping technology provide easy movement
- Load capacity of 40Kg

Specifications:

- Fully Synchronized motion,
- Smooth opening and closing
- No side accessories required for different heights
- Handy 3D three dimensional front adjustment
- No groove required under the drawer to fix the clip

Kit Includes:

- Drawer channels/slides: 1 Pair
- Side wall panels: 1 Pair
- Locking devices: 1 Pair
- Cover clip with Ozone logo printed: 1 Pair



Installation Video



KITCHEN TALL UNIT



• Silent Mechanism


- Adjustable frame height
- Available in 2 different width
- Available in 2 different adjustable height
- 1150-1410mm
- 1900-2160mm



Available Sizes

Size	MRP	Detail			
450mm(W) (4+4) Basket & Frame	₹ 7,975	OK-TU.B.8B-450mm SS			
	₹ 18,590	OK-TU.F.8B-450mm SS			
600mm(W) (4+4) Basket & Frame	₹11,110	OK-TU.B.8B-600mm SS			
	₹ 25,960	OK-TU.F.8B-600mm SS			
450mm(W) (6+6) Basket & Frame	₹ 10,274	OK-TU.B.12 B-450mm SS			
	₹ 23,760	OK-TU.F.12 B-450mm SS			
600mm(W) (6+6) Basket & Frame	₹ 12,540	OK-TU.B.12 B-600mm SS			
	₹ 29,810	OK-TU.F.12 B-600mm SS			

BOTTLE PULL-OUT



Code	MRP	Sizes
OK-BPO-L/R 150mm CP	₹ 7,161	150mm



SS DISH RACK WITH DRAIN TRAY



Code	MRP	Sizes
OK-DR-N 600mm SSS	₹ 2,217	600mm
OK-DR-N 800mm SSS	₹ 2,574	800mm
OK-DR-N 900mm SSS	₹ 2,948	900mm

CORNER ORGANIZERS

S Carousal



Code	MRP	Sizes		[
OK-SC-L/R 900mm CP	₹ 23,540	900mm		ļ
			·	Ē



Installation Video

Magic Corner



Code	MRP	Sizes	Γ
OK-MCB-900mm SSS	₹ 7,975	900mm	Ī
OK-MCF-L/R-900mm SSS	₹ 18,260	Basket & Frame	



Scan QR for Installation Video



PANTRY UNITS WITH SQUARE RAIL

- Ergotec Pantry Unit's inner drawers can be installed at any height as per your choice
- Simply take one of our Ergotec standard 84 mm drawer set and with addition of Pantry Drawer Front Set turn your cabinet into Pantry/Larder Unit



How to Order

Item Code	MRP	Detail	Standard Height (84mm, Length 500mm)	Medium Height (135mm, Length 500mm)	Tall Height (199mm, Length 500mm)
OE-PU-FP 1100MM MG	₹ 1,502	Front panel 1100mm	01 PC (as per length requirement)	01 PC (as per length requirement)	01 PC (as per length requirement)
OE-PU-FB 84mm MG	₹ 219	Front bracket 84mm	O1 set	-	-
OE-DWDS-ACC-BB MG 84mm	₹ 237	Back bracket 84mm	O1 set	-	-
OE-DWDS-W/O-BB-MG 500mm	₹ 3,575	Metal walls & L/R sliding channel-500mm	01 set	01 set	01 set
OE-PU-FB 135mm MG	₹ 270	Front bracket 135mm	-	01 set	-
OE-DWDS-ACC-BB MG 135mm	₹ 314	Back bracket 135mm	-	01 set	-
OE-PU-RLSQ 500mm MG	₹688	Single SQUARE rail gallery 500mm	-	01 set	O1 set
OE-PU-FHSQ-1100mm MG	₹ 787	Square front handle 1100mm	-	01 PC (as per length requirement)	01 PC (as per length requirement)
OE-PU-FB 199mm MG	₹ 319	Front bracket 199mm	-	-	O1 set
OE-DWDS-ACC-BB MG 199mm	₹ 358	Back bracket-199mm	-	-	01 set
OE-PU-RLSQ-D 500mm MG	₹649	Double SQUARE rail gallery 500mm	-	-	O1 set





Standard Height Drawer



Medium Height Drawer



Large Height Drawer

ERGOZONE

PANTRY UNITS WITH ROUND RAIL

- Ergotec Pantry Unit's inner drawers can be installed at any height as per your choice ٠
- Simply take one of our Ergotec standard 84 mm drawer set and with addition of Pantry Drawer Front Set turn your cabinet into Pantry/Larder Unit



쏤

How to Order

Item Code	Mrp	Detail	Standard Height (84mm, Length 500mm)	Medium Height (135mm, Length 500mm)	Tall Height (199mm, Length 500mm)
OE-PU-FP 1100MM MG	₹ 1,502	Front panel 1100mm	01 PC (as per length requirement)	01 PC (as per length requirement)	01 PC (as per length requirement)
OE-PU-FB 84mm MG	₹ 219	Front bracket 84mm	01 set	-	-
OE-DWDS-ACC-BB MG 84mm	₹237	Back bracket 84mm	01 set	-	-
OE-DWDS-W/O-BB-MG 500mm	₹ 3,575	Metal walls & L/R sliding channel-500mm	01 set	01 set	O1 set
OE-PU-FB 135mm MG	₹270	Front bracket 135mm	-	01 set	-
OE-DWDS-ACC-BB MG 135mm	₹ 314	Back bracket 135mm	-	01 set	-
OE-DWDS-RL MG-500mm	₹ 589	Single ROUND rail gallery 500mm	-	01 set	01 set
OE-PU-FHSQ-1100mm MG	₹787	Square front handle 1100mm	-	01 PC (as per length requirement)	01 PC (as per length requirement)
OE-PU-FB 199mm MG	₹ 319	Front bracket 199mm	-	-	01 set
OE-DWDS-ACC-BB MG 199mm	₹358	Back bracket-199mm	-	-	01 set
OE-DWDS-RL-D MG 500mm	₹545	Double ROUND rail gallery 500mm	-	-	01 set





Standard Height Drawer



Medium Height Drawer



Large Height Drawer



DRAWER ORGANIZERS

INTER DIVIDING GALLERY RAIL KITS



Item Code	Description	Product
OE-DWDS-PA-RL MG 1100MM ₹ 292	Horizontal/Transversal Rail	
OE-DWDS-PA-TC MG Std. ₹61	T-Connector	
OE-DWDS-PA-CC MG Std. ₹ 59	Connecting clip	
OE-DWDS-PA-EC MG Std. ₹ 79	End cap	

• Cross Railing available in 1100mm size with T or L connectors

• Quantity can be ordered as per the requirement

HORIZONTAL & VERTICAL DIVIDING PANEL



Item Code	Description	Product
OE-DWDS-PA-HDP-G MG 1100MM ₹ 1,502	Works in conjunction with glass clip set	
OE-DWDS-PA-HDP-M MG 1100MM ₹ 1,502	Fixed with metal hanging panel (OE-DWDS-SSE-R)	
OE-DWDS-PA-VDP MG STD ₹ 237	Vertical divide panel	1

• Both horizontal and vertical dividing panels are fitted with appropriate end fittings

• Must be used in conjunction with double wall high metal drawer sides

DRAWER MAT





CLASSIC FIT - PVC CUTLERY ORGANIZERS



OK-CT-900MM MG ₹ 2,005 (Available without divider) Size (mm) : 830 x 485 x 50 (WxDxH)




OK-CT-600MM MG ₹ 1,385 (Available with divider) Size (mm) : 530 x 485 x 50 (WxDxH)



OK-CT-450MM MG ₹ 955 (Available with divider) Size (mm) : 380 x 485 x 50 (WxDxH)

ADJUSTABLE DISH ORGANIZERS





OK-APH-SS GR ₹ 2,981 Adjustable Dish Holder

KITCHEN TRASH BINS





OK-POB-2 STD GREY ₹ 11,440

Pull Out Trash Bin Size (mm): 303 x 360 x 224 (WxDxH) 10L x 2 with door mount bracket Max Weight Carrying Capacity: **25kg**

3 COMPARTMENT BIN



OK-POB-3 STD GREY ₹ 11,440

Pull Out Trash Bin 20L + 10L x 2 with door mount bracket 20L Size (mm): 303 x 360 x 224 (WxDxH) 10L Size (mm): 224 x 360 x 151 (WxDxH) Max Weight Carrying Capacity: **25kg**



Swing Out Trash Bin Size (mm): 365 x 280 x 355 (WxDxH) Max Weight Carrying Capacity: **14ltr**



ROLLER SHUTTER SYSTEMS

Three Step Aluminium Roller Shutter With Manual Operation

(Aluminium & SS Finish)

OE-RS-M 600x1500 AN	₹ 23,540
OE-RS-M 600x1500 SS	₹ 24,750
OE-RS-M 900x1500 AN	₹ 30,250
OE-RS-M 900x1500 SS	₹ 34,320



Glass Roller Shutter With Manual Operation

 OE-RS-G 600x1400 WHITE
 ₹ 56,650

 OE-RS-G 600x1400 FROSTED
 ₹ 56,650



ALUMINIUM SKIRTING



Square/Flexi Corner Connector




OK-SK-100 3mtrs SSS ₹ 1,271 OK-SK-150 3mtrs SSS ₹ 1,848

PVC Skirting with Aluminium Foil Length: 3mtr Finish: SSS



Flexible Connector



Flexible Connectors with bottom plastic seal Height: 100mm & 150mm Finish: SSS







OK-ALC 150mm BL ₹ 314 Adjustable Leg with Clip Set= 4Legs+2Clips



OK-ALC 100mm BL ₹ 196 Adjustable Leg with Clip Set= 4Legs+2Clips



OK-ALC-ACC-RC ₹ 6,523 Adjustable Legs Clip 500Pcs in one Pkt.

HEAVY DUTY BI-FOLD LIFT UP SYSTEM - SOFT CLOSE



OK.LU.BF.HD Std Grey₹ 8,580Ideal for higher wall cabinets

Carcas Details:

Width	Height	Max. Weight (Per Shutter)
900-1200mm	700-800mm	4.7Kg

Set comprises:

- Lift-up Mechanism with Cover: 01 pair
- Auto Close Hinges: 01 pair
- Center Hinges with Accessories



Power Adjustable

BI-FOLD LIFT UP SYSTEM - SOFT CLOSE

OK.LU.BF.N Std Grey ₹ 8,580

Ideal for higher wall cabinets

Carcas Details:

Width	Height	Max. Weight (Per Shutter)
700-900mm	700-750mm	3.5Kg



Scan QR for Installation Video



14 Jan





Available against bulk orders only



90° OPENING LIFT-UP SYSTEM - 3D ADJUSTABLE SOFT CLOSE

OK.LU.90N STD GR ₹ 6,006

Carcas Details:

Width	Height	Max. Weight	
600-1200mm	500-600mm	6Kg	



OK.LU.90N ST	D WHITE		₹6,0	61
Carcas Details:				
Width	Height		1ax. eight	
600-1200mm	500-600mm		6Kg	



90° OPENING HEAVY-DUTY LIFT-UP SYSTEM - 3D ADJUSTABLE SOFT CLOSE

OK.LU.90HD STD GR	₹ 7,277

Carcas Details:

Width	Height	Max. Weight	
900-1800mm	600-700mm	13.25Kg	





PNEUMATIC PUMPS



PNEUMATIC PUMPS SOFTPRO (With Cover on Arms)





 Product Code
 MRP

 OK.PP.01N 60N GR
 ₹ 429

 OK.PP.01N 80N GR
 ₹ 429

 OK.PP.01N 100N GR
 ₹ 429

 OK.PP.01N 120N GR
 ₹ 429

PNEUMATIC PUMPS

Available in White Colour also against bulk order



SMART BED LIFT-UP SYSTEM







Soft Close

33° Opening Angle

g Easy to Lift

Features:

Nev

- Available in 04 load capacity
- Effortless Opening
- 33 degree (wide) opening angle for easy access
- Easy to lift with the weight of top board
- Top Stay Feature
- Long brackets for better support to bed platform
- Easy to Install
- Ideal for storage under bed

Frames



Size	Item Code	MRP
900mm	OE.BLU.F 900mm Std Black	₹ 1,399
1520mm	OE.BLU.F 1500mm Std Black	₹ 2,111

Pumps



Wt. Capacity	Item Code	MRP
50kg	OE.BLU.P 500N Black	₹ 1,301
75kg	OE.BLU.P 750N Black	₹ 1,301
120kg	OE.BLU.P 1200N Black	₹ 1,301
150kg	OE.BLU.P 1500N Black	₹ 1,301



BED FITTINGS

VERTICAL FOLDABLE WALL MOUNT BED - WITH AUTOMATIC MECHANISM



OZ-WBV-A-SF-1220 Std ₹ 99,500

Features:

- Concealed wall bed design
- Vertical foldable wall mount system
- Motorized mechanism with remote option
- Easy to open/close
- Adds style, comfort & flexibility

Dimension: 1200mm*2000mm (W*L)







*Mattress is not included



OZ-WBV-A-TB-1220 Std ₹ 99,500

Features:


- Concealed wall bed design
- Vertical foldable wall mount system
- Motorized mechanism with remote option
- Table available in vertical and horizontal options
- Adds style, comfort & flexibility

Dimension: 1200mm*2000mm (W*L)

FOLD UP THE BED TO MAKE A WORKING TABLE







*Mattress is not included


www.ozone-india.com

ERGOZONE

ALUMINIUM FRAME PROFILES FOR GLASS PANELS/SHUTTERS

OEAP-45F 3M AN	₹ 1,617
OEAP-45F 3M SS	₹ 2,013
Aluminium Frame Pr	ofile






Calculation of inlay in sections size

• Thickness: 4 or 5mm (Glass/Panel)

OEAP-50F 3M AN	₹ 2,013	
OEAP-50F 3M SS	₹ 2,475	
Aluminium Eramo Drofilo		

Aluminium Frame Profile






Calculation of inlay in sections size • Thickness: 4 or 5mm (Glass/Panel) OEAP-45H 3M AN ₹ 2,354 OE AP-45H 3M SS ₹ 2,827

Aluminium Handle Frame Profile






Calculation of inlay in sections size

• Thickness: 4 or 5mm (Glass/Panel)

OEAP-50H 3M AN		₹ 2,530
OEAP-50H 3M SS		₹ 2,937
	_	

Aluminium Handle Frame Profile




Calculation of inlay in sections size

• Thickness: 4 or 5mm (Glass/Panel)


ALUMINIUM HANDLE PROFILES FOR WOODEN PANELS

OEAP-G 3M AN	₹ 1,518	
OEAP-G 3M SS	₹ 1,892	
Aluminium Handle Fi	rame Pro	file



OEAP-J 3M AN	₹ 2,046	
OEAP-J 3M SS	₹ 2,354	
Alumainiuma Llamella Enama Duafil		

Aluminium Handle Frame Profile



CORNER CONNECTORS FOR ALUMINIUM PROFILES

OEAP-ACC1 Std ₹237

Connector for Aluminium Frame & Handle Profile for Glass Doors **Specification**

Corner Connector for

Conner Connector for	
OEAP-45F-AN	MRP on Request
OEAP-45F-SS	₹ 1,830
OEAP-45H-AN	MRP on Request
OEAP-45H-SS	₹ 2,570

Available 4 pcs in one set with necessary screws

OEAP-ACC2 Std ₹ 237

Connector for Aluminium Frame & Handle Profile for Glass Doors

Specification

Corner Connector for		
MRP on Request		
₹ 2,250		
MRP on Request		
₹ 2,670		

Available 4 pcs in one set





MINI FIXES



₹ 1,095 OZ-MF-03-E 10MM White Nylon Socket Unit: Pkt. 500 Pcs.



OZ-MF-01-L 15/18mm Std. Board Thickness 15 mm with Cover Flange Unit: Pkt. 500 Pcs.



₹ 277 OZ-MF-ACC-01N Std Brown Plastic Cap for 15mm Cam Unit: Pkt. 500 Pcs.



₹ 1,265 OZ-MF-02 34MM Std. Thread Bolt with Black Plastic Unit: Pkt. 500 Pcs.



₹ 2,420 OZ-M6-ST1-H 10MM STD OZ-M6-ST1-H 13MM STD Mini-Fix Unit: Pkt. 450 Pcs.

SHELF - SUPPORT



OZ-PMC-Std Std Push Catcher



OZ-MC-Std Std Magnetic Door Catcher



OE-SHL-G ₹ 3,476 Shelf Support for Glass Unit: Pkt. 500 Pcs.



OE-SHL-W ₹ 2,448 Shelf Support for Wooden Shelves Unit: Pkt. 500 Pcs.

BUTTERFLY & WOODEN DOWEL PINS



OE-CF-B ₹ 2,585 Butterfly type Connection Fitting Unit: Pkt. 100 Pcs.



OZ-WD-SL 6x35 Std. ₹ 3,740 Wooden Dowel Pin Unit: Pkt. 4000 Pcs.



OZ-WD-SL 8x40 Std. Pkt. ₹ 3,927 Wooden Dowel Pin Unit: Pkt. 4000 Pcs.



MULTIDRAWER LOCKS




WARDROBE SLIDING DOOR LOCKS



Features:

- Suitable for 25mm shutters
- Twist and turn system
- Single locking for 2 overlapped sliding shutters
- Universal lock for sliding shutters with either
- side opening
- High security two computerized keys
- System 32 compatible

OE.WSL1-25 STD NP ₹ 429 Twist & Turn Lock



OE.WSL2-22 STD CP ₹ 231 Push & Turn Lock

Features:

- Suitable for 22mm shutters
- Push and turn system
- Single locking for 2 overlapped sliding shutters
- Universal lock for sliding shutters with either side opening

CUPBOARD LOCKS WITH COMPUTERIZED KEYS



OE-CL-11 32MM SSS ₹ 583 OE-CL-11 20/25MM SSS ₹ 556 Cupboard Lock



Computerized key





OE-CL-3P 22mm CP ₹ 902 Cupboard Lock

Features:

- Suitable for 22mm Thick panel
- Die cast body
- Two point swing arm lock at top and bottom, also locking with the third point at central eliminates use of towebolt
- System 32 compatible
- Reversable keys with click action mechanism
- High security computerized keys

Application:

Cupboards & Cabinets



CUPBOARD LOCKS

PEDESTAL LOCKS



Features:

- Suitable for 22mm Thick panelDie cast body
- Click action mechanism
- Round multipurpose lock with crank bolt specially designed for overlapped shutters fitted with auto close hinge and drawers with overlay facia
 Reversable keys with click action
- Reversable keys with click action mechanism

Application: • Cupboards & Cabinets



OE-PDL-STD-CP ₹ 165 For front mount multi drawer pedestal units

FURNITURE LOCKS

OE-CL-C 22mm CP ₹ 160

Cupboard Lock



Features:

- Suitable for 22mm Thick panel
- Die cast body Reversable keys with click action
- mechanism

Application:

Cupboards & Cabinets

OE-MPL-R 22mm CP ₹ 154 Multipurpose Lock





OE-MPL-11-22MM-NP ₹ 277 Multipurpose Lock with Computerized Key



OE-MPL 32MM CP ₹ 145 Multipurpose Lock




OE-MPL-12 22mm CP ₹ 253 Multipurpose Lock with

Computerized Key



OE-MPL 22MM CP ₹ 123 Multipurpose Lock







- Suitable for 22mm Thick panelDie cast body
- No key require for locking system
- Reversable keys with click action mechanism
- High security computerized keys

Application:


• Cupboards & Cabinets




PASSWORD & FINGERPRINT LOCK


OZFL-201-PW ₹ 2,990







RFID CARD LOCK







DIGITAL FURNITURE LOCK FOR WOODEN DRAWERS & CABINETS

PASSWORD LOCKS

OZFL-203-PF ₹ 5,690













PASSWORD LOCK








Options available for Multi Drawers and Sliding Cabinets only on request

FINGERPRINT LOCK



Access Modes Fingerprint Ľ Alarm Low Battery Indicator _ _ _ _ _ Smart ٩Ĵ Features USB for Battery Backup _ _ _ _ _ Door Thickness 1-18mm _ _ _ _ _ _ Finish Black

> Options available for Multi Drawers and Sliding Cabinets only on request


Note: All dimensions are in mm



KEYLESS DIGITAL FURNITURE LOCK FOR METAL/WOODEN DRAWERS & CABINETS


PASSWORD LOCK

OZFL-601-PW ₹ 2,990



PASSWORD LOCK









OZFL-55F SN

FINGERPRINT LOCKS











Access Modes Fingerprint _ _ _ _ Ĕ Alarm Low Battery Indicator Smart • H Features USB for Automatic Manual Battery Backup Locking Locking Door Thickness 12-20mm _ Finish Black White Satin Nickel

PASSWORD LOCK

OZFL-88 P BLACK ₹ 2,390





Note: All dimensions are in mm



PASSWORD & FINGERPRINT LOCKS


OZFL-66V-PF (Vertical) ₹ 4,850





OZFL-66H-PF (Horizontal) ₹ 4,850







Note: All dimensions are in mm



TOP GLIDE SYSTEM - 1 FOR DOUBLE DOOR WARDROBES



Specifications:

- Utilizes full inner space in the wardrobeTracks not visible
- Door Installation: Inset
- Track mounting: Top
- Application type: Double Door



Door Thickness 18-24mm

Door Thickness

20-32mm



75 Ka

Weight Carrying

Capacity

INSET SLIDING SYSTEM - 1A (for Wooden Doors)

Product Code	OE.WS.TG1A.TR Std Std Top Roller Set	OE.WS.TG1A./22BR Std Std Bottom Roller Set	OE.WS.TG1A./TT 3mtr AN Top Track 3mtr length	OE.WS.TG1A./22BT 3mtr AN Bottom Track 3mtr length
Product Image				
Set Qty.	1 Set	1 Set	1 Pc. (Length)	1 Pc. (Length)
MRP	₹ 2,640	₹ 1,309	₹ 2,255	₹ 1,254

INSET SLIDING SYSTEM - 1B (for Wooden Doors)

Product Code	OE.WS.TG1B.TR Std Std Top Roller Set	OE.WS.TG1B.BR Std Std Bottom Roller Set	OE.WS.TG1B.TT 3mtr AN Top Track - 3mtr length	OE.WS.TG1B.BT 3mtr AN Bottom Track 3mtr length
Product Image				
Set Qty.	1 Set	1 Set	1 Pc. (Length)	1 Pc. (Length)
MRP	₹ 3,410	₹ 1,320	₹ 2,585	₹ 1,529



TOP GLIDE SYSTEM 22 FOR DOUBLE DOORS WARDROBE



Specifications:

- Utilizes full inner space in the wardrobe
- Tracks not visible
- Door Installation: Overlay
- Can be used for wardrobe width upto 10 feet
- Track mounting: Top
- Application type: Double Door



Scan QR for Installation Video



TOP GLIDE SYSTEM - 22 W (for Wooden Doors)

Product Code	OE.WS.TG22W.TR Std Std Top Roller Set	OE.WS.TG1A/22.BR Std Std Bottom Roller Set	OE.WS.TG22.TT 3mtr AN Top Track 3mtr length	OE.WS.TG1A/22.BT 3mtr AN Bottom Track 3mtr length	OE.WS.TG22.SC.W Std Gr Soft Close TG22
Product Image					
Set Qty.	1 Set	1 Set	1 Pc. (Length)	1 Pc. (Length)	1 Set
MRP	₹ 2,976	₹ 1,309	₹ 2,024	₹ 1,254	₹ 3,839



Capacity

18-22mm

TOP GLIDE SYSTEM - 22 F (for Framed Doors)

Product Code	OE.WS.TG22F.TR Std Std Top Roller Set	OE.WS.TG1A/22 BR Std Std Bottom Roller Set	OE.WS.TG22.TT 3mtr AN Top Track 3mtr length	OE.WS.TG1A/22.BT 3mtr AN Bottom Track 3mtr length
Product Image	A DE	Contraction of the second		
Set Qty.	1 Set	1 Set	1 Pc. (Length)	1 Pc. (Length)
MRP	₹ 4,059	₹ 1,309	₹ 2,024	₹ 1,254

TOP GLIDE SYSTEM - 22 FOR TRIPLE DOORS WARDROBES



TOP GLIDE SYSTEM - 22 W (for Triple Wooden Doors)	
OE.WS.TG22W.TR.3D OE.WS.TG1A/22.BR.3D OE.WS.TG22.TT	OE

Product Code	OE.WS.TG22W.TR.3D STD STD Top Roller Set	OE.WS.TG1A/22.BR.3D STD STD Bottom Roller Set	OE.WS.TG22.TT 3mtr An Top Track 3mtr length	OE.WS.TG1A/22.BT 3MTR An Bottom Track 3mtr length	OE.WS.TG22.SC.W STD Gr Soft Close TG22
Product Image	A Provide State	H SH S			
Set Qty.	1 Set	1 Set	1 Pc. (Length)	1 Pc. (Length)	1 Set
MRP	₹ 4,466	₹ 1,964	₹ 2,024	₹ 1,254	₹ 3,839

TOP GLIDE SYSTEM - 22 F (for Triple Framed Doors)

MRP	₹ 6,094	₹ 1,964	₹ 2,024	₹ 1,254
Set Qty.	1 Set	1 Set	1 Pc. (Length)	1 Pc. (Length)
Product Image	the state of the s			
Product Code	OE.WS.TG22F.TR.3D STD STD Top Roller Set	OE.WS.TG1A/22.BR.3D STD STD Bottom Roller Set	OE.WS.TG22.TT 3mtr An Top Track 3mtr length	OE.WS.TG1A/22.BT 3mtr An Bottom Track 3mtr length



• Door Type: Wooden/Framed

New

- Application Type: **3 Doors**Door Installation: Overlay
- Track Length: 3mtr





50 Kg

1

Weight Carrying

Capacity

←

Door Thickness

18-22mm





UNI-LINE WARDROBE SLIDING SYSTEM



 OE.WS.UNLS 3mtr Std
 ₹ 81,840

 OE.WS.UNLS 2.4mtr Std
 ₹ 79,310

Features:

- High-end 2 door Wardrobe Sliding System
- Two shutters closes in the same line leaving NO gap
- Soft open and soft close
- Suitable to use on wooden as well as aluminum framed glass doors

Specifications:

- Can be used on doors weighing upto **60kg** each
- Suitable for Wardrobe width 2100mm 3000mm





Weight Carry Capacity

ACCESSORIES		QTY.	ACCESSORIES		QTY.
Upper rail component		<u>ini</u>		J	1
Down rail component		16		00	1
Down runner fixing plate		2	Down runner A	E. E.	1
Down runner B	ter a	1	Down runner C	17 a	2
Adjustable plate A	the set of the set	2	Adjustable plate B	line	2
Down rail fixing key	مخلف مخلف مخلف مخلف مخلف مخلف مخلف مخلف مخلف	8	Down rail fixing key	* * * *	8
ST 4x20mm Wooden screw	Heraunn-	32	ST 4x16mm Wooden screw	Baunus	60
2.5mm allen key	<	1	4mm allen key	<	1
Drilling jig		1	Wrench		1

Product kit includes:

*Check product details before placing order.

OZO LINE 65 BOTTOM GLIDE INSET WARDROBE SLIDING SYSTEM

FEATURES:

- Overlapping dual door system
- Suitable to use with single track as well as double track
- Superior spring mechanism for roller's better grip with track
- Smooth functioning and long life
- Soft closing and opening function (optional)



SPECIFICATIONS:

- Door type: Wooden
- Application type: Dual door
- Door Weight: upto 65Kg.
- Door Thickness: 18-25mm




Door Thickness

18-25mm



ERGOZONE



Tracks:



Optional Fitting:



Series

OE.SL65 .SCD ₹ 595 Soft Close Dampener- 01 set

ECONOMY WARDROBE SLIDING SYSTEM



Features:

- Economy wardrobe sliding system Common flush track for top & bottom
- Tracks length are available in 2 mtr & 4 mtr

Applications:

- Best suitable for
- Overhead cabinets
- Office cabinet
- Small wardrobes

Specifications:

- Weight Carrying Capacity: 40Kg
- 50,000 life cycle tested

Fitting Set for 1 door consists

- Top Rollers: 1 Set
- Bottom Rollers: 1 Set
- Stopper: 1 Set



Top & Bottom Roller Set for Single Door









BOTTOM GLIDE SYSTEM



OE.WS.BG1.S Std Std ₹666

Top & Bottom Roller Set for Single Door

Features:

- Inset sliding shutters
- Bottom dom track
- Top & bottom rollers provide smooth sliding

Specifications:


- Door type: Wood
- Application type: Dual door
- Door Weight: upto 60 kg
- Door Thickness : 18-23mm
- Track mounting: Bottom
- Track length: 2/3/4 mtr for double & single leaf doors

System consists fittings for Single Door

- Top Roller: 1 Set
- Bottom Roller: 1 Set
- Stopper: 2 Pcs

Nev





OE.WS.BG1.D.SCO Std Std ₹ 2.915

Top & Bottom Roller Set for Double Door

Features:

- 2 door overlap wardrobe sliding system
- with both side soft close mechanism
- Ideal for door weight upto 60kg

Specifications:

- 50,000 life cycle tested
- Suitable for door thickness upto 18-23mm with double track & any thickness with single track

Fitting Set for 2 doors consists

- Top Roller: 2 sets
- Bottom Roller: 2 sets
- Soft Close & Soft Open Dampner: 4 pcs
- Door Thickness: 18-23mm



Door Thickness 18-23mm

60 Kg

Weight Carrying

Capacity

60 Kg

SOFT CLOSE BOTTOM GLIDE SYSTEM



OE.WS.BG1.D.SC Std Std ₹ 2.244

Top & Bottom Roller Set for Double Door

Features:

- 2 door overlap wardrobe sliding system
- with both side soft close mechanism
- Ideal for door weight upto 60kg

Specifications:

- 50,000 life cycle tested
- Suitable for door thickness upto 18-23mm with double track & any thickness with single track

Fitting Set for 2 doors consists

- Top Roller: 2 Sets
- Bottom Roller: 2 Sets
- Soft Close Dampner: 2 Pcs
- Stopper: 2Pcs
- Door Thickness: 18-23mm





Cycles Tested








50,000 Cycles Tested





Disclaimer: Product specifications, information & visuals shown in this catalogue are illustrative in nature, the customers are advised to kindly check technical specifications & details before placing order. Company will not be liable for any such loss to customers for technically unsuitable/unfit product. Ozone Overseas reserves the right to change or modify the specifications any time without notice/information. The Company shall only be responsible for defects covered under the product warranty and shall in no way be accountable for any defects (including but not limited to packaging, installation instructions, manuals, specification instructions and care and maintenance instructions), after the delivery of goods to the Customer. All risk and obligations in the goods and products delivered by the Company passes to the Purchaser immediately upon delivery to the Purchaser.

Corporate Office

New Delhi

H-40, Bali Nagar, New Delhi-110 015 T: +91-11-45576677 (30 Lines) Fax: +91-11-45576699 e-mail: ozone@ozone-india.com



International Offices

website : www.ozoneaustralia.com.au

Works

Ozone Metallics Pvt. Ltd. Trilokpur Road, Kheri, Nahan District-Sirmour Kala Amb Himachal Pradesh



For Hardware Solutions: New Delhi*

1/122, Timber Mkt., Kirti Nagar, New Delhi T : +91-11-49124400, 01 e-mail: delhihub@ozone-india.com

For Security Solutions: Gurugram^{*}

#548 Udyog Vihar, Phase 5, Sector 19, Gurugram, Haryana-122016 Ph : +91-124-4961164, 65

Branch Offices

Ahmedabad

407, 4th Floor, Shivalik Abaise, Opp. Shell Petrol Pump, Prahaladnagar, Ahmedabad - 380051 T : +91-079-29706789

Bengaluru*

No. 424, 2nd Floor, Above HDFC Bank, Passport Office Road, 6th block , Koramangala, Bangaluru - 560034 T: +91-80-41207539 e-mail: blrhub@ozone-india.com

Chandigarh

SCO 907, NAC Mani Majra, Near Solitaire Hotel, Chandigarh - 160101 Mob: +91-9316001154

Chennai*

No.28/1, Rajarathnam Street, Kilpauk, Opp. Beverly Hotel, Chennai – 600010 T: +91-44-43802063 e-mail: chennaihub@ozone-india.com

Hyderabad

Unit # 704, 7th Floor, Shangrila Plaza, Road No. 2, Banjara Hills, Hyderabad - 500034 Mob: +91-9515157564

Indore

503, B Block, Prakrati Corporate, Y N Road, Indore - 452001 Mob: +91-9589589902

Jaipur

27, 5th Floor, Mahima Trinity Mall, Swej Farm, New Sanganer Road, Jaipur-302019 T : +91-141-2294261 e-mail: jaipurhub@ozone-india.com

Kolkata

4 Govt Place, 4th floor, Room No:- 4H Delta House. Kolkatta - 700001 Mob: +91-9831176481, +91-7042080395

Lucknow*

Akash Apartment-2 1st Floor Gokhale Marg Opp. IFFCO, Lucknow-226001 T : +91-0522-4109647 Mob: +91-7408753777

Mumbai

The Avenue, 607, Near Waterstones Hotel, Int. Airport Road, Marol, Andheri (E), Mumbai - 400059 T : +91-22-28306453 Mob: +91-7045775977

Pune

#105, 1st Floor, Suyog Center Market Yard, Gultekdi, Pune - 411037 Mob: +91-9974180155

Surat

201, Luxuria Business Hub, Nr.V.R.Mall, Surat-Dumas Road, New Magdalla Road, Surat - 395007 Mob: +91-9724009921

Download Ozone India App



www.ozone-india.com | India Customer Care: 09310012300 | customercare@ozone-india.com







Mobile App

Password

Emergency Key







PRICE LIST W.E.F. 1 APRIL 2021




KEYLESS OPERATING CONVENIENCE

Ozone digital door locks are a perfect fit for the safety & security needs of the digital generation. Equipped with the most advanced security features, they are an invincible choice for main as well as interior doors, of both homes and offices.

Key Features: App Based Operation Remote Access Multiple Access Modes









MORPHY M MODEL: 0Z-FDL-02 STD FOR WOODEN/ METAL DOORS

MRP ₹ 23,500/-








RFID CARD

USER PIN CODE

EMERGENCY KEY

000 OOO000

















FINGERPRINT

RFID CARD

USER PIN CODE

EMERGENCY KEY





MORPHY SERIES

ZONE

OZONE

2

5000

0

3

6 9

#

MORPHY X Model: OZDL-4WA STD For Wooden/ Metal Doors

MRP ₹ 24,900/-





FINGERPRINT

RFID CARD





USER PIN CODE E

EMERGENCY KEY









MODEL: 0Z-FDL-22 BL STD BLACK/SC FOR WOODEN/ METAL DOORS







MOBILE APP

FINGERPRINT



EMERGENCY KEY









DIGITAL GLASS DOOR LOCK








*REMOTE CONTROL (OPTIONAL)

MODEL: OZDL-23PCF-G2G STD GLASS TO GLASS

MRP₹28,820/-

MODEL: 0ZDL-23PCF-G2W STD GLASS TO WALL

MRP ₹ 25,630/-



SUITABLE FOR WOODEN INTERNAL DOOR LOCKS MODEL: 0ZDL-11 FP STD







DIGITAL RIM LOCK



SUITABLE FOR WOODEN INTERNAL DOOR LOCKS MODEL: OZDL-11 RF STD


MRP ₹ 15,999/-



MASTER PIN CODE

RFID CARD







DIGITAL **FURNITURE LOCKS** A KEYLESS WAY TO SECURE YOUR VALUABLES

With Ozone's furniture locks, you won't have to worry about keeping your valuables safe and secure, anymore. These new age digital locks provide a keyless solution for your home and your office. These locks can easily fit into different types of furniture include wooden and metal furniture.





PASSWORD & KEY **LOCK** \exists



PASSWORD & KEY **LOCK**





FINGERPRINT & KEY **LOCK**





PASSWORD & FINGERPRINT **LOCK**







MASTER PIN CODE

USER PIN CODE

000

MODEL: 0ZFL-203-PF MRP ₹ 5,690/-



PASSWORD **LOCK**





RFID CARD **LOCK**



PASSWORD **LOCK**



FOR METAL/WOODEN CABINETS & DRAWERS



MASTER PIN CODE



USER PIN CODE

EMERGENCY KEY

MODEL: 0ZFL-101-PK



PASSWORD LOCK



MODEL: 0ZFL-601-PW MRP ₹ 3,590/-



USER PIN CODE

FOR SINGLE OR MULTIPLE METAL/WOODEN DRAWERS CABINETS

PASSWORD **LOCK**



MODEL: 0ZFL-401-PW







MASTER PIN CODE U

)E USER PIN CODE





FINGERPRINT LOCK






FINGERPRINT

MODEL: 0ZFL-55F













MODEL: 0ZFL-501-PF MRP₹7,990/-



MASTER PIN CODE USER PIN CODE

 $\bigcirc \bigcirc \bigcirc \bigcirc$

PASSWORD LOCK

MODEL: 0ZFL-502-PW

MRP₹4,990/-





USER PIN CODE







GATEWAY OZ-GATEWAY-11





GLASS DOOR LOCK REMOTE OZDL-23 RC-GL ACC



MRP₹500/-

RFID CARD OZDL-RF CARD ACC.



MRP ₹ 130/-

RFID CARD OZEL-RF222/333-Card V10 White



NOTES



Ozone Secutech Pvt. Ltd. Registered Office: H 40, Bali Nagar, New Delhi - 110015, India Operations Office: Plot No. 548, Phase V, Udyog Vihar , Gurugram, Haryana - 122016, India Visit: www.ozonesecutech.com I Email: ccsafes@ozone-india.com India | Customer Care: +91-11-45576666







PRICE LIST (MRP) W.E.F. 1 APRIL 2021



DIGITAL SAFES

FOR HOMES, OFFICES & COMMERCIAL SPACES







ABOUT US

Established in 1999, Ozone has a global presence across 15 countries, 4 R&D centers across Israel, Korea, China & India, and 4 state-of-the-art factories in India & China. Ozone Secutech is a professional safety and security solution provider having its own design center, manufacturing, sales & service setup.

Using the latest techniques blended with cutting edge technology, we are constantly developing innovative solutions that improve our customers' lives through greater security, safety and convenience. We offer complete range of safety & security products and solutions for institutional, commercial and consumer markets.

We offer a comprehensive range of choices in usability and design. Our range of Digital Safes include Biometric (fingerprint) enabled, PIN/password enabled, fire resistant, water resistant, moisture resistant & chemical resistant safes. We also make connected safes equipped with state-of-the-art burglary resistant GSM module - 'Notify'.

All our products go through stringent quality checks and are designed for durability, reliability and high performance.





FIRE WARRIOR-1700

Size (mm) : (H) 1700 x (W) 800 x (D) 630 Size (inch) : (H) 66.93 x (W) 31.50 x (D) 24.80 Weight (Kg.) : 525 (Approx.) Volume (Ltr.) : 417 Accessories: 3 Adjustable Shelf & 1 Drawer Inside MRP:₹ 1,59,990/-



FIRE WARRIOR-1200

Size (mm) : (H) 1200 x (W) 700 x (D) 635 Size (inch) : (H) 47 x (W) 27 x (D) 25 Weight (Kg.) : 270 (Approx.) Volume (Ltr.) : 230 Accessories : 2 Adjustable Shelf & 1 Drawer Inside





FIRE WARRIOR-99

Size (mm) : (H) 985 x (W) 600 x (D) 570 Size (inch) : (H) 38.78 x (W) 23.62 x (D) 22.44 Weight (Kg.) : 185 (Approx.) Volume (Ltr.) : 145 Accessories : 1 Adjustable Shelf & 1 Drawer Inside MRP:₹ 89,990/-



FIRE WARRIOR-77

Size (mm) : (H) 760 x (W) 500 x (D) 490 Size (inch) : (H) 29.92 x (W) 19.69 x (D) 19.29 Weight (Kg.) : 110 (Approx.) Volume (Ltr.) : 67 Accessories: 1 Adjustable Shelf & 1 Drawer Inside



FIRE WARRIOR-55

MRP:₹ 45,990/-

Size (mm) : (H) 595 x (W) 460 x (D) 470 Size (inch) : (H) 23.43 x (W) 18.11 x (D) 18.50 Weight (Kg.) : 80 (Approx.) Volume (Ltr.) : 40 Accessories: 1 Adjustable Shelf



Home Office









FIRE WARRIOR-11

Size (mm) : (H) 385 x (W) 496 x (D) 390 Size (inch) : (H) 15.16 x (W) 19.53 x (D) 15.35 Weight (Kg.) : 47 (Approx.) Volume (Ltr.) : 19 Accessories : 1 Tray inside

MRP:**₹ 33,590/-**





Tested

Anti-theft

Alarm



Dual Combination Access

KEY FEATURES

- Special fireproof material (cellulose concrete) ensures the inner temperature remains less than 118°C, while exposed in 1030°C flame for one hour
- User Access: Dual combination of 4 to 8 digits User PIN code & Manual key
- Emergency override key
- Strong Steel shooting Bolts
- Low battery indicator
- External battery power input option available
- UL fire rated



FIRE WARRIOR SAFES WITH NOTIFY



FIRE WARRIOR-99 N SERIES

Size (mm) : (H) 920 x (W) 600 x (D) 570 Size (inch) : (H) 36.22 x (W) 23.62 x (D) 22.44 Weight (Kg.) : 185 (Approx.) Volume Ltr.) : 145 Accessories : 1 Adjustable Shelf & 1 Drawer Inside

MRP:**₹ 1,09,990/-**





Tested



Anti-theft Dual Combination Alarm Access



FIRE WARRIOR-77 N SERIES

Size (mm) : (H) 760 x (W) 500 x (D) 490 Size (inch) : (H) 29.92 x (W) 19.69 x (D) 19.29 Weight (Kg.) : 110 (Approx.) Volume (Ltr.) : 67 Accessories : 1 Adjustable Shelf & 1 Drawer Inside





KEY FEATURES

- Notify module inside the safe for extra safety
- SMS Alert to upto 7 predefined mobile numbers
- Special fireproof material (cellulose concrete) ensures the inner temperature remains less than 118°C, while exposed in 1030°C flame for one hour
- User Access: Combination of User PIN & Manual key
- Emergency override key
- Strong Steel shooting Bolts
- Unique Notify GSM module
- Vibration sensor to detect break-in/tempering
- Wireless Hooter that can be placed away from the Safe









FIRE WARRIOR-22

Size (mm) : (H) 350 x (W) 495 x (D) 390 Size (inch) : (H) 13.78 x (W) 19.49 x (D) 15.35 Weight (Kg.): 46 (Approx.) Volume (Ltr.) : 19 Accessories : 1 Tray inside MRP:₹ 33,590/-



FIRE WARRIOR-66

Size (mm) : (H) 530 x (W) 460 x (D) 470 Size (inch) : (H) 20.87 x (W) 18.11 x (D) 18.50 Weight (Kg.): 74 (Approx.) Volume (Ltr.) : 39 Accessories : 1 Adjustable Shelf MRP:₹ 45,990/-

KEY FEATURES

- Special fireproof material (cellulose concrete) ensures the inner temperature remains less than 118°C, while exposed in 1030°C flame for one hour
- User Access: Dual combination of 4 to 8 digits User PIN code & Manual Key
- Emergency override Key
- Strong Steel shooting Bolts
- The last 50 opening records can be tracked
- Low battery indicator
- · External battery power input option available
- UL fire rated





OES-FGP-FP-11

Size (mm) : (H) 370 x (W) 485 x (D) 430 Size (inch) : (H) 14.57 x (W) 19.09 x (D) 16.93 Weight (Kg.) : 52 (Approx.) Volume (Ltr.) : 19.50 Accessories : 1 Tray inside

MRP:₹ 38,490/-

KEY FEATURES

- User Access: Upto 10 fingerprint and 4 to 30 digits user PIN code can be registered
- Dual combination of lock system with built-in cylinder key
- LED display with backlit and keypad audio
- 2 locking bolts & 2 dead bolt
- Low battery Indicator



Fireproof Fingerprint with User Code Access



OES-MD-77 Silver

Size (mm) : (H) 910 x (W) 500 x (D) 450 Size (inch) : (H) 35.83 x (W) 19.69 x (D) 17.72 Weight (Kg.): 120 (Approx.) Volume (Ltr.) : 112.50

MRP:₹ 47,990/-

KEY FEATURES

- Electronic locking system
- User Access: Upto 3 to 6 user PIN code & Master PIN code

Access

- Auto Secure mode alarm on consecutive 3 wrong PIN attempts or tempering resulting into keypad inactivity for 1 minutes
- Emergency override key
- Strong steel body
- Low Battery Indicator
- · Extra battery backup option



APPLICATIONS:

JŪC Retail



Dual Combination User Code Access

Auto Secure





SAFILO DIGITAL-1

Size (mm) : (H) 420 x (W) 350 x (D) 360 Size (inch) : (H) 16.54 x (W) 13.78 x (D) 14.17 Weight (Kg.): 20 (Approx.) Volume (Ltr.): 40





SAFILO BIO-X

Size (mm) : (H) 350 x (W) 400 x (D) 350 Size (inch) : (H) 13.78 x (W) 15.74 x (D) 13.78 Weight (Kg.): 21.30 (Approx.) Volume (Ltr.) : 40.80

MRP:₹ 16,790/-



SAFILO BIO-2

Size (mm) : (H) 555 x (W) 350 x (D) 360 Size (inch) : (H) 21.85 x (W) 13.78 x (D) 14.17 Weight (Kg.) : 24.70 (Approx.) Volume (Ltr.) : 55

MRP:₹ 18,990/-

KEY FEATURES

- Electronic locking system
- User Access: 3 to 6 digit User PIN code
- Master PIN code available
- · Emergency override key
- · Low battery indicator
- External battery power input option available









KEY FEATURES

- Electronic locking system
- User Access: Combination of fingerprint + User PIN code, only 3-8 digits PIN code, only fingerprint
- Auto secure mode on 3 consecutive wrong PIN attempts resulting into 20 seconds beep sound
- Emergency override key
- Register upto 29 fingerprints
- External battery power input option available
- Accessories : 1 shelf inside



of Fingerprint & PIN

LED



Display

Secure







JADE BLACK 01

Size (mm) : (H) 200 x (W) 350 x (D) 200 Size (inch) : (H) 7.87 x (W) 13.78 x (D) 7.87 Weight (Kg.) : 6.40 (Approx.) Volume (Ltr.) : 9.80

MRP:₹ 8,990/-

KEY FEATURES

- Electronic locking system
- User Access : RFID card, 4 to 6 digits user PIN code
- Auto secure mode on 3 consecutive wrong PIN attempts resulting into keypad inactivity for 5 minutes
- Emergency override key
- Records for 400 openings
- Master PIN code available
- · Low battery indicator
- External battery backup option with USB cable



OTD-404 BLACK

Size (mm) : (H) 350 x (W) 450 x (D) 355 Size (inch) : (H) 13.78 (W) 17.72 x (D) 13.98 Weight (Kg.) : 20.50 (Approx.) Volume (Ltr.) : 45

JADE BLACK

Volume (Ltr.) : 26

MRP:₹ 12,990/-

Size (mm) : (H) 200 x (W) 435 x (D) 365

Weight (Kg.) : 12.60 (Approx.)

Size (inch) : (H) 7.87 x (W) 17.13 x (D) 14.37





OES-17 EN BLUE

Size (mm) : (H) 170 x (W) 230 x (D) 170 Size (inch) : (H) 6.69 x (W) 9.06 x (D) 6.69 Weight (Kg.) : 4 (Approx.) Volume (Ltr.) : 4.50







Override Kev



Access



Display



ACCESSORY

CONVENIO DIGITAL-33 ACC

Hand Held Device for CONVENIO-33 Std. (Activity record of last 100 openings)

MRP:₹ 21,500/-









RFID Card Access

APPLICATIONS:



KEY FEATURES

- Electronic locking system
- User Access: 4 to 8 digits user PIN code
- Auto secure mode on 3 consecutive wrong PIN attempts resulting into keypad inactivity keypad for 5 minutes
- LED display with backlit touch screen
- Extra battery backup option

APPLICATIONS:



KEY FEATURES

- Electronic locking system
- User access: 3 to 8 digits user PIN code • 3 minutes auto secure/freeze mode on
- 3 consecutive wrong PIN attempts
- · Low battery buzzer alarm
- Emergency override key









O-SQUIRE

Size (mm) : (H) 200 x (W) 350 x (D) 200 Size (inch) : (H) 7.87 x (W) 13.78 x (D) 7.87 Weight (Kg.) : 6.20 (Approx.) Volume (Ltr.): 9





User PIN Code Auto Secure LED Display



O-LAPTOP

Access

Size (mm) : (H) 200 x (W) 430 x (D) 380 Size (inch) : (H) 7.87 x (W) 16.93 x (D) 14.96 Weight (Kg.): 11 (Approx.) Volume (Ltr.) : 24.50

MRP:₹ 9,990/-



User PIN Code Auto Secure LED Display Access

OPAL IVORY

Size (mm) : (H) 250 x (W) 350x (D) 250 Size (inch) : (H) 9.84 x (W) 13.78 x (D) 9.84 Weight (Kg.) : 11 (Approx.) Volume (Ltr.) : 16.50

MRP:₹ 9,990/-



Access



Auto Secure



AGATE LAPTOP

Size (mm) : (H) 200 x (W) 430 x (D) 380 Size (inch) : (H) 7.87 x (W) 16.93 x (D) 14.96 Weight (Kg.) : 10.70 (Approx.) Volume (Ltr.) : 24.50

Auto Secure

MRP:**₹ <mark>7,590/-</mark>**



User PIN Code

KEY FEATURES

- Electronic locking system
- User Access : 3 to 6 digits user PIN code • Auto secure mode on 4 consecutive wrong PIN attempts resulting into keypad inactivity for 15 minutes
- LED Display
- Emergency override key
- Low battery indicator
- Battery power input option available

KEY FEATURES

- · Electronic locking system
- User Access : 3 to 6 digit user PIN code
- Auto secure mode on 3 consecutive wrong PIN attempts resulting into keypad inactivity for 15 minutes
- LED Display
- Emergency override key
- · Low battery indicator

KEY FEATURES

- Electronic locking system
- User Access : 4 to 6 digits user PIN code
- Auto secure mode on 3 consecutive wrong PIN attempts
- Emergency override key
- Dual mode : Personal/Hotel mode
- Master PIN code available
- · Low battery indicator
- Extra battery backup option

KEY FEATURES

- Electronic locking system
- User Access : 3 to 8 digits User PIN code
- Auto secure mode on 3 consecutive wrong PIN attempts
- Emergency override key
- Extra battery backup option

Access





TUSKER-11

Size (mm) : (H) 250 x (W) 350 x (D) 250 Size (inch) : (H) 9.84 x (W) 13.78 x (D) 9.84 Weight (Kg.) : 9.50 (Approx.) Volume (Ltr.) : 16







User Code Emergency Override Key Access



OES-17 EN Grey

Size (mm) : (H) 170 x (W) 230 x (D) 170 Size (inch) : (H) 6.69 x (W) 9.06 x (D) 6.69 Weight (Kg.): 4 (Approx.) Volume (Ltr.) : 4.50

MRP:₹ 4,990/-

Available : Yellow & Blue Color





OES-BAS-i10

Size (mm) : (H) 200 x (W) 300 x (D) 200 Size (inch) : (H) 7.87 x (W) 11.81 x (D) 7.87 Weight (Kg.) : 6 (Approx.) Volume (Ltr.) : 7.80

MRP:₹ 5,690/-





User Code Access



ES-ECO-BB-77-GREY

Size (mm) : (H) 650 x (W) 440 x (D) 405 Size (inch) : (H) 25.59 x (W) 17.32 x (D) 15.94 Weight (Kg.): 34.70 (Approx.) Volume (Ltr.) : 95.40 Accessories : 2 Shelf Inside

MRP:₹ 21,790/-



Access



Display

KEY FEATURES

- Electronic locking system
- User access : 4 to 8 digits user PIN code
- Emergency override key
- Low battery indicator with Audio/Visual alarm
- Master PIN code available
- Extra battery backup option

APPLICATIONS:



KEY FEATURES

- Electronic locking system
- User access: 3 to 8 digits user PIN code
- 3 minutes auto secure/freeze mode on 3 consecutive wrong PIN attempts
- Low battery buzzer alarm
- Emergency override key

APPLICATIONS:



KEY FEATURES

- Electronic locking system
- User access: 3 to 8 digits user PIN code
- 3 minutes auto secure/freeze mode on 3 consecutive wrong PIN attempts
- Low battery buzzer alarm
- Emergency override key

APPLICATIONS:



KEY FEATURES

- Electronic Locking System
- User access : 4 to 8 digits user PIN code
- Emergency override key
- · Low batery indicator with Audio/Visual alarm
- Master PIN code available





Override Key

LED

Emergency Override Key

LED

User Code Access





CONVENIO MANUAL-11

Size (mm) : (H) 250 x (W) 350 x (D) 250 Size (inch) : (H) 9.84 x (W) 13.78 x (D) 7.87 Weight (Kg.) : 9 (Approx.) Volume (Ltr.) : 15.50





KEY FEATURES

- Manual locking system
- Strong steel body
- Single user access
- Ideal for Wardrobe/Cupboard

APPLICATIONS:





CONVENIO MANUAL - 12

Size (mm) : (H) 555 x (W) 350 x (D) 360 Size (inch) : (H) 21.85 x (W) 13.78 x (D) 14.17 Weight (Kg.) : 24.70 (Approx.) Volume (Ltr.) : 55





Dual Combination Manual Key Access

KEY FEATURES

- Manual locking system
- Strong steel body construction and powder-coated finish
- Dual combination key system
- SS Shooting Bolts
- Ideal for office/warehouse & Commercial areas

APPLICATIONS:





CONVENIO MANUAL - DD 13

Size (mm) : (H) 700 x (W) 460 x (D) 460 Size (inch) : (H) 27.56 x (W) 18.11 x (D) 18.11 Weight (Kg.) : 45 (Approx.) Volume (Ltr.) : 92





Manual Key

KEY FEATURES

- Manual locking system
- Strong multi-band construction
- 6 lever lock
- Two tone powder coated finish
- Cash drop drawer: 2,000 qty. notes bundles







OZ-ISC-SCD 410 Ltr Red

Size (mm) : (H) 1650 x (W) 1500 x (D) 860 Size (inch) : (H) 64.96 x (W) 59.06 x (D) 33.86 Weight (Kg.): 270 (Approx.) Volume (Ltr.): 410 Adjustable Shelves (Pcs) : 2 Shelves Capacity (Kg): 100 Door Type : Double Door

MRP:₹ 1,89,990/-

Complies with US OSHA 29 CFR 1910.106 and NFPA Code 30. section 4.3.3

KEY FEATURES

- Sturdy 1mm double-wall steel with 38mm of insulating air space
- Self-latching doors
- · Fully welded and riveted construction
- · Continuous piano hinge provides smooth closure
- Dual vents with built-in flash arresters placed at bottom & opposite top
- · Safety shelves designed to handle incidental spills to back & bottom of leak proof sump

ailable Sizes*										
WxD (mm)	560x430x430	890x590x460	1650x590x460	1120x1090x460	1650x1090x460	1650x860x860	1650x1090x860	1650x1500x860		
pacity (Ltr)	15	45	83	114	170	227	340	410		
eight (Kg.)	35	56	85	100	138	165	190	270		
justable Shelves (Pcs)	1	1	2	1	2	2	2	2		
elves capacity (Kg)	50	50	50	100	100	100	100	100		
or Type	Single Door	Single Door	Single Door	Double Door	Double Door	Double Door	Double Door	Double Door		
binet for Flammable uids – item code	OZ-ISC-15 Ltr Yellow	OZ-ISC-45 Ltr Yellow	OZ-ISC-83 Ltr Yellow	OZ-ISC-114 Ltr Yellow	OZ-ISC-170 Ltr Yellow	OZ-ISC-227 Ltr Yellow	OZ-ISC-340 Ltr Yellow	OZ-ISC-410 Ltr Yellow		
binet for Combustible uids - item code	OZ-ISC-15 Ltr Red	OZ-ISC-45 Ltr Red	OZ-ISC-83 Ltr Red	OZ-ISC-114 Ltr Red	OZ-ISC-170 Ltr Red	OZ-ISC-227 Ltr Red	OZ-ISC-340 Ltr Red	OZ-ISC-410 Ltr Red		
binet for Corrosive uids - item code	OZ-ISC-15 Ltr Blue	OZ-ISC-45 Ltr Blue	OZ-ISC-83 Ltr Blue	OZ-ISC-114 Ltr Blue	OZ-ISC-170 Ltr Blue	OZ-ISC-227 Ltr Blue	OZ-ISC-340 Ltr Blue	OZ-ISC-410 Ltr Blue		
₹P/Unit	₹ 46,990/-	₹ 64,990/-	₹ 79,990/-	₹ 89,990/-	₹ 1,29,990/-	₹ 1,49,990/-	₹ 1,59,990/-	₹ 1,89,990/-		

Ava

HxW Cap Wei Adju She Doo Cab liqu Cab liq Cak liqu MRI

*Applicable for Hazard Storage Lockers



Red for combustible liquids

Corporate Office:

New Delhi
 H-40, Bali Nagar,
 New Delhi - 110015
 T: +91-11-45576677 (30 Lines)
 Fax: +91-11-45576699
 E-mail: ozone@ozone-india.com

Operations:

New Delhi 1/122, Timber Market, Kirti Nagar, New Delhi - 110015

Gurugram Plot No. 548, Phase V, Udyog Vihar Gurugram, Haryana - 122016

Works:

Ozone Secutech Pvt. Ltd. Trilokpur Road, Kheri, Nahan District-Sirmour Kala Amb - 173030 Himachal Pradesh

Branch Offices:

Ahmedabad

407, 4th Floor, Shivalik Ahaise, Opp. Shell Petrol Pump, Prahaladnagar, Ahmedabad-38

Mumbai

Materstones Hotel, Int.Airport Road, Marol, Andheri (E), Mumbai-400059

Indore

503, B Block, Prakrati Corporate, Y N Road, Indore - 452001

Chandigarh

SCO 907, NAC Mani Majra Near Solitaire Hotel, Chandigarh - 160101

Hyderabad

#8-3-231/4/7, Flat No-103, Laxmi Plaza, Jubilee Hills, Hyderabad - 500045 Mob: +91-9515156404



Δ

Ozone Secutech Pvt. Ltd.

Visit : www.ozonesafes.com | Email : ccsafes@ozone-india.com India Customer Care : +91 9716500300

International Office:

Melbourne, Australia Ozone Australia Pty. Ltd. e-mail : info@ozoneaustralia.com.au website : www.ozoneaustralia.com.au



New Delhi 1/122, Timber Market, Kirti Nagar, New Delhi - 110015

Bengaluru

No. 424, 2nd Floor, Above HDFC Bank, Passport Office Road, 6th block , Koramangala, Bengaluru - 560034

Chennai

No.28/1, Rajarathnam Street, Kilpauk, Opp. Beverly Hotel, Chennai-600010

Jaipur 27, 5th Floor, Mahima Trinity Mall, Swej Farm, New Sangaher Road, Jaipur-302019

#105, 155 Floor, Suyog Ce Market Yard, Gultekdi, Pe

Mob: +91-9974180155

Kolkata

Pune

SAF

4 Govt Place, 4th floor, Room No:- 4H Delta House. Kolkatta - 700001 Mob: +91-9831176481